



CANiK® GLOBAL ACCESSORY PROGRAM

OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM


www.canik-store.com

2024

CONTENTS

MECANIK®	20-29
AIRSOFT	30-32
BARREL	33-58
MAGAZINE	59-76
MAG-WELL	77-82
MAGAZINE EXTENSION	83-89
BACKSTRAP	90-98
RECOIL SPRING	99-107
SIGHT	108-118
OPTIC BASE PLATE	119-126
FIRING PIN & MAGAZINE CATCH	127-131
TRIGGER	131-133
SFX RIVAL-S ACCESSORY	134-149
UPGRADE PACK	150-153
DUTY PACK & GEAR	154-164
HOLSTER	165-176
OEM	177-197

CANiK® GLOBAL ACCESSORY PROGRAM



MECANIK®

MO2 20 0000

OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM

mecanik.com

M01

TACTICAL MICRO REFLEX SIGHT

MECANIK RED DOT SIGHTS INCREASE SHOOTERS' CONFIDENCE WITH THEIR PROVEN ACCURACY AND PERFORMANCE AT OPTIMAL LEVELS. WE DESIGNED OUR SIGHTS ACCORDING TO THE INPUTS GIVEN BY SPECIAL FORCES OPERATORS AND INCORPORATING STATE-OF-THE-ART TECHNOLOGY. THE UNIQUE DESIGN OF OUR RED DOT OPTIC'S OUTER FRAME PROVIDES EASE OF RACKING THE PISTOL WITH A SINGLE HAND IF NEEDED. THIS SIGHT IS MADE TO ENDURE AND WORK FLAWLESSLY IN THE MOST DEMANDING OPERATIONAL AND ENVIRONMENTAL CONDITIONS. THIS IS WHY OUR OPTICS ARE FOUND IN THE ARSENALS OF THE WORLD'S GREATEST SHOOTERS.

MECANIK RED DOT SIGHTS CONTINUE TO BE A GAME-CHANGER IN TACTICAL APPLICATIONS, AS WELL AS SPORTIVE SHOOTING, HOME/SELF DEFENSE, AND COMPETITION CATEGORIES. WE ARE PROUD TO GIVE YOU THE MOST EFFICIENT, RELIABLE, AND RUGGED ELECTRONIC SIGHTING SYSTEM IN THE WORLD. WELCOME TO THE SUPERIOR WAY OF DOING THINGS WITH MECANIK



MODEL	M01
OPTIC SPECS	
Operating principle:	Reflex collimator sight with LED
Optical magnification	Optical magnification - 1X
Aiming dot size:	3 MOA/Red
Wavelength	650nm
Paralaks Free	Yes
Unlimited Eye Relief	Yes
Lens	Glass
Coloured Coating	Yes
Anti-reflex, all surfaces and high transmission	Yes
ELECTRONIC SPECS	
Light Source	Super LED
Power Source	Battery
Battery Type	CR2032
Battery life - Day time use:	60,000 hours at the lowest setting
Battery Position	Bottom
Brightness Control	Automatic
Motion Sensor	Yes
Low Battery Warning	Yes
Auto-turn off	Yes
PHYSICAL DIMENSION	
Window Dimensions	0.83x0.62 inch/22x15.8 mm
Optic Dimensions (LxWxH)	1.61x0.98x0.93 inch/40.8x25x23.5 mm
Weight (with Battery)	20g/0.70 oz
MECHANICAL DATA	
Frame	High Quality CNC Machine 6061T6 Aluminum
Surface treatment	Anodized
Adjustment	1 MOA (100 MOA Windage & Elevation)
Optic Interface Pattern	Shield RMSc
ENVIROMENTAL FACTORS	
Storage Temp	D-40° C - 60° C
Working Temp	-30° C -55° C
Waterproof	IPX7 with its original interface
48 Hours Salt Spray Test	Rustproof

MMAC-330

FITS

TP9 SFT, TP9 SF, TP9 SF MOD. 2, TP9 SA MOD.2, TP9 DA, TP9 SF ELITE, TP9 SF ELITE-S, TP9 SUB ELITE, SFX RIVAL, SFX RIVAL-S, METE SFX, METE SFX PRO, METE SFT, METE SFT PRO, METE SF, TP9 SF METE-S, TP9 SUB METE, METE MC

M02

VERSATILE REFLEX SIGHT

MECANIK RED DOT SIGHTS INCREASE SHOOTERS' CONFIDENCE WITH THEIR PROVEN ACCURACY AND PERFORMANCE AT OPTIMAL LEVELS. WE DESIGNED OUR SIGHTS ACCORDING TO THE INPUTS GIVEN BY SPECIAL FORCES OPERATORS AND INCORPORATING STATE-OF-THE-ART TECHNOLOGY. THE UNIQUE DESIGN OF OUR RED DOT OPTIC'S OUTER FRAME PROVIDES EASE OF RACKING THE PISTOL WITH A SINGLE HAND IF NEEDED. THIS SIGHT IS MADE TO ENDURE AND WORK FLAWLESSLY IN THE MOST DEMANDING OPERATIONAL AND ENVIRONMENTAL CONDITIONS. THIS IS WHY OUR OPTICS ARE FOUND IN THE ARSENALS OF THE WORLD'S GREATEST SHOOTERS.

MECANIK RED DOT SIGHTS CONTINUE TO BE A GAME-CHANGER IN TACTICAL APPLICATIONS, AS WELL AS SPORTIVE SHOOTING, HOME/SELF DEFENSE, AND COMPETITION CATEGORIES. WE ARE PROUD TO GIVE YOU THE MOST EFFICIENT, RELIABLE, AND RUGGED ELECTRONIC SIGHTING SYSTEM IN THE WORLD. WELCOME TO THE SUPERIOR WAY OF DOING THINGS WITH MECANIK



MODEL	M02
OPTIC SPECS	
Operating principle:	Reflex collimator sight with LED
Optical magnification	1x
Aiming dot size:	3 MOA/Red
Wavelength	650nm
Paralaks Free	Yes
Unlimited Eye Relief	Yes
Lens	Glass
Coloured Coating	Yes
Anti-reflex, all surfaces and high transmission	Yes
ELECTRONIC SPECS	
Light Source	LED
Power Source	Battery
Battery Type	CR2032
Battery life - Day time use:	6.5 years (60,000h) at lowest setting, 3,000 at middle brightness
Battery Position	Bottom
Brightness Control	Manual 10 (2 NV+8 Daylight)
Motion Sensor	NO
Low Battery Warning	Yes
Auto-turn off	Yes
PHYSICAL DIMENSION	
Window Dimensions	1.1x0.79 inch/28x20 mm
Optic Dimensions (LxWxH)	1.85x1.24x1.08 inch/47.31.5x27. mm
Weight (with Battery)	31g/1.09 oz
MECHANICAL DATA	
Frame	High Quality CNC Machine 6061 T6 Aluminum
Surface treament	Anodized
Adjustment	1 MOA (100 MOA Windage & Elevation)
Optic Interface Patern	Vortex® Venom®
ENVIROMENTAL FACTORS	
Storage Temp	-40 °C - 60 °C
Working Temp	-30 °C -55 °C
Waterproof	IPX7
48 Hours Salt Spray Test	Rustproof

MMAC-331

FITS

TP9 SFT, TP9 SF, TP9 SF MOD. 2, TP9 SA MOD.2, TP9 DA, TP9 ELITE COMBAT,
TP9 ELITE-S COMBAT, TP9 SF ELITE, TP9 SF ELITE-S, TP9 SFX, TP9 SFX MOD. 2, SFX RIVAL,
SFX RIVAL-S

M03

COMPETITION REFLEX SIGHT

MECANIK RED DOT SIGHTS INCREASE SHOOTERS' CONFIDENCE WITH THEIR PROVEN ACCURACY AND PERFORMANCE AT OPTIMAL LEVELS. WE DESIGNED OUR SIGHTS ACCORDING TO THE INPUTS GIVEN BY SPECIAL FORCES OPERATORS AND INCORPORATING STATE-OF-THE-ART TECHNOLOGY. THE UNIQUE DESIGN OF OUR RED DOT OPTIC'S OUTER FRAME PROVIDES EASE OF RACKING THE PISTOL WITH A SINGLE HAND IF NEEDED. THIS SIGHT IS MADE TO ENDURE AND WORK FLAWLESSLY IN THE MOST DEMANDING OPERATIONAL AND ENVIRONMENTAL CONDITIONS. THIS IS WHY OUR OPTICS ARE FOUND IN THE ARSENALS OF THE WORLD'S GREATEST SHOOTERS.

MECANIK RED DOT SIGHTS CONTINUE TO BE A GAME-CHANGER IN TACTICAL APPLICATIONS, AS WELL AS SPORTIVE SHOOTING, HOME/SELF DEFENSE, AND COMPETITION CATEGORIES. WE ARE PROUD TO GIVE YOU THE MOST EFFICIENT, RELIABLE, AND RUGGED ELECTRONIC SIGHTING SYSTEM IN THE WORLD. WELCOME TO THE SUPERIOR WAY OF DOING THINGS WITH MECANIK



MODEL	M03
OPTIC SPECS	
Reticle	6 MOA DOT
Light Wavelength	650nm
Reticle Color	Red
Parallax Setting	25 yards
Unlimited Eye Relief	Yes
Magnification	1x
Multi-Coatings	Yes
ELECTRONIC SPECS	
Light Source	LED
Power Source	Battery
Battery Type	CR2032
Battery life (Hours)	60,000 hours at the lowest setting
Battery Position	Top
Brightness Setting	8 DL+2 NV
Shake Awake	Yes
Low battery alert	No
Auto off	3 Minutes
PHYSICAL DIMENSION	
Window Size	29x24 mm
Dimensions (in)	54x34x35.9 mm
Weight (with Battery)	1.69(48g)
MECHANICAL DATA	
Housing Material	Aluminium 6061-T6
Surface Finish	Black Anodizing
Adjustment per Click	1 MOA
W&E Travel Range	≈50 MOA
Footprint	Trijicon RMR
ENVIRONMENT DATA	
Storage Temp	-30° C ~60° C
Working Temp	-30° C ~60° C
Submersion	IP67
Vibration	1200G

MMAC-634

FITS

TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SFX, TP9 SFX MOD. 2, SFX RIVAL, SFX RIVAL-S

TP-SUP 1 SUPPRESSOR



MECANIK PRESENTS THE NEW PISTOL SUPPRESSOR LINE THAT FEATRES COMPLETELY MODULAR AND CONFIGURABLE ALUMINIUM BAFFLES THAT ALLOWS PERSONALIZATION FOR THE SHOOTER. MECANIK T-SUB1 SUPPRESSOR IS MAINLY DESIGNED FOR FLOATING-BARREL PISTOLS.THANKS TO ITS UNIQUE SUSPENSION SYSTEM, IT WORKS FLAWLESSLY WITH EVERY KIND OF 9MM FLUTTED-BARREL PISTOL.T-SUB1 HAS A LIGHT WEIGHT AND DURABLE DESIGN MADE TO GIVE THE SHOOTER EASE AND CONVENIENCE NEEDED FOR ANY OCCASION.IT IS ADAPTABLE TO USE WITH ANY KIND OF 9MM AMMUNITION.

Technical Specs for MECANIK T-SUP 1		
OVERALL PERFORMANCE	~ 22 Db (for 4 Baffles)	
SILENCER WEIGHT	4 Baffles: 207 g	6 Baffles: 248 g
TOTAL LENGTH	4 Baffles: 155 mm	6 Baffles: 197 mm
DIAMETER	24.4 mm	
MATERIAL	Aluminum, Stainless Steel (Piston)	
EXTERIOR FINISH	Cerakote over Black Anodized	
CALIBRES	9 x 19 mm	
THREAD OPTIONS	Option 1: 1/2"-28 UNEF	Option 2: M13,5X1 LH

MECANIK LENS PEN

MECANIK LENS PEN DECREASE THE CONTAMINATION ON THE LENS REDUCING THE STATIC ELECTRICITY THANKS TO ITS CARBON HEAD. ONCE CLEANING IS COMPLETED WITH MECANIK OPTIK SOLUTION, THEN CLEAN THE LENS SURFACE WITH THE CLOTH SOFTLY AND THE CLEANING PROCESS IS COMPLETED WITH THE CARBON HEAD.



MMAC-758

MOUNT

MECANIK MOD 1L

ELEVATE YOUR SHOOTING PERFORMANCE WITH THE MECANIK MOD (MECANIK OPTIC DEVICE) 1L. THIS OPTIC MOUNTING KIT IS A SPECIALIZED PRODUCT DESIGNED TO ADD THE MECANIK M01 VERSATILE REFLEX SIGHT BY SECURELY ATTACHING THE OPTIC TO THE PICATINNY RAIL ON YOUR FIREARM. WHY CHOOSE THE THE MECANIK MOD 1L OPTIC MOUNTING KIT?

DESIGNED TO CATER TO THE NEEDS OF SHOOTING ENTHUSIASTS, THIS PRODUCT OFFERS EXCEPTIONAL PRECISION AIMING, TARGET FOCUS, AND SHOOTING STABILITY. OFFERING RELIABILITY, DURABILITY, AND EASE OF USE, THIS MOUNTING KIT IS AN IDEAL SOLUTION TO ENHANCE YOUR SHOOTING EXPERIENCE.



FEATURES

SUPERIOR DURABILITY: CRAFTED FROM HIGH-QUALITY MATERIALS, THE MOD 1L ENSURES LONG-LASTING USE AND HAS BEEN METICULOUSLY ENGINEERED FOR RELIABILITY.

EASY INSTALLATION: THE PRODUCT COMES WITH SIMPLE AND USER-FRIENDLY MOUNTING INSTRUCTIONS, ALLOWING YOU TO QUICKLY AND EFFORTLESSLY ATTACH YOUR OPTICS.

SECURE FASTENING: THE PICATINNY RAIL ATTACHMENT ENSURES A TIGHT AND SECURE HOLD, GUARANTEEING THE SAFE TRANSPORT OF YOUR OPTICS.

UNIVERSAL COMPATIBILITY: COMPATIBLE WITH VARIOUS FIREARM MODELS, THE PRODUCT OFFERS VERSATILE USAGE

WARNING! PLEASE DO NOT DIRECT THE FIREARM TO YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-772

FITS

MECANIK M01, SHIELD SMS™,
SIG ROMEO ZERO™

MOUNT

MECANIK MOD 2L

ELEVATE YOUR SHOOTING PERFORMANCE WITH THE MECANIK MOD (MECANIK OPTIC DEVICE) 2L. THIS OPTIC MOUNTING KIT IS A SPECIALIZED PRODUCT DESIGNED TO ADD THE MECANIK M02 VERSATILE REFLEX SIGHT BY SECURELY ATTACHING THE OPTIC TO THE PICATINNY RAIL ON YOUR FIREARM. WHY CHOOSE THE THE MECANIK MOD 2L OPTIC MOUNTING KIT?

DESIGNED TO CATER TO THE NEEDS OF SHOOTING ENTHUSIASTS, THIS PRODUCT OFFERS EXCEPTIONAL PRECISION AIMING, TARGET FOCUS, AND SHOOTING STABILITY. OFFERING RELIABILITY, DURABILITY, AND EASE OF USE, THIS MOUNTING KIT IS AN IDEAL SOLUTION TO ENHANCE YOUR SHOOTING EXPERIENCE.



FEATURES

SUPERIOR DURABILITY: CRAFTED FROM HIGH-QUALITY MATERIALS, THE MOD 2L ENSURES LONG-LASTING USE AND HAS BEEN METICULOUSLY ENGINEERED FOR RELIABILITY.

EASY INSTALLATION: THE PRODUCT COMES WITH SIMPLE AND USER-FRIENDLY MOUNTING INSTRUCTIONS, ALLOWING YOU TO QUICKLY AND EFFORTLESSLY ATTACH YOUR OPTICS.

SECURE FASTENING: THE PICATINNY RAIL ATTACHMENT ENSURES A TIGHT AND SECURE HOLD, GUARANTEEING THE SAFE TRANSPORT OF YOUR OPTICS.

UNIVERSAL COMPATIBILITY: COMPATIBLE WITH VARIOUS FIREARM MODELS, THE PRODUCT OFFERS VERSATILE USAGE

WARNING! PLEASE DO NOT DIRECT THE FIREARM TO YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-773

FITS

MECANIK M02, VORTEX VIPER™
(STANDARD PICATINNY RAIL)

MOUNT

MECANIK MOD 1H

ELEVATE YOUR SHOOTING PERFORMANCE WITH THE MECANIK MOD (MECANIK OPTIC DEVICE) 1H. THIS OPTIC MOUNTING KIT IS A SPECIALIZED PRODUCT DESIGNED TO ADD THE MECANIK M01 VERSATILE REFLEX SIGHT BY SECURELY ATTACHING THE OPTIC TO THE PICATINNY RAIL ON YOUR FIREARM. WHY CHOOSE THE THE MECANIK MOD 1H OPTIC MOUNTING KIT?

DESIGNED TO CATER TO THE NEEDS OF SHOOTING ENTHUSIASTS, THIS PRODUCT OFFERS EXCEPTIONAL PRECISION AIMING, TARGET FOCUS, AND SHOOTING STABILITY. OFFERING RELIABILITY, DURABILITY, AND EASE OF USE, THIS MOUNTING KIT IS AN IDEAL SOLUTION TO ENHANCE YOUR SHOOTING EXPERIENCE.



FEATURES

SUPERIOR DURABILITY: CRAFTED FROM HIGH-QUALITY MATERIALS, THE MOD 1H ENSURES LONG-LASTING USE AND HAS BEEN METICULOUSLY ENGINEERED FOR RELIABILITY.

EASY INSTALLATION: THE PRODUCT COMES WITH SIMPLE AND USER-FRIENDLY MOUNTING INSTRUCTIONS, ALLOWING YOU TO QUICKLY AND EFFORTLESSLY ATTACH YOUR OPTICS.

SECURE FASTENING: THE PICATINNY RAIL ATTACHMENT ENSURES A TIGHT AND SECURE HOLD, GUARANTEEING THE SAFE TRANSPORT OF YOUR OPTICS.

UNIVERSAL COMPATIBILITY: COMPATIBLE WITH VARIOUS FIREARM MODELS, THE PRODUCT OFFERS VERSATILE USAGE.

WARNING! PLEASE DO NOT DIRECT THE FIREARM TO YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-696

FITS

MECANIK M01, SHIELD SMS™,
SIG ROMEO ZERO™

MOUNT

MECANIK MOD 2H

ELEVATE YOUR SHOOTING PERFORMANCE WITH THE MECANIK MOD (MECANIK OPTIC DEVICE) 2H. THIS OPTIC MOUNTING KIT IS A SPECIALIZED PRODUCT DESIGNED TO ADD THE MECANIK M02 VERSATILE REFLEX SIGHT BY SECURELY ATTACHING THE OPTIC TO THE PICATINNY RAIL ON YOUR FIREARM. WHY CHOOSE THE THE MECANIK MOD 2H OPTIC MOUNTING KIT?

DESIGNED TO CATER TO THE NEEDS OF SHOOTING ENTHUSIASTS, THIS PRODUCT OFFERS EXCEPTIONAL PRECISION AIMING, TARGET FOCUS, AND SHOOTING STABILITY. OFFERING RELIABILITY, DURABILITY, AND EASE OF USE, THIS MOUNTING KIT IS AN IDEAL SOLUTION TO ENHANCE YOUR SHOOTING EXPERIENCE.



FEATURES

SUPERIOR DURABILITY: CRAFTED FROM HIGH-QUALITY MATERIALS, THE MOD 2H ENSURES LONG-LASTING USE AND HAS BEEN METICULOUSLY ENGINEERED FOR RELIABILITY.

EASY INSTALLATION: THE PRODUCT COMES WITH SIMPLE AND USER-FRIENDLY MOUNTING INSTRUCTIONS, ALLOWING YOU TO QUICKLY AND EFFORTLESSLY ATTACH YOUR OPTICS.

SECURE FASTENING: THE PICATINNY RAIL ATTACHMENT ENSURES A TIGHT AND SECURE HOLD, GUARANTEEING THE SAFE TRANSPORT OF YOUR OPTICS.

UNIVERSAL COMPATIBILITY: COMPATIBLE WITH VARIOUS FIREARM MODELS, THE PRODUCT OFFERS VERSATILE USAGE.

WARNING! PLEASE DO NOT DIRECT THE FIREARM TO YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-697

FITS

MECANIK M02, VORTEX VIPER™
(STANDARD PICATINNY RAIL)

MECANIK OPTIC PACK

MECANIK M01 TACTICAL RIFLE OPTIC PACK - HIGH

MECANIK M01 RED-DOT:

- 3 MOA RED-DOT SIGHT
- IT IS DESIGNED FOR DUTY AND CONCEALED CARRY PISTOLS
- AUTOMATIC BRIGHTNESS ADJUSTMENT (10 LEVEL)
- THANKS TO THE HI-TECH MOTION SENSOR, IT TURNS OFF WHEN NOT IN USE. IT STARTS WORKING AGAIN WHEN MOTION IS DETECTED
- LOW-PROFILE DESIGN THAT CAN BE USED WITH CO-WITNESS FEATURE
- THANKS TO ITS HIGH QUALITY SUPER LED FEATURE, IT HAS A CLEARER DOT COMPARED TO ITS COMPETITORS
- MECANIK M01 COMES PRE-ZEROED OUT OF THE FACTORY FOR METE SERIES PISTOL

PARALLAX-FREE

MECANIK MOD1 H:

- SUPERIOR DURABILITY: CRAFTED FROM HIGH-QUALITY MATERIALS, THE MOD 1H ENSURES LONG-LASTING USE AND HAS BEEN METICULOUSLY ENGINEERED FOR RELIABILITY.

- EASY INSTALLATION: THE PRODUCT COMES WITH SIMPLE AND USER-FRIENDLY MOUNTING INSTRUCTIONS, ALLOWING YOU TO QUICKLY AND EFFORTLESSLY ATTACH YOUR OPTICS.

- SECURE FASTENING: THE PICATINNY RAIL ATTACHMENT ENSURES A TIGHT AND SECURE HOLD, GUARANTEEING THE SAFE TRANSPORT OF YOUR OPTICS.

- UNIVERSAL COMPATIBILITY: COMPATIBLE WITH VARIOUS FIREARM MODELS, THE PRODUCT OFFERS VERSATILE USAGE.



MMAC-782

FITS

ALL MODELS EQUIPPED WITH PICATINNY RAIL ARE COMPATIBLE WITH THE FOLLOWING
HUNTING RIFLES (SHOTGUN), AIRSOFT RIFLES

MECANIK OPTIC PACK

MECANIK M01 TACTICAL RIFLE OPTIC PACK - LOW

MECANIK M01 RED-DOT:

- 3 MOA RED-DOT SIGHT
- IT IS DESIGNED FOR DUTY AND CONCEALED CARRY PISTOLS
- AUTOMATIC BRIGHTNESS ADJUSTMENT (10 LEVEL)
- THANKS TO THE HI-TECH MOTION SENSOR, IT TURNS OFF WHEN NOT IN USE. IT STARTS WORKING AGAIN WHEN MOTION IS DETECTED
- LOW-PROFILE DESIGN THAT CAN BE USED WITH CO-WITNESS FEATURE
- THANKS TO ITS HIGH QUALITY SUPER LED FEATURE, IT HAS A CLEARER DOT COMPARED TO ITS COMPETITORS
- MECANIK M01 COMES PRE-ZEROED OUT OF THE FACTORY FOR METE SERIES PISTOL
- PARALLAX-FREE

MECANIK MOD1 L:

- SUPERIOR DURABILITY: CRAFTED FROM HIGH-QUALITY MATERIALS, THE MOD 1L ENSURES LONG-LASTING USE AND HAS BEEN METICULOUSLY ENGINEERED FOR RELIABILITY.
- EASY INSTALLATION: THE PRODUCT COMES WITH SIMPLE AND USER-FRIENDLY MOUNTING INSTRUCTIONS, ALLOWING YOU TO QUICKLY AND EFFORTLESSLY ATTACH YOUR OPTICS.
- SECURE FASTENING: THE PICATINNY RAIL ATTACHMENT ENSURES A TIGHT AND SECURE HOLD, GUARANTEEING THE SAFE TRANSPORT OF YOUR OPTICS.
- UNIVERSAL COMPATIBILITY: COMPATIBLE WITH VARIOUS FIREARM MODELS, THE PRODUCT OFFERS VERSATILE USAGE



MECANIK OPTIC PACK

MECANIK M02 TACTICAL RIFLE OPTIC PACK - HIGH

MECANIK M02 RED-DOT:

- 3 MOA RED DOT SIGHT
 - IT IS A VERSATILE OPTIC DESIGNED FOR HOME/SELF DEFENSE, HUNTING AND COMPETITION.
 - MANUAL BRIGHTNESS ADJUSTMENT (2 LEVEL FOR NVG+8 DAYLIGHT)
 - THANKS TO ITS HIGH QUALITY SUPER LED FEATURE, IT HAS A CLEARER DOT COMPARED TO ITS COMPETITORS
 - WIDE OPTICAL LENS
 - PARALLAX-FREE
- #### MECANIK MOD2 H:
- SUPERIOR DURABILITY: CRAFTED FROM HIGH-QUALITY MATERIALS, THE MOD 2H ENSURES LONG-LASTING USE AND HAS BEEN METICULOUSLY ENGINEERED FOR RELIABILITY.

- EASY INSTALLATION: THE PRODUCT COMES WITH SIMPLE AND USER-FRIENDLY MOUNTING INSTRUCTIONS, ALLOWING YOU TO QUICKLY AND EFFORTLESSLY ATTACH YOUR OPTICS.
- SECURE FASTENING: THE PICATINNY RAIL ATTACHMENT ENSURES A TIGHT AND SECURE HOLD, GUARANTEEING THE SAFE TRANSPORT OF YOUR OPTICS.
- UNIVERSAL COMPATIBILITY: COMPATIBLE WITH VARIOUS FIREARM MODELS, THE PRODUCT OFFERS VERSATILE USAGE.



MECANIK OPTIC PACK

MECANIK M02 TACTICAL RIFLE OPTIC PACK - LOW

MECANIK M01 RED-DOT:

- 3 MOA RED DOT SIGHT
 - IT IS A VERSATILE OPTIC DESIGNED FOR HOME/SELF DEFENSE, HUNTING AND COMPETITION.
 - MANUAL BRIGHTNESS ADJUSTMENT (2 LEVEL FOR NVG+8 DAYLIGHT)
 - THANKS TO ITS HIGH QUALITY SUPER LED FEATURE, IT HAS A CLEARER DOT COMPARED TO ITS COMPETITORS
 - WIDE OPTICAL LENS
 - PARALLAX-FREE
- #### MECANIK MOD2 L:
- SUPERIOR DURABILITY: CRAFTED FROM HIGH-QUALITY MATERIALS, THE MOD 2L ENSURES LONG-LASTING USE AND HAS BEEN METICULOUSLY ENGINEERED FOR RELIABILITY.

- EASY INSTALLATION: THE PRODUCT COMES WITH SIMPLE AND USER-FRIENDLY MOUNTING INSTRUCTIONS, ALLOWING YOU TO QUICKLY AND EFFORTLESSLY ATTACH YOUR OPTICS.
- SECURE FASTENING: THE PICATINNY RAIL ATTACHMENT ENSURES A TIGHT AND SECURE HOLD, GUARANTEEING THE SAFE TRANSPORT OF YOUR OPTICS.
- UNIVERSAL COMPATIBILITY: COMPATIBLE WITH VARIOUS FIREARM MODELS, THE PRODUCT OFFERS VERSATILE USAGE



MMAC-783

FITS

ALL MODELS EQUIPPED WITH PICATINNY RAILARE COMPATIBLE WITH THE FOLLOWING HUNTING RIFLES(SHOTGUN), AIRSOFT RIFLES

MMAC-784

FITS

ALL MODELS EQUIPPED WITH PICATINNY RAILARE COMPATIBLE WITH THE FOLLOWING HUNTING RIFLES(SHOTGUN), AIRSOFT RIFLES

MMAC-785

FITS

ALL MODELS EQUIPPED WITH PICATINNY RAILARE COMPATIBLE WITH THE FOLLOWING HUNTING RIFLES(SHOTGUN), AIRSOFT RIFLES

M01 OPTIC COVER



MMAC-619

M02 OPTIC COVER



MMAC-633

COMPENSATOR

COMPACT COMPENSATOR



MMAC-780

FITS

TP9 SF ELITE COMBAT, TP9 SF ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, TP9 SF ELITE,
TP9 SF ELITE-S, METE SF, METE SF PRO

COMPENSATOR

COMPACT COMPENSATOR



MMAC-781

FITS

TP9 SF ELITE COMBAT, TP9 SF ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, TP9 SF ELITE, TP9 SF ELITE-S, METE SF, METE SF PRO

COMPENSATOR

TP9 SFX COMPENSATOR (TUNGSTEN)

JOINING THE RANKS OF OUR LINE OF ELITE COMPENSATORS IS THE TP9 SFX. ELEVATE YOUR ACCURACY WITH THIS MODIFICATION THAT IS DESIGNED TO REDUCE FIREARM RECOIL. WHETHER YOU CONCEAL CARRY, SPEND TIME ON THE RANGE, OR CARRY FOR WORK, A COMPENSATOR CAN IMPROVE AIM AND SPEED.

TP9 SFX COMPENSATOR INTENDED TO FIT YOUR FIREARM SEAMSLESSLY WITHOUT COMPROMISING STYLE. THE TP9 SFX PISTOL IS POPULAR FOR ITS HIGH-END PERFORMANCE.



MMAC-055

FITS

TP9 SFX-TP9 SFX Mod. 2-TP9 SFX METE

COMPENSATOR

TP9 SFX COMPENSATOR (BLACK)

JOINING THE RANKS OF OUR LINE OF ELITE COMPENSATORS IS THE TP9 SFX. ELEVATE YOUR ACCURACY WITH THIS MODIFICATION THAT IS DESIGNED TO REDUCE FIREARM RECOIL. WHETHER YOU CONCEAL CARRY, SPEND TIME ON THE RANGE, OR CARRY FOR WORK, A COMPENSATOR CAN IMPROVE AIM AND SPEED.

TP9 SFX COMPENSATOR INTENDED TO FIT YOUR FIREARM SEAMSLESSLY WITHOUT COMPROMISING STYLE. THE TP9 SFX PISTOL IS POPULAR FOR ITS HIGH-END PERFORMANCE.



MMAC-056

FITS


TP9 SFX-TP9 SFX Mod. 2-TP9 SFX METE

AIRSOFT ACCESSORIES

OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM

www.canik-store.com



TP9 ELITE COMBAT AIRSOFT
(FDE)



MMAC-566

TP9 ELITE COMBAT AIRSOFT
(BLACK)



MMAC-565

TP9 ELITE COMBAT AIRSOFT
(DUAL)



MMAC-564

CANIN STORE

TP9 ELITE COMBAT AIRSOFT MAGAZINE



MMAC-496

FITS

TP9 ELITE COMBAT AIRSOFT

CANiK BIO BB 0,20 G



MMAC-617

FITS

TP9 ELITE COMBAT AIRSOFT

CANiK BIO BB 0,25 G




MMAC-618

FITS

TP9 ELITE COMBAT AIRSOFT

BARREL



OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM

www.canik-store.com

BARREL

COMPACT SIZE THREADED BARREL DESIGN BY SAI® (INCH)

COMPACT SIZE SAI® DESIGN THREADED BARRELS HAVE BEEN SPECIFICALLY BUILT BY W® FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM
1/2" - 28 RIGHT-HAND THREAD
HIGH-QUALITY CNC TECH
4.72" / 120 MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM. ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-069

FITS

TP9 ELITE COMBAT, TP9 ELITE-S COMBAT

BARREL

COMPACT SIZE SAI® DESIGNED THREADED BARREL (METRIC)

COMPACT SIZE SAI® DESIGNED THREADED BARRELS HAVE BEEN SPECIFICALLY BUILT BY CANIK® FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM
M13,5X1 LH
HIGH-QUALITY CNC TECH
4.72" / 120 MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM. ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-070

FITS

TP9 ELITE COMBAT, TP9 ELITE-S COMBAT

BARREL

COMPACT SIZE THREADED BARREL (METRIC)

COMPACT SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM
M13,5X1 LH
HIGH-QUALITY CNC TECH
4.60" / 117 MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM. ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-096

FITS

TP9 SF METE - TP9 SF METE -S

MASTER PACK (PCS)

20

BARREL

FULL SIZE BARREL (REPLACEMENT)

FULL SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

MASTER PACK (PCS)

20



FEATURES

- CHAMBERED IN 9X19 MM
- HIGH-QUALITY CNC TECH
- 5.19" / 132 MM BARREL LENGTH
- 6 GROOVES W/RH TWIST
- 9.85 INCH / 250 MM HELIX LENGTH
- INNER & OUTER TENIFER FINISH
- POLISHED FEED RAMP
- MATCH GRADE BARREL
- UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-105

FITS

TP9 SFX, TP9 SFL, TP9 SFX Mod.2

BARREL

FULL SIZE THREADED BARREL (METRIC)

FULL SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

- CHAMBERED IN 9X19 MM
- M13,5X1 LH
- HIGH-QUALITY CNC TECH
- 5.74" / 146 MM BARREL LENGTH
- 6 GROOVES W/RH TWIST
- 9.85 INCH / 250 MM HELIX LENGTH
- INNER & OUTER TENIFER FINISH
- POLISHED FEED RAMP
- MATCH GRADE BARREL
- UP TO 50,000 ROUNDS BARREL



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-106

FITS

TP9 SFX METE

BARREL

FULL SIZE THREADED BARREL (IMPERIAL)

FULL SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

MASTER PACK (PCS)

20



FEATURES

- CHAMBERED IN 9X19 MM
- 1/2"-28RH
- HIGH-QUALITY CNC TECH
- 5.74" / 146 MM BARREL LENGTH
- 6 GROOVES W/RH TWIST
- 9.85 INCH / 250 MM HELIX LENGTH
- INNER & OUTER TENIFER FINISH
- POLISHED FEED RAMP
- MATCH GRADE BARREL
- UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-107

FITS

TP9 SFX METE - METE SFX

BARREL

COMPACT SIZE BARREL (REPLACEMENT)

COMPACT SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

MASTER PACK (PCS)

20



FEATURES

- CHAMBERED IN 9X19 MM
- HIGH-QUALITY CNC TECH
- 4.19" / 106,5 MM BARREL LENGTH
- 6 GROOVES W/RH TWIST
- 9.85 INCH / 250 MM HELIX LENGTH
- INNER & OUTER TENIFER FINISH
- POLISHED FEED RAMP
- MATCH GRADE BARREL
- UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-108

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 DA ELITE

BARREL

COMPACT SIZE THREADED BARREL (METRIC)

COMPACT SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

- CHAMBERED IN 9X19 MM
- M13,5X1LH
- HIGH-QUALITY CNC TECH
- 4.72" / 120 MM BARREL LENGTH
- 6 GROOVES W/RH TWIST
- 9.85 INCH / 250 MM HELIX LENGTH
- INNER & OUTER TENIFER FINISH
- POLISHED FEED RAMP
- MATCH GRADE BARREL
- UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-109

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 DA ELITE

BARREL

COMPACT SIZE THREADED BARREL (IMPERIAL)

COMPACT SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

MASTER PACK (PCS)

20



FEATURES

- CHAMBERED IN 9X19 MM
- 1/2" -28RH
- HIGH-QUALITY CNC TECH
- 4.72" / 120 MM BARREL LENGTH
- 6 GROOVES W/RH TWIST
- 9.85 INCH / 250 MM HELIX LENGTH
- INNER & OUTER TENIFER FINISH
- POLISHED FEED RAMP
- MATCH GRADE BARREL
- UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-110

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 DA ELITE

BARREL

COMPACT SIZE SAI® DESIGNED BARREL

COMPACT SIZE SAI® DESIGNED BARRELS HAVE BEEN SPECIFICALLY BUILT BY CANIK® FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM
HIGH-QUALITY CNC TECH
4,19" / 106,5 MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER 6 OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-111

FITS

TP9 ELITE COMBAT, TP9 ELITE-S COMBAT

BARREL

COMPACT SIZE SAI® DESIGNED BARREL (PVD)

COMPACT SIZE SAI® DESIGNED PVD COATED BARRELS HAVE BEEN SPECIFICALLY BUILT BY CANIK® FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM
HIGH-QUALITY CNC TECH
4,19" / 106,5 MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-112


FITS

TP9 ELITE COMBAT, TP9 ELITE-S COMBAT

BARREL

COMPACT SIZE SAI® DESIGNED PVD COATED THREADED BARREL (METRIC)

COMPACT SIZE SAI® DESIGNED PVD COATED BARRELS HAVE BEEN SPECIFICALLY BUILT BY CANIK® FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS



FEATURES

CHAMBERED IN 9X19 MM
M13,5X1 LH
HIGH-QUALITY CNC TECH
4,72" / 120 MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-113

FITS

TP9 ELITE COMBAT, TP9 ELITE-S COMBAT

BARREL

COMPACT SIZE PVD COATED THREADED BARREL DESIGNED BY SAI® (IMPERIAL)

COMPACT SIZE SAI® DESIGNED PVD COATED THREADED BARRELS HAVE BEEN SPECIFICALLY BUILT BY CANIK® FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

- CHAMBERED IN 9X19 MM
- 1/2"-28RH
- HIGH-QUALITY CNC TECH
- 4.72" / 120 MM BARREL LENGTH
- 6 GROOVES W/RH TWIST
- 9.85 INCH / 250 MM HELIX LENGTH
- TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH
- POLISHED FEED RAMP
- MATCH GRADE BARREL
- UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-114

FITS

TP9 ELITE COMBAT, TP9 ELITE-S COMBAT

BARREL

SUB COMPACT (SC) SIZE BARREL (REPLACEMENT)

SC SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



MASTER PACK (PCS)
20

FEATURES

- CHAMBERED IN 9X19 MM
- HIGH-QUALITY CNC TECH
- 3.60" / 91.5 MM BARREL LENGTH
- 6 GROOVES W/RH TWIST
- 9.85 INCH / 250 MM HELIX LENGTH
- INNER & OUTER TENIFER FINISH
- POLISHED FEED RAMP
- MATCH GRADE BARREL
- UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-115

FITS

TP9 SUB ELITE, TP9 ELITE SC, TP9 SUB METE

BARREL

SUB COMPACT (SC) THREADED BARREL (METRIC)

SC THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

- CHAMBERED IN 9X19 MM
- M13.5X1LH
- HIGH-QUALITY CNC TECH
- 4.13" / 105 MM BARREL LENGTH
- 6 GROOVES W/RH TWIST
- 9.85 INCH / 250 MM HELIX LENGTH
- INNER & OUTER TENIFER FINISH
- POLISHED FEED RAMP
- MATCH GRADE BARREL
- UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-116

FITS

TP9 SUB ELITE, TP9 ELITE SC, TP9 SUB METE

BARREL

SUB COMPACT (SC) SIZE THREADED BARREL (IMPERIAL)

SC SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM
1/2" - 28RH
HIGH-QUALITY CNC TECH
4.13" / 105 MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-117

FITS

TP9 SUB ELITE, TP9 ELITE SC, TP9 SUB METE, TP9 SUB ELITE CAS

BARREL

SUB COMPACT (SC) size PVD COATED BARREL (REPLACEMENT)

SC SIZE PVD COATED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS



MASTER PACK (PCS)
20



FEATURES

CHAMBERED IN 9X19 MM
HIGH-QUALITY CNC TECH
3.60" / 91.5 MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-126


FITS

TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE-SC, TP9 SUB ELITE CAS, METE SC, METE SC PRO

BARREL

SUB COMPACT (SC) SIZE PVD COATED THREADED BARREL (METRIC)

SC PVD COATED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM
M13,5X1 LH
HIGH-QUALITY CNC TECH
4.13" / 105 MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-127

FITS

TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE-SC, SUB ELITE CAS, METE SC, METE SC PRO

STORE
CANIK

BARREL

SUB COMPACT (SC) size PVD COATED THREADED BARREL (IMPERIAL)

SC SIZE PVD COATED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

MASTER PACK (PCS)

20



FEATURES

CHAMBERED IN 9X19 MM
1/2" - 28RH
HIGH-QUALITY CNC TECH
4.13" / 105 MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-128

FITS

TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE-SC, SUB ELITE CAS, METE SC, METE SC PRO

BARREL

FULL SIZE BARREL (REPLACEMENT)

FULL SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

MASTER PACK (PCS)

20



FEATURES

CHAMBERED IN 9X19 MM
HIGH-QUALITY CNC TECH
4.46" / 113.5 MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-173

FITS

TP9 SFT, TP9 SA Mod.2, TP9 SFT METE, TP9 SF, TP9 SF Mod.2, METE SFT, METE SFT PRO

BARREL

FULL SIZE THREADED BARREL (METRIC)

FULL SIZE THREADED BARRELS ARE SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE CANIK® PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH QUALITY, BARREL GRADE STEEL. PRECISION CNC MACHINING PROVIDES MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS, THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THE TP9 FULL-SIZE BARRELS REDEFINE QUALITY AND ROBUSTNESS AMONG HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM
M13,5X1 LH
HIGH-QUALITY CNC TECH
5.00" / 127 MM BARREL LENGTH
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-174

FITS

TP9 SFT, TP9 SA Mod.2, TP9 SFT METE, TP9 SF, TP9 SF Mod.2, METE SFT, METE SFT PRO

BARREL

FULL SIZE THREADED BARREL (IMPERIAL)

FULL SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

MASTER PACK (PCS)
20



FEATURES

- CHAMBERED IN 9X19 MM
- 1/2 - 28 RH THREAD PITCH
- HIGH-QUALITY CNC TECH
- 5.00" / 127 MM BARREL LENGTH
- 6 GROOVES W/RH TWIST
- 9.85 INCH / 250 MM HELIX LENGTH
- INNER & OUTER TENIFER FINISH
- POLISHED FEED RAMP
- MATCH GRADE BARREL
- UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-175

FITS

TP9 SFT, TP9 SA Mod.2, TP9 SFT METE, TP9 SF, TP9 SF Mod.2, METE SFT, METE SFT PRO

BARREL

COMPACT SIZE THREADED BARREL (IMPERIAL)

COMPACT SIZE THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

- CHAMBERED IN 9X19 MM
- 1/2 - 28 RH THREAD PITCH
- HIGH-QUALITY CNC TECH
- 4.60" / 117 MM BARREL LENGTH
- 6 GROOVES W/RH TWIST
- 9.85 INCH / 250 MM HELIX LENGTH
- INNER & OUTER TENIFER FINISH
- POLISHED FEED RAMP
- MATCH GRADE BARREL
- UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-178

FITS

TP9 SF METE - TP9 SF METE-S

BARREL

COMPACT SIZE BARREL (REPLACEMENT)

COMPACT SIZE SAI® DESIGNED THREADED BARRELS HAVE BEEN SPECIFICALLY BUILT BY CANIK® FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

- CHAMBERED IN 9X19 MM
- HIGH-QUALITY CNC TECH
- 4.07" / 103.5 MM BARREL LENGTH
- 6 GROOVES W/RH TWIST
- 9.85 INCH / 250 MM HELIX LENGTH
- INNER & OUTER TENIFER FINISH
- POLISHED FEED RAMP
- MATCH GRADE BARREL
- UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-179

FITS

TP9 SF METE, TP9 SF METE-S

BARREL

FULL SIZE FLUTED BARREL

FULL SIZE FLUTED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

MASTER PACK (PCS)

20



FEATURES

CHAMBERED IN 9X19 MM
UNIQUE FLUTED DESIGN
HIGH-QUALITY CNC TECH
5.00" / 127 MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-416

FITS

SFX RIVAL

BARREL

SUB COMPACT (SC) SIZE FLUTED BARREL

SC SIZE FLUTED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

MASTER PACK (PCS)

20



FEATURES

CHAMBERED IN 9X19 MM
UNIQUE FLUTED DESIGN
HIGH-QUALITY CNC TECH
3.60" / 91,5 MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-417

FITS

METE SC PRO, METE SC, TP9 SUB ELITE, TP9 ELITE SC, TP9 SUB METE

BARREL

COMPACT SIZE FLUTED BARREL

COMPACT SIZE FLUTED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANİK® ENGINEERS FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

MASTER PACK (PCS)

20



FEATURES

CHAMBERED IN 9X19 MM
UNIQUE FLUTED DESIGN
HIGH-QUALITY CNC TECH
4.19" / 106,5MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-418

FITS

METE SF PRO, METE SF, TP9 SF ELITE, TP9 SF ELITE-S

BARREL

FULL SIZE FLUTED BARREL

FULL SIZE FLUTED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

MASTER PACK (PCS)
20



FEATURES

CHAMBERED IN 9X19 MM
UNIQUE FLUTED DESIGN
HIGH-QUALITY CNC TECH
4.46"/113,5 MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-419

FITS

METE SFT PRO, METE SFT, TP9 SFT METE, TP9 SA Mod.2, TP9 SF

BARREL

FULL SIZE FLUTED BARREL

FULL SIZE FLUTED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

MASTER PACK (PCS)
20



FEATURES

CHAMBERED IN 9 MM
UNIQUE FLUTED DESIGN
HIGH-QUALITY CNC TECH
5.19"/132MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-420

FITS

METE SFX PRO, METE SFX, TP9 SFX METE

BARREL

FULL SIZE FLUTED THREADED BARREL (METRIC)

FULL SIZE FLUTED THREADED BARREL HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

MASTER PACK (PCS)
20



FEATURES

CHAMBERED IN 9X19 MM
M13,5X1 LH
UNIQUE FLUTED DESIGN
HIGH-QUALITY CNC TECH
5.53"/140.5 MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-434

FITS

SFX RIVAL

BARREL

FULL SIZE FLUTED THREADED BARREL (INCH)

FULL SIZE FLUTED THREADED BARREL HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

- CHAMBERED IN 9X19 MM
- 1/2" - 28 RH
- UNIQUE FLUTED DESIGN
- HIGH-QUALITY CNC TECH
- 5.53"/140.5 MM BARREL LENGTH
- 6 GROOVES W/RH TWIST
- 9.85 INCH / 250 MM HELIX LENGTH
- INNER & OUTER TENIFER FINISH
- POLISHED FEED RAMP
- MATCH GRADE BARREL
- UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-435


FITS

SFX RIVAL

BARREL

FULL SIZE PVD FLUTED THREADED BARREL (IMPERIAL)

FULL SIZE PVD FLUTED THREADED BARREL HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

- CHAMBERED IN 9X19 MM
- UNIQUE FLUTED DESIGN
- 1/2" - 28 RH
- HIGH-QUALITY CNC TECH
- 5.53"/140.5 MM BARREL LENGTH
- 6 GROOVES W/RH TWIST
- 9.85 INCH / 250 MM HELIX LENGTH
- TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH
- POLISHED FEED RAMP
- MATCH GRADE BARREL
- UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-436

FITS

SFX RIVAL

BARREL

SUB COMPACT SIZE FLUTED THREADED BARREL (METRIC)

COMPACT SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

- CHAMBERED IN 9X19 MM
- UNIQUE FLUTED DESIGN
- M13,5X1 LH
- HIGH-QUALITY CNC TECH
- 4.13"/105MM BARREL LENGTH
- 6 GROOVES W/RH TWIST
- 9.85 INCH / 250 MM HELIX LENGTH
- INNER & OUTER TENIFER FINISH
- POLISHED FEED RAMP
- MATCH GRADE BARREL
- UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-437

FITS

METE SC PRO, METE SC, TP9 SUB ELITE, TP9 ELITE SC, TP9 SUB METE

BARREL

SUB COMPACT (SC) SIZE FLUTED THREADED BARREL (IMPERIAL)

SC SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

MASTER PACK (PCS)
20



FEATURES

CHAMBERED IN 9X19 MM
UNIQUE FLUTED DESIGN
1/2" - 28 RH
HIGH-QUALITY CNC TECH
4.13"/105MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
TENIFER INNER SURFACE
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-438

FITS

METE SC PRO, METE SC, TP9 SUB ELITE, TP9 ELITE SC, TP9 SUB METE

BARREL

SUB COMPACT (SC) SIZE PVD COATED FLUTED THREADED BARREL (IMPERIAL)

SC SIZE PVD COATED FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR SC SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

MASTER PACK (PCS)
20



FEATURES

CHAMBERED IN 9X19 MM
UNIQUE FLUTED DESIGN
1/2" - 28 RH
HIGH-QUALITY CNC TECH
4.13"/105MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-439

FITS

METE SC PRO, METE SC, TP9 SUB ELITE, TP9 ELITE SC, TP9 SUB METE

BARREL

COMPACT SIZE FLUTED THREADED BARREL (METRIC)

COMPACT SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM
UNIQUE FLUTED DESIGN
M13,5X1 LH
HIGH-QUALITY CNC TECH
4.72"/120MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-440

FITS

METE SF PRO, METE SF, TP9 SF ELITE, TP9 SF ELITE-S

BARREL

COMPACT SIZE FLUTED THREADED BARREL (IMPERIAL)

COMPACT SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

MASTER PACK (PCS)
20



FEATURES

CHAMBERED IN 9X19 MM
UNIQUE FLUTED DESIGN
1/2"-28 RH
HIGH-QUALITY CNC TECH
4.72"/120MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-441

FITS

METE SF PRO, METE SF, TP9 SF ELITE, TP9 SF ELITE-S

BARREL

COMPACT SIZE PVD COATED FLUTED THREADED BARREL (IMPERIAL)

COMPACT SIZE PVD COATED FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY BUILT BY CANIK® FOR COMPACT SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

MASTER PACK (PCS)
20



FEATURES

CHAMBERED IN 9X19 MM
UNIQUE FLUTED DESIGN
1/2"-28 RH
HIGH-QUALITY CNC TECH
4.72" / 120 MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-442

FITS

METE SF PRO, METE SF, TP9 SF ELITE, TP9 SF ELITE-S

BARREL

FULL SIZE FLUTED THREADED BARREL (METRIC)

FULL SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM
UNIQUE FLUTED DESIGN
M13,5X1 LH
HIGH-QUALITY CNC TECH
5.00"/127MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-443

FITS

METE SFT PRO, METE SFT, TP9 SFT METE

BARREL

FULL SIZE FLUTED THREADED BARREL (IMPERIAL)

FULL SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

MASTER PACK (PCS)
20



FEATURES

CHAMBERED IN 9X19 MM
UNIQUE FLUTED DESIGN
1/2 - 28 RH THREAD PITCH
HIGH-QUALITY CNC TECH
5.00"/127MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM. ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-444

FITS

METE SFT PRO, METE SFT, TP9 SFT METE

BARREL

FULL SIZE FLUTED THREADED BARREL (IMPERIAL)

FULL SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

MASTER PACK (PCS)
20



FEATURES

CHAMBERED IN 9X19 MM
UNIQUE FLUTED DESIGN
1/2 - 28 RH THREAD PITCH
HIGH-QUALITY CNC TECH
5.00"/127MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE
TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM. ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-445

FITS

METE SFT PRO, METE SFT, TP9 SFT METE, TP9 SA Mod.2, TP9 SF

BARREL

FULL SIZE FLUTED THREADED BARREL (METRIC)

FULL SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

FEATURES

CHAMBERED IN 9X19 MM
UNIQUE FLUTED DESIGN
M13,5X1 LH
HIGH-QUALITY CNC TECH
5.74"/146MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM. ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-446

FITS

METE SFx PRO, METE SFx, TP9 SFx METE

BARREL

FULL SIZE FLUTED THREADED BARREL (IMPERIAL)

FULL SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

MASTER PACK (PCS)
20



FEATURES

CHAMBERED IN 9X19 MM
UNIQUE FLUTED DESIGN
1/2" - 28 RH
HIGH-QUALITY CNC TECH
5.74"/146MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-447

FITS

METE SFX PRO, METE SFX, TP9 SFX METE

BARREL

FULL SIZE PVD COATED FLUTED THREADED BARREL (IMPERIAL)

FULL SIZE PVD COATED FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

MASTER PACK (PCS)
20



FEATURES

CHAMBERED IN 9X19 MM
UNIQUE FLUTED DESIGN
1/2" - 28 RH
HIGH-QUALITY CNC TECH
5.74"/146MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE
TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-448

FITS

METE SFX PRO, METE SFX, TP9 SFX METE

BARREL

FULL SIZE FLUTED BARREL

FULL SIZE FLUTED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

MASTER PACK (PCS)
20



FEATURES

CHAMBERED IN 9X19 MM
UNIQUE FLUTED DESIGN
HIGH-QUALITY CNC TECH
5.19" BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-449

FITS

TP9 SFX - TP9 SFL

BARREL

FULL SIZE FLUTED THREADED BARREL (IMPERIAL)

FULL SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

MASTER PACK (PCS)

20



FEATURES

CHAMBERED IN 9X19 MM
UNIQUE FLUTED DESIGN
1/2" - 28 RH
HIGH-QUALITY CNC TECH
5.74" BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-450

FITS

TP9 SFx - TP9 SFL

BARREL

FULL SIZE FLUTED THREADED BARREL (METRIC)

FULL SIZE FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM
UNIQUE FLUTED DESIGN
1/2" - 28 RH
HIGH-QUALITY CNC TECH
5.74" BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-451

TP9 SFx - TP9 SFL

BARREL

FULL SIZE PVD COATED FLUTED THREADED BARREL (IMPERIAL)

FULL SIZE PVD COATED FLUTED THREADED BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.

MASTER PACK (PCS)

20



FEATURES

CHAMBERED IN 9X19 MM
UNIQUE FLUTED DESIGN
1/2" - 28 RH
HIGH-QUALITY CNC TECH
5.74"/146MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE
TENIFER INNER SURFACE, PVD OVER NITRIDING OUTER SURFACE FINISH



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-452

FITS

TP9 SFx - TP9 SFL

BARREL

FULL SIZE THREADED BARREL (METRIC)

FULL SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM
HIGH-QUALITY CNC TECH
1/2" - 28 RH
5.74" / 146 MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-461

FITS

TP9 SFX, TP9 SFL, TP9 SFX Mod.2

BARREL

FULL SIZE THREADED BARREL (INCH)

FULL SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



MASTER PACK (PCS)

20

FEATURES

CHAMBERED IN 9X19 MM
HIGH-QUALITY CNC TECH
1/2" - 28 RH
5.74" / 146 MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-462

FITS

TP9 SFX, TP9 SFL, TP9 SFX Mod.2

BARREL

FULL SIZE METAL FRAME BARREL (REPLACEMENT)

FULL SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

CHAMBERED IN 9X19 MM
HIGH-QUALITY CNC TECH
4.72" / 120 MM BARREL LENGTH
6 GROOVES W/RH TWIST
9.85 INCH / 250 MM HELIX LENGTH
INNER & OUTER TENIFER FINISH
POLISHED FEED RAMP
MATCH GRADE BARREL
UP TO 50,000 ROUNDS BARREL LIFE



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-472

FITS

STANDART, LIGHT, SHARK, PIRANHA, DOLPHIN, DOLPHIN-L, S-120, L-120, P-120

BARREL

FULL SIZE BARREL (REPLACEMENT)

FULL SIZE BARRELS HAVE BEEN SPECIFICALLY DESIGNED BY CANIK® ENGINEERS FOR FULL SIZE SERIES PISTOLS. EVERY BARREL IS MANUFACTURED OF HIGH-QUALITY BARREL GRADE STEEL THROUGH HIGH PRECISION CNC MACHINING IN ORDER TO PROVIDE A MATCH GRADE ACCURACY AND EXCEPTIONAL DURABILITY. UNDER NORMAL USE CONDITIONS THESE BARRELS CAN LAST UP TO 50,000 ROUNDS. THESE BARRELS ARE REDEFINING QUALITY AND ROBUSTNESS IN HANDGUN BARRELS.



FEATURES

- CHAMBERED IN 9X19 MM
- HIGH-QUALITY CNC TECH
- 5.19" / 132 MM BARREL LENGTH
- 6 GROOVES W/RH TWIST
- 9.85 INCH / 250 MM HELIX LENGTH
- INNER & OUTER TENIFER FINISH
- POLISHED FEED RAMP
- MATCH GRADE BARREL
- POLISHED FEED RAMP
- MATCH GRADE BARREL
- UP TO 50,000 ROUNDS BARREL LIFE



DURABLE
FINISH



HIGH QUALITY
CNC TECH



COMBAT
PROVEN

WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM. ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-539

FITS

TP9 SFX METE, METE SFX

BARREL

METE MC9 BARREL TENIFER(INCH)



DURABLE
FINISH



HIGH QUALITY
CNC TECH



COMBAT
PROVEN

WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM. ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-644

FITS

METE MC9

BARREL

METE MC9 BARREL PVD(INCH)



DURABLE
FINISH



HIGH QUALITY
CNC TECH



COMBAT
PROVEN

WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM. ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-645

FITS

METE MC9

BARREL

METE MC9 BARREL TENIFER(METRIC)



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-646

FITS

METE MC9

BARREL

METE MC9 BARREL PVD(METRIC)



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-647

FITS

METE MC9

BARREL

METE MC9 FLUTED BARREL TENIFER (INCH)



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-648

FITS

METE MC9

BARREL

METE MC9 FLUTED BARREL PVD (INCH)



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-649

FITS

METE MC9

BARREL

METE MC9 FLUTED BARREL TENIFER (METRIC)



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-650

FITS

METE MC9

BARREL

METE MC9 FLUTED BARREL PVD (METRIC)



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-651

FITS

METE MC9

BARREL

METE MC9 FLUTED BARREL TENIFER



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-652

FITS

METE MC9

BARREL

METE MC9 FLUTED BARREL PVD



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-653

FITS

METE MC9

BARREL

METE MC9 BARREL TENIFER



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-654

FITS

METE MC9

BARREL

METE MC9 BARREL PVD



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-655

FITS

METE MC9

BARREL

SFX RIVAL-S FLUTED BARREL (CHROME)



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-760

FITS

SFX RIVAL-S

BARREL

SFX RIVAL-S FLUTED BARREL (TENIFER)



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-761

FITS

SFX RIVAL-S

U
A
N
I
T
Y
S
T
O
R
E

BARREL

SFX RIVAL-S FLUTED BARREL (PVD)



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM. ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-762

FITS

SFX RIVAL-S

BARREL

SFX RIVAL-S FLUTED THREADED BARREL (TENIFER)



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM. ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-763

FITS

SFX RIVAL-S

BARREL

SFX RIVAL-S FLUTED THREADED BARREL (PVD)



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM. ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-764

FITS

SFX RIVAL-S

BARREL

SFX RIVAL-S FLUTED THREADED BARREL (CHROME) INCH



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-765

FITS

SFX RIVAL-S

BARREL

SFX RIVAL-S FLUTED THREADED BARREL (CHROME) METRIC



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-766

FITS

SFX RIVAL-S

BARREL

SFX RIVAL-S FLUTED THREADED BARREL (PVD) METRIC



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE +P+ AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-767

FITS

SFX RIVAL-S

BARREL

SFX RIVAL-S FLUTED THREADED BARREL (CHROME) METRIC



WARNING! BARRELS MAY ONLY BE RETURNED IF THEY ARE UNUSED AND IN RESALEABLE CONDITION. THIS BARREL IS CHAMBERED IN 9X19MM, ONLY USE THIS CALIBER OF FACTORY AMMUNITION MADE TO INDUSTRY STANDARDS AS MARKED ON YOUR BARREL. DO NOT USE *P* AMMUNITION. ALWAYS BE SURE THAT THE BARREL IS CLEAR OF ANY OBSTRUCTIONS BEFORE SHOOTING. DO NOT ALTER OR MODIFY THE CALIBER OF THE BARREL OR GROOVES AND LANDS THEREIN. BEFORE REPLACING YOUR BARREL, PLEASE READ YOUR PISTOL'S OWNER'S MANUAL CAREFULLY! ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH

MMAC-768

FITS


SFX RIVAL-S

MAGAZINE

OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM

www.canik-store.com



MAGAZINE

COMPACT SIZE 15 ROUND MAGAZINE WITH +3 EXTENSION

THE COMPACT SIZE 15 ROUND MAGAZINE WITH +3 EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

MASTER PACK (PCS)
20



FEATURES

- 18 (15+3) ROUND 9X19MM CAPACITY
- POLYMER BASE PLATE WITH GRIP EXTENSION
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY MEC-GAR®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-015

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, METE SF PRO, METE SF

MAGAZINE

COMPACT SIZE 15 ROUND MAGAZINE

THE COMPACT SIZE 15 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

MASTER PACK (PCS)
20



FEATURES

- 15 ROUND 9X19MM CAPACITY
- POLYMER BASE PLATE
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY MEC-GAR®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-028

FITS

TP9 SF METE, TP9 SF METE-S, TP9 ELITE COMBAT, TP9 SF ELITE-S COMBAT, TP9 SF ELITE, TP9 SF ELITE-S, METE SF, METE SF PRO

MAGAZINE

COMPACT SIZE 15 ROUND MAGAZINE WITH +3 ALUMINIUM EXTENSION

THE COMPACT SIZE 15 ROUND MAGAZINE WITH +3 ALUMINIUM EXTENSIONS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

MASTER PACK (PCS)
20



FEATURES

- 18 (15+3) ROUND 9X19MM CAPACITY
- +3 ALUMINIUM EXTENDED BASE PLATE
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY MEC-GAR
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-029

FITS

TP9 SF METE, TP9 SF METE-S, TP9 ELITE COMBAT, TP9 SF ELITE-S COMBAT, TP9 SF ELITE, TP9 SF ELITE-S, METE SF, METE SF PRO

MAGAZINE

FULL SIZE 18 ROUND MAGAZINE

THE FULL SIZE 18 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



MASTER PACK (PCS)
20

FEATURES

- 18 ROUND 9X19MM CAPACITY
- POLYMER BASE PLATE
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY MEC-GAR®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-030

FITS

TP9 V2, TP9 SF, TP9 SA, TP9 SA Mod.2, TP9 SF Mod.2, TP9 DA, TP9 SAT, TP9 DAT, TP9 SFT, TP9 SFX, TP9 SFX Mod.2, TP9 SFT METE, TP9 SFX METE, METE SFT, METE SFT PRO, METE SFX, METE SFX PRO, SFX RIVAL, SFX RIVAL-S, TTI COMBAT

MAGAZINE

SUB COMPACT SIZE 12 ROUND MAGAZINE

THE SUB COMPACT SIZE 12 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



MASTER PACK (PCS)
20

FEATURES

- 12 ROUND 9X19MM CAPACITY
- POLYMER BASE PLATE
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY MEC-GAR®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-059

FITS

TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, METE SC, METE SC PRO

MAGAZINE

SUB COMPACT SIZE 12 ROUND MAGAZINE WITH FINGER REST

THE SUB COMPACT SIZE 12 ROUND MAGAZINE WITH FINGER REST IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



MASTER PACK (PCS)
20

FEATURES

- 12 ROUND 9X19MM CAPACITY
- EXTRA GRIP SURFACE WITH FINGER REST BASE PLATE
- DOUBLE-STACK DESIGN
- STANDARD BLACK POLYMER BASE PLATE
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE
- VIEWING WINDOWS FOR VISUAL CONFIRMATION
- HIGH QUALITY ANTI-FRICTION COATING
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY MEC-GAR®



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-060

FITS

TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, METE SC, METE SC PRO

MAGAZINE

SUB COMPACT SIZE 15 ROUND MAGAZINE WITH FINGER REST

THE SUB COMPACT SIZE 15 ROUND MAGAZINE WITH FINGER REST IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

MASTER PACK (PCS)

20



FEATURES

- 15 ROUND 9X19MM CAPACITY
- POLYMER BASE PLATE WITH GRIP EXTENSION
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY MEC-GAR®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-061

FITS

TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, METE SC, METE SC PRO

MAGAZINE

SUB COMPACT SIZE 15 ROUND MAGAZINE WITH +2 EXTENSION

THE SUB COMPACT SIZE 15 ROUND MAGAZINE WITH +2 EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

MASTER PACK (PCS)

20



FEATURES

- 17 (15+2) ROUND 9X19MM CAPACITY
- +2 POLYMER EXTENSION
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY MEC-GAR®
- INTERCHANGEABLE COMPONENT STRUCTURE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-062

FITS

TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, METE SC, METE SC PRO

MAGAZINE

17 ROUNDS STANDARD MAGAZINE (FULL SIZE METAL FRAMED PISTOLS)

THE 17 ROUNDS STANDARD MAGAZINE (FULL SIZE METAL FRAMED PISTOLS) IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

- 17 ROUND 9X19MM CAPACITY
- POLYMER FLAT BASE PLATE
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY MEC-GAR®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-124

FITS

STANDART, LIGHT, S120, L120, SHARK, SHARK FC, P120, SFC 100, PIRANHA, PIRANHA-F, STINGRAY, DOLPHIN

MAGAZINE

15 ROUNDS STANDARD MAGAZINE (COMPACT SIZE METAL FRAMED PISTOLS)

THE 15 ROUNDS STANDARD MAGAZINE (FULL SIZE METAL FRAMED PISTOLS) IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

- 15 ROUND 9X19MM CAPACITY
- POLYMER FLAT BASE PLATE
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY MEC-GAR®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MAGAZINE

SUB COMPACT SIZE 10 ROUND MAGAZINE

THE SUB COMPACT SIZE 10 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

- 10 ROUND 9X19MM CAPACITY
- DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 10 ROUNDS
- POLYMER BASE PLATE
- DOUBLE-STACK DESIGN
- STANDARD BLACK POLYMER BASE PLATE
- VIEWING WINDOWS FOR VISUAL CONFIRMATION
- HIGH QUALITY ANTI-FRICTION COATING
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY MEC-GAR®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MASTER PACK (PCS)
20

MAGAZINE

SUB COMPACT SIZE 10 ROUND MAGAZINE WITH FINGER REST

THE SUB COMPACT SIZE 10 ROUND MAGAZINE WITH FINGER REST IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

- 10 ROUND 9X19MM CAPACITY
- DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 10 ROUNDS
- EXTRA GRIP SURFACE WITH FINGER REST BASE PLATE
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY MEC-GAR®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MASTER PACK (PCS)
20

MMAC-125

FITS

COMPACT, C100, SHARK-C, P100, PIRANHA-C, PIRANHA-CF, STINGRAY C

MMAC-145

FITS

TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE-SC, METE SC, METE SC PRO

MMAC-146

FITS

TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE-SC, METE SC, METE SC PRO

MAGAZINE

FULL SIZE 18 ROUND MAGAZINE WITH +2 EXTENSION

THE FULL SIZE 18 ROUND MAGAZINE WITH +2 EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

MASTER PACK (PCS)
20



FEATURES

- 20(18+2) ROUND 9X19MM CAPACITY
- +2 POLYMER EXTENDED BASE PLATE
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY MEC-GAR®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-148

FITS

TP9 V2, TP9 SA, TP9 SA Mod.2, TP9 SF, TP9 DA, TP9 SF Mod.2, TP9 SFx, TP9 SFx Mod.2, TP9 SFT, TP9 SFL, TP9 SAT, TP9 SFx METE, TP9 SFT METE, METE SFT, METE SFT PRO, METE SFx, METE SFx PRO, SFx RIVAL, SFx RIVAL-S, TTI COMBAT

MAGAZINE

COMPACT SIZE 10 ROUND MAGAZINE

THE COMPACT SIZE 10 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

- 10 ROUND 9X19MM CAPACITY
- DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 10 ROUNDS
- POLYMER FLAT BASE PLATE
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY MEC-GAR®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-194

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, METE SF, METE SF PRO

MAGAZINE

COMPACT SIZE 10 ROUND MAGAZINE WITH +3 EXTENSION

THE COMPACT SIZE 10 ROUND MAGAZINE WITH +3 EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

MASTER PACK (PCS)
20



FEATURES

- 10 ROUND 9X19MM CAPACITY
- DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 10 ROUNDS
- ALUMINIUM EXTENDED BASE PLATE
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY MEC-GAR®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-195

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, METE SF, METE SF PRO

MAGAZINE

FULL SIZE 10 ROUND MAGAZINE

THE FULL SIZE 10 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

MASTER PACK (PCS)
20



FEATURES

- 10 ROUND 9X19MM CAPACITY
- DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 10 ROUNDS
- POLYMER BASE PLATE
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY MEC-GAR®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MAGAZINE

19(17+2) ROUNDS STANDARD EXTENDED MAGAZINE (FULL SIZE METAL FRAMED PISTOLS)

THE 19(17+2) ROUNDS STANDARD EXTENDED MAGAZINE (FULL SIZE METAL FRAMED PISTOLS) IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

- 19 (17+2) ROUND 9X19MM CAPACITY
- +2 POLYMER EXTENDED BASE PLATE
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY MEC-GAR®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE




WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MAGAZINE

FULL SIZE 18 ROUND MAGAZINE WITH FDE BASE PLATE

THE FULL SIZE 18 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

MASTER PACK (PCS)
20



FEATURES

- 18 ROUND 9X19MM CAPACITY
- FDE POLYMER BASE PLATE
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY MEC-GAR®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-203

FITS

TP9 V2, TP9 SF, TP9 SA, TP9 DA, TP9 SF Mod.2, TP9 SFx METE, TP9 SFT METE, TP9 SFx Mod.2, TP9 SAT, TP9 DAT, TP9 SFT, TP9 SA Mod.2, TP9 SF Mod.2

MMAC-274

FITS

STANDART, LIGHT, S120, L120, SHARK, SHARK FC, P120, SFC 100, PIRANHA, PIRANHA-F, STINGRAY

MMAC-423

FITS

TP9 V2, TP9 SF, TP9 SA, TP9 SA Mod.2, TP9 SF Mod.2, TP9 DA, TP9 SAT, TP9 DAT, TP9 SFT, TP9 SFx, TP9 SFx Mod.2, TP9 SFT METE, TP9 SFx METE, SFx RIVAL, SFx RIVAL-S

MAGAZINE

FULL SIZE 18 ROUND MAGAZINE WITH +2 FDE EXTENSION

THE FULL SIZE 18 ROUND MAGAZINE WITH +2 FDE EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

MASTER PACK (PCS)
20



FEATURES

- 20(18+2) ROUND 9X19MM CAPACITY
- FDE +2 POLYMER EXTENDED BASE PLATE
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY MEC-GAR®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-424

FITS

TP9 V2, TP9 SA, TP9 SA Mod.2, TP9 SF, TP9 DA, TP9 SF Mod.2, TP9 Sfx, TP9 Sfx Mod.2, TP9 SFT, TP9 SFL, TP9 SAT, TP9 Sfx METE, TP9 SFT METE

MAGAZINE

FULL SIZE 15 ROUND MAGAZINE

THE FULL SIZE 15 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

MASTER PACK (PCS)
20



FEATURES

- 15 ROUND 9X19MM CAPACITY
- DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 15 ROUNDS
- POLYMER BASE PLATE
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY MEC-GAR®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-457

FITS

TP9 V2, TP9 SF, TP9 Sfx, TP9 SA, TP9 SA Mod.2, TP9 SF Mod.2, TP9 Sfx Mod.2, TP9 SFT, TP9 SAT, TP9 DAT, TP9 Sfx METE, TP9 SFT METE, METE Sfx, METE Sfx PRO, METE SFT, METE SFT PRO, Sfx RIVAL, Sfx RIVAL-S

MAGAZINE

SUB COMPACT SIZE 15 ROUND MAGAZINE WITH +3 EXTENTION

THE SUB COMPACT SIZE 15 ROUND MAGAZINE WITH +3 EXTENTION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.

MASTER PACK (PCS)
20



FEATURES

- 18 (15+3) ROUND 9X19MM CAPACITY
- +3 POLYMER EXTENSION
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY MEC-GAR®
- INTERCHANGEABLE COMPONENT STRUCTURE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-460

FITS

TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, METE SC, METE SC PRO

MAGAZINE

FULL SIZE 10 ROUND MAGAZINE

THE FULL SIZE 10 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

- 10 ROUND 9X19MM CAPACITY
- TRUNCATED MAGAZINE BODY DESIGN PREVENTS LOADING MORE THAN 10 ROUNDS
- POLYMER BASE PLATE
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY MEC-GAR®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-489

FITS

TP9 SFT - METE SFT - METE SFT PRO - METE SFX - METE SFX PRO - SFX RIVAL - TP9 V2 - TP9 DA
TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SFX - TP9 SFL

MAGAZINE

COMPACT SIZE 10 ROUND MAGAZINE

THE COMPACT SIZE 10 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY MEC-GAR®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

- 10 ROUND 9X19MM CAPACITY
- TRUNCATED MAGAZINE BODY DESIGN PREVENTS LOADING MORE THAN 10 ROUNDS
- POLYMER FLAT BASE PLATE
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY MEC-GAR®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-490

FITS

TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE
TP9 SF METE-S - METE SF - METE SF PRO

MAGAZINE

FULL SIZE 18 ROUND MAGAZINE

THE FULL SIZE 18 ROUND MAGAZINE WAS DESIGNED AND DEVELOPED BY CANIK TO INCORPORATE THE FEATURES ONE DEMANDS IN A HIGH-QUALITY PISTOL MAGAZINE. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE TOUTING A SMOOTH AND SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH-QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST SHOT, DOWN TO THE LAST.



FEATURES

- 18 ROUND 9X19MM CAPACITY
- POLYMER BASE PLATE
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY MEC-GAR®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-588

FITS

TP9 V2, TP9 SF, TP9 SA, TP9 SA Mod.2, TP9 SF Mod.2, TP9 DA, TP9 SAT, TP9 DAT, TP9 SFT, TP9 SFX, TP9 SFX Mod.2, TP9 SFT METE, TP9 SFX METE, METE SFT, METE SFT PRO, METE SFX, METE SFX PRO, SFX RIVAL, SFX RIVAL-S, TTI COMBAT

MAGAZINE

FULL SIZE 18 ROUND MAGAZINE WITH +2 EXTENSION

THE FULL SIZE 18 ROUND MAGAZINE WITH +2 EXTENSION WAS DESIGNED AND DEVELOPED BY CANIK TO INCORPORATE ALL THE FEATURES ONE WOULD DEMAND IN A HIGH-QUALITY PISTOL MAGAZINE. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE TOUTING A SMOOTH AND SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH-QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST SHOT, DOWN TO THE LAST.



FEATURES

20(18+2) ROUND
9X19MM CAPACITY
+2 POLYMER EXTENDED BASE PLATE
DOUBLE-STACK DESIGN
WITNESS HOLES FOR VISUAL CONFIRMATION
ANTI-FRICTION COATING (AFC)
CORROSION RESISTANT
DEVELOPED AND MANUFACTURED BY CANIK
INTERCHANGEABLE COMPONENT STRUCTURE
EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-589

FITS

TP9 V2, TP9 SA, TP9 SA Mod.2, TP9 SF, TP9 DA, TP9 SF Mod.2, TP9 SFx, TP9 SFx Mod.2, TP9 SFT, TP9 SFL, TP9 SAT, TP9 SFx METE, TP9 SFT METE, METE SFT, METE SFT PRO, METE SFx, METE SFx PRO, TTI COMBAT

MAGAZINE

FULL SIZE 18 ROUND MAGAZINE (FDE BASE PLATE)

THE FULL SIZE 18 ROUND MAGAZINE WITH FDE BASE PLATE WAS DESIGNED AND DEVELOPED BY CANIK TO INCORPORATE THE FEATURES ONE DEMANDS IN A HIGH-QUALITY PISTOL MAGAZINE. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE TOUTING A SMOOTH AND SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH-QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST SHOT, DOWN TO THE LAST.



FEATURES

18 ROUND 9X19MM CAPACITY
FDE POLYMER BASE PLATE
DOUBLE-STACK DESIGN
WITNESS HOLES FOR VISUAL CONFIRMATION
ANTI-FRICTION COATING (AFC)
CORROSION RESISTANT
DEVELOPED BY CANIK®
INTERCHANGEABLE COMPONENT STRUCTURE
EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-590

FITS

TP9 V2, TP9 SF, TP9 SA, TP9 SA Mod.2, TP9 SF Mod.2, TP9 DA, TP9 SAT, TP9 DAT, TP9 SFT, TP9 SFx, TP9 SFx Mod.2, TP9 SFT METE, TP9 SFx METE, METE SFT, METE SFT PRO, METE SFx, METE SFx PRO, SFx RIVAL, SFx RIVAL-S

MAGAZINE

FULL SIZE 18 ROUND MAGAZINE WITH +2 FDE EXTENSION

THE FULL SIZE 18 ROUND MAGAZINE WITH +2 FDE EXTENSION WAS DESIGNED AND DEVELOPED BY CANIK TO INCORPORATE THE FEATURES ONE DEMANDS IN A HIGH-QUALITY PISTOL MAGAZINE. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE TOUTING A SMOOTH AND SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH-QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST SHOT, DOWN TO THE LAST.



FEATURES

20(18+2) ROUND 9X19MM CAPACITY
FDE +2 POLYMER EXTENDED BASE PLATE
DOUBLE STACK DESIGN
WITNESS HOLES FOR VISUAL CONFIRMATION
ANTI-FRICTION COATING (AFC)
CORROSION RESISTANT
DEVELOPED BY CANIK®
INTERCHANGEABLE COMPONENT STRUCTURE
EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-591

FITS

TP9 V2, TP9 SA, TP9 SA Mod.2, TP9 SF, TP9 DA, TP9 SF Mod.2, TP9 SFx, TP9 SFx Mod.2, TP9 SFT, TP9 SFL, TP9 SAT, TP9 SFx METE, TP9 SFT METE, METE SFT, METE SFT PRO, METE SFx, METE SFx PRO, SFx RIVAL, SFx RIVAL-S

MAGAZINE

SUB COMPACT SIZE 15 ROUND MAGAZINE WITH +3 GRIP EXTENSION

THE SUB COMPACT SIZE 15 ROUND MAGAZINE WITH +3 EXTENTION BASE PLATE WAS DESIGNED AND DEVELOPED BY CANİK TO INCORPORATE ALL THE FEATURES ONE WOULD DEMAND IN A HIGH-QUALITY PISTOL MAGAZINE. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE TOUTING A SMOOTH AND SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH-QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST SHOT, DOWN TO THE LAST.



FEATURES

- 18(15+3) ROUND 9X19MM CAPACITY
- +3 POLYMER EXTENSION
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY MEC-GAR®
- INTERCHANGEABLE COMPONENT STRUCTURE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-592

FITS

TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, METE SC, METE SC PRO

MAGAZINE

MICRO COMPACT SIZE 15 ROUND MAGAZINE WITH GRIP EXTENSION (BLACK)

THE MICRO COMPACT SIZE 15 ROUND MAGAZINE WITH GRIP EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY CANİK®. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ASSIST WITH RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

- 15 ROUND 9X19MM CAPACITY
- POLYMER BASE PLATE WITH GRIP EXTENSION
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED BY CANİK®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-663

FITS

METE MC9, METE MC9 TAC

MAGAZINE

MICRO COMPACT SIZE 15 ROUND MAGAZINE WITH GRIP EXTENSION (FDE)

THE MICRO COMPACT SIZE 15 ROUND MAGAZINE WITH GRIP EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY CANİK®. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ASSIST WITH RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

- 15 ROUND 9X19MM CAPACITY
- POLYMER BASE PLATE WITH GRIP EXTENSION
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED BY CANİK®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-664

FITS

METE MC9, METE MC9 TAC

MAGAZINE

MICRO COMPACT SIZE 15 ROUND MAGAZINE WITH FULL GRIP EXTENSION (BLACK)

MICRO COMPACT SIZE 15 ROUND MAGAZINE WITH FULL GRIP EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY CANİK®. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ASSIST WITH RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

- 15 ROUND 9X19MM CAPACITY
- POLYMER BASE PLATE WITH GRIP EXTENSION
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED BY CANİK®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-665

FITS

METE MC9, METE MC9 TAC

MAGAZINE

MICRO COMPACT SIZE 15 ROUND MAGAZINE WITH FULL GRIP EXTENSION (FDE)

THE MICRO COMPACT SIZE 15 ROUND MAGAZINE WITH FULL GRIP EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY CANİK®. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ASSIST WITH RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

- 15 ROUND 9X19MM CAPACITY
- POLYMER BASE PLATE WITH GRIP EXTENSION
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED BY CANİK®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-666

FITS

METE MC9, METE MC9 TAC

MAGAZINE

MICRO COMPACT SIZE 12 ROUND MAGAZINE WITH FLUSH BASEPLATE AND FINGER REST (BLACK)

THE MICRO COMPACT SIZE 12 ROUND MAGAZINE WITH FLUSH BASEPLATE AND FINGER REST IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY CANİK®. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ASSIST WITH RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

- 12 ROUND 9X19MM CAPACITY
- POLYMER BASE PLATE WITH GRIP EXTENSION
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY CANİK®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-667

FITS

METE MC9, METE MC9 TAC

MAGAZINE

MICRO COMPACT SIZE 12 ROUND MAGAZINE WITH FLUSH BASEPLATE AND FINGER REST (FDE)

THE MICRO COMPACT SIZE 15 ROUND MAGAZINE WITH GRIP EXTENSION WITH FLUSH BASEPLATE AND FINGER REST IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY CANIK®.THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ASSIST WITH RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

- 15 ROUND 9X19MM CAPACITY
- POLYMER BASE PLATE WITH GRIP EXTENSION
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY CANIK®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-668

FITS

METE MC9, METE MC9 TAC

MAGAZINE

SUB COMPACT SIZE 15 ROUND MAGAZINE WITH + GRIP EXTENSION

THE SUB COMPACT SIZE 15 ROUND MAGAZINE WITH GRIP EXTENSION WITH FLUSH BASEPLATE AND FINGER REST IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY CANIK®.THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ASSIST WITH RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

- 15 ROUND 9X19MM CAPACITY
- POLYMER BASE PLATE WITH GRIP EXTENSION
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY CANIK®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-586

FITS

TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, METE SC, METE SC PRO

MAGAZINE

MICRO COMPACT SIZE 12 ROUND MAGAZINE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-661

FITS

METE MC9, METE MC9 TAC

MAGAZINE

MICRO COMPACT SIZE 10 ROUND MAGAZINE WITH FLUSH BASEPLATE AND FINGER REST (BLACK)

THE MICRO COMPACT SIZE 10 ROUND MAGAZINE WITH FLUSH BASEPLATE AND FINGER REST IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY CANIK®. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ASSIST WITH RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

- 10 ROUND 9X19MM CAPACITY
- POLYMER BASE PLATE WITH GRIP EXTENSION
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY CANIK®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-669

FITS

METE MC9, METE MC9 TAC

MAGAZINE

MICRO COMPACT SIZE 18 ROUND MAGAZINE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-671

FITS

METE MC9, METE MC9 TAC

MAGAZINE

COMPACT SIZE 18 ROUND MAGAZINE

THE COMPACT SIZE 18 ROUND MAGAZINE WAS DESIGNED AND DEVELOPED BY CANIK TO INCORPORATE THE FEATURES ONE DEMANDS IN A HIGH-QUALITY PISTOL MAGAZINE. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

- 18 ROUND 9X19MM CAPACITY
- POLYMER BASE PLATE
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY CANIK®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-598

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF
METE-S, METE SF PRO, METE SF

MAGAZINE

COMPACT SIZE 15 ROUND MAGAZINE

THE COMPACT SIZE 15 ROUND MAGAZINE WAS DESIGNED AND DEVELOPED BY CANİK TO INCORPORATE THE FEATURES ONE DEMANDS IN A HIGH-QUALITY PISTOL MAGAZINE. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

- 15 ROUND 9x19mm CAPACITY
- POLYMER BASE PLATE
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY canik®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-599

FITS

TP9 SF METE, TP9 SF METE-S, TP9 ELITE COMBAT, TP9 SF ELITE-S COMBAT, TP9 SF ELITE, TP9 SF ELITE-S, METE SF, METE SF PRO

MAGAZINE

COMPACT SIZE 15 ROUND MAGAZINE WITH +3 ALUMINIUM EXTENSION

THE COMPACT SIZE 15 ROUND MAGAZINE WITH +3 ALUMINIUM EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY CANİK, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

- 18 (15+3) ROUND 9x19mm CAPACITY
- +3 ALUMINIUM EXTENDED BASE PLATE
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY canik®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-600

FITS

TP9 SF METE, TP9 SF METE-S, TP9 ELITE COMBAT, TP9 SF ELITE-S COMBAT, TP9 SF ELITE, TP9 SF ELITE-S, METE-S, METE SF, METE SF PRO

MAGAZINE

SUB COMPACT SIZE 15 ROUND MAGAZINE

THE SUB COMPACT SIZE 15 ROUND MAGAZINE WAS DESIGNED AND DEVELOPED BY CANİK TO INCORPORATE THE FEATURES ONE DEMANDS IN A HIGH-QUALITY PISTOL MAGAZINE. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

- 15 ROUND 9x19mm CAPACITY
- POLYMER BASE PLATE
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- DEVELOPED AND MANUFACTURED BY canik®
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-601

FITS

TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, METE SC, METE SC PRO

MAGAZINE SUB COMPACT SIZE 15 ROUND MAGAZINE WITH +2 EXTENSION

THE SUB COMPACT SIZE 15 ROUND MAGAZINE WITH +2 EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY CANİK®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

17 (15+2) ROUND 9x19mm CAPACITY
+2 POLYMER EXTENSION
DOUBLE-STACK DESIGN
WITNESS HOLES FOR VISUAL CONFIRMATION
ANTI-FRICTION COATING (AFC)
CORROSION RESISTANT
DEVELOPED AND MANUFACTURED BY CANİK®
INTERCHANGEABLE COMPONENT STRUCTURE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-602

FITS

TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, METE SC, METE SC PRO

MAGAZINE MICRO COMPACT SIZE 18 ROUND MAGAZINE WITH + GRIP EXTENSION

THE MICRO COMPACT SIZE 18 ROUND MAGAZINE WITH + GRIP EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY CANİK®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-580

FITS

TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, METE SC, METE SC PRO

MAGAZINE MICRO COMPACT SIZE 12 ROUND

THE MICRO COMPACT SIZE 12 ROUND IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY CANİK®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-662

FITS

METE MC9, METE MC9 TAC

MAGAZINE

MICRO COMPACT SIZE 10 ROUND MAGAZINE WITH + GRIP EXTENSION

THE MICRO COMPACT SIZE 10 ROUND MAGAZINE WITH + GRIP EXTENSION IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY CANİK®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-670

FITS

METE MC9, METE MC9 TAC

MAGAZINE

MICRO COMPACT SIZE 18 ROUND

THE MICRO COMPACT SIZE 18 ROUND IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE BY CANİK®, THE MOST PREFERRED PISTOL MAGAZINE MANUFACTURER IN THE WORLD. THE MAGAZINE TUBE EMPHASIZES DURABILITY AND FUNCTION, WHILE ALSO TOUTING MEC-GAR'S TRADEMARK SEAMLESS FINISH. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ENSURE RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-672

FITS

METE MC9, METE MC9 TAC

MAGAZINE

V1 18 ROUND MAGAZINE

V1 18 ROUND MAGAZINE WAS DESIGNED AND DEVELOPED BY CANİK TO INCORPORATE THE FEATURES ONE DEMANDS IN HIGH-QUALITY PISTOL MAGAZINE. The magazine tube emphasizes durability and function, while also touting Mec-Gar's trademark seamless finish. The Anti-Friction Coating reduces the friction inside of the magazine tube, increasing feeding reliability and ease when loading. The high quality spring and follower ensure reliable feeding from the first, down to the last shot.



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-787

FITS

TP9



MAGAZINE

FULL SIZE 26 ROUND MAGAZINE

THE FULL SIZE 26 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ASSISTS WITH RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

- 26 ROUND 9X19MM CAPACITY
- GRIP EXTENSION FOR FULL SIZE PISTOLS
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-791

FITS

TP9 V2, TP9 SA, TP9 SA Mod.2, TP9 SF, TP9 SFx, TP9 DA, TP9 SFx METE, SFx RIVAL, SFx RIVAL-S, METE SFx, METE SFx PRO, METE SFT, METE SFT PRO, TTI COMBAT, TP9 SFT METE, TP9 SF Mod.2, TP9 SFx Mod.2, TP9 SFT, TP9 SFL

MAGAZINE

COMPACT SIZE 26 ROUND MAGAZINE

THE COMPACT SIZE 26 ROUND MAGAZINE IS PRODUCED ON A HIGH PRECISION, FULLY-EQUIPPED PRODUCTION LINE. THE ANTI-FRICTION COATING REDUCES THE FRICTION INSIDE OF THE MAGAZINE TUBE, INCREASING FEEDING RELIABILITY AND EASE WHEN LOADING. THE HIGH QUALITY SPRING AND FOLLOWER ASSISTS WITH RELIABLE FEEDING FROM THE FIRST, DOWN TO THE LAST SHOT.



FEATURES

- 26 ROUND 9X19MM CAPACITY
- GRIP EXTENSION FOR COMPACT PISTOLS
- DOUBLE-STACK DESIGN
- WITNESS HOLES FOR VISUAL CONFIRMATION
- ANTI-FRICTION COATING (AFC)
- CORROSION RESISTANT
- INTERCHANGEABLE COMPONENT STRUCTURE
- EASY MAINTENANCE



HIGH QUALITY
CNC TECH



HIGH QUALITY
POLYMER



DURABLE
FINISH




COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE OR CODE LINK ABOVE.
DO NOT POINT THE BOTTOM OF THE MAGAZINE TOWARD YOUR FACE OR ANOTHER PERSON WHEN REMOVING THE BASE PLATE.
ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-792

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, METE SF, METE SF PRO



MAGWELL

OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM

www.canik-store.com

MAG-WELL

CANiK® STANDARD FULL SIZE MAG-WELL

THE CANiK® STANDARD FULL-SIZE MAG-WELL ENLARGES THE MAGAZINE WELL FOR EASIER RELOADING. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



FEATURES

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN
CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING
CNC - MACHINED HIGH-QUALITY AVIATION ALUMINUM
BLACK FINISH
INCLUDES ALLEN KEY & SCREWS



WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-026

TP9 SFX METE, TP9 SFT METE, TP9 SFX MOD 2

MAG-WELL

CANiK® STANDARD COMPACT SIZE MAG-WELL

THE CANiK® STANDARD COMPACT SIZE MAG-WELL ENLARGES THE MAGAZINE WELL FOR EASIER RELOADING. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



FEATURES

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN
CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING
CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM
BLACK FINISH
INCLUDES ALLEN KEY & SCREWS



FITS WARNING! ATTENTION: THIS MAG-WELL REQUIRES THE FOLLOWING BACK STRAP WITH SPECIFIC PRODUCT CODE:
PACN0500 (MMAC - 024) CANIK STANDART COMPACT SIZE BACKSTRAP

WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-027

TP9 SF METE, TP9 SF METE-S, TP9 ELITE COMBAT, TP9 SF ELITE-S COMBAT
**TP9 SF ELITE, TP9 SF ELITE-S

MASTER PACK (PCS)
30

MAG-WELL

CANiK® COMPETITION FULL-SIZE LARGE MAG-WELL

THE CANiK® COMPETITION FULL SIZE LARGE MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



FEATURES

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN
CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING
CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM
SPECIAL DESIGN BASE PLATE
INCLUDES BASE PLATE, ALLEN KEY & SCREWS



WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. SELECT MAG-WELL FIT MODEL BASED ON THE FIT CHART.

MMAC-133

TP9 SFX METE, TP9 SFT METE, SFX Mod.2, TP9 SF Mod.2

MAG-WELL

CANIK® COMPETITION FULL-SIZE SMALL MAG-WELL

THE CANIK® COMPETITION FULL SIZE SMALL BRASS MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



FEATURES

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN
CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING
CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM
SPECIAL DESIGN BASE PLATE
INCLUDES BASE PLATE, ALLEN KEY & SCREWS



WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. SELECT MAG-WELL FIT MODEL BASED ON THE FIT CHART. THIS MAGWELL IS ONLY COMPATIBLE WITH "S" SIZE BACKSTRAP.

MMAC-135

TP9 SFx METE, TP9 SFT METE, SFx Mod.2, TP9 SF Mod.2

MAG-WELL

CANIK® COMPETITION FULL SIZE SMALL MAG-WELL

THE CANIK® COMPETITION FULL SIZE SMALL MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



FEATURES

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN
CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING
CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM
SPECIAL DESIGN BASE PLATE
INCLUDES BASE PLATE, ALLEN KEY & SCREWS



FITS WARNING! ATTENTION: THIS MAG-WELL REQUIRES THE FOLLOWING BACK STRAP WITH SPECIFIC PRODUCT CODE.
PACN0500 (MMAC - 024) CANIK STANDARD COMPACT SIZE BACKSTRAP

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. SELECT MAG-WELL FIT MODEL BASED ON THE FIT CHART. THIS MAGWELL IS ONLY COMPATIBLE WITH "S" SIZE BACKSTRAP.

MMAC-199

TP9 SF METE, TP9 SF METE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT(S BACKSTRAP)
**TP9 ELITE, TP9 ELITE-S

MAG-WELL

CANIK® COMPETITION FULL SIZE LARGE MAG-WELL

THE CANIK® COMPETITION FULL SIZE LARGE MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



FEATURES

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN
CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING
CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM
SPECIAL DESIGN BASE PLATE
INCLUDES BASE PLATE, ALLEN KEY & SCREWS



FITS WARNING! ATTENTION: THIS MAG-WELL REQUIRES THE FOLLOWING BACK STRAP WITH SPECIFIC PRODUCT CODE.
PACN0500 (MMAC - 024) CANIK STANDARD COMPACT SIZE BACKSTRAP

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. SELECT MAG-WELL FIT MODEL BASED ON THE FIT CHART. THIS MAGWELL IS ONLY COMPATIBLE WITH "S" SIZE BACKSTRAP.

MMAC-200

TP9 SF METE, TP9 SF METE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT(S BACKSTRAP)
**TP9 ELITE, TP9 ELITE-S

MAG-WELL

CANiK® COMPETITION FULL SIZE SMALL BRASS MAG-WELL

THE CANiK® COMPETITION FULL SIZE SMALL BRASS MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.

MASTER PACK (PCS)

20



FEATURES

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN
MADE BY BRASS
CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM
SPECIAL DESIGN BASE PLATE
INCLUDES BASE PLATE, ALLEN KEY & SCREWS



FITS WARNING! ATTENTION: THIS MAG-WELL REQUIRES THE FOLLOWING BACK STRAP WITH SPECIFIC PRODUCT CODE.
MMAC - 024 CANiK® STANDARD COMPACT SIZE BACKSTRAP - MMAC - 343 CANiK® COMPACT SIZE BRASS BACKSTRAP (SMALL).
MMAC - 341 CANiK® COMPACT SIZE ALUMINIUM BACKSTRAP (SMALL). - MMAC - 342 CANiK® COMPACT SIZE ALUMINIUM BACKSTRAP (SMALL).
MMAC - 344 CANiK® COMPACT SIZE ALUMINIUM BACKSTRAP (MEDIUM). - MMAC - 345 CANiK® COMPACT SIZE ALUMINIUM BACKSTRAP (MEDIUM).
MMAC - 346 CANiK® COMPACT SIZE BRASS BACKSTRAP (MEDIUM).
WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. SELECT MAG-WELL FIT MODEL BASED ON THE FIT CHART. THIS MAGWELL IS ONLY COMPATIBLE WITH "S" SIZE BACKSTRAP.

MMAC-380

TP9 SF METE, TP9 SF METE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 ELITE, TP9 ELITE-S


MAG-WELL

CANiK® COMPETITION FULL SIZE MEDIUM BRASS MAG-WELL

THE CANiK® COMPETITION FULL SIZE MEDIUM BRASS MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.

MASTER PACK (PCS)

20



FEATURES

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN
MADE BY BRASS
CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM
SPECIAL DESIGN BASE PLATE
INCLUDES BASE PLATE, ALLEN KEY & SCREWS



FITS WARNING! ATTENTION: THIS MAG-WELL REQUIRES THE FOLLOWING BACK STRAP WITH SPECIFIC PRODUCT CODE.
MMAC - 024 CANiK® STANDARD COMPACT SIZE BACKSTRAP - MMAC - 343 CANiK® COMPACT SIZE BRASS BACKSTRAP (SMALL).
MMAC - 341 CANiK® COMPACT SIZE ALUMINIUM BACKSTRAP (SMALL). - MMAC - 342 CANiK® COMPACT SIZE ALUMINIUM BACKSTRAP (SMALL).
MMAC - 344 CANiK® COMPACT SIZE ALUMINIUM BACKSTRAP (MEDIUM). - MMAC - 345 CANiK® COMPACT SIZE ALUMINIUM BACKSTRAP (MEDIUM).
MMAC - 346 CANiK® COMPACT SIZE BRASS BACKSTRAP (MEDIUM).
WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. SELECT MAG-WELL FIT MODEL BASED ON THE FIT CHART. THIS MAGWELL IS ONLY COMPATIBLE WITH "S" SIZE BACKSTRAP.

MMAC-381

TP9 SF METE, TP9 SF METE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 ELITE, TP9 ELITE-S

MAG-WELL

CANiK® STANDARD FULL SIZE FDE MAG-WELL

THE CANiK® STANDARD FULL SIZE FDE MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



FEATURES

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN
CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING
CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM
FDE FINISH
INCLUDES ALLEN KEY & SCREWS



WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. SELECT MAG-WELL FIT MODEL BASED ON THE FIT CHART.

MMAC-421

TP9 SFX METE, TP9 SFT METE, TP9 SFX MOD 2

MAG-WELL

CANiK® STANDARD COMPACT SIZE FDE MAG-WELL

THE CANiK® STANDARD COMPACT SIZE FDE MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.

MASTER PACK (PCS)

30



FEATURES

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN
CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING
CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM
FDE FINISH
INCLUDES ALLEN KEY & SCREWS



DURABLE
FINISH



HIGH QUALITY
CNC TECH



CERAKOTE™



COMBAT
PROVEN

FITS WARNING! ATTENTION: THIS MAG-WELL REQUIRES THE FOLLOWING BACK STRAP WITH SPECIFIC PRODUCT CODE.
PACN0500 (MMAC-024) CANIK STANDARD COMPACT SIZE BACKSTRAP.

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. SELECT MAG-WELL FIT MODEL BASED ON THE FIT CHART. THIS MAGWELL IS ONLY COMPATIBLE WITH "S" SIZE BACKSTRAP.

MMAC-422

TP9 SF METE, TP9 SF METE-S, TP9 ELITE COMBAT, TP9 SF ELITE-S COMBAT, TP9 SF ELITE*,
TP9 SF ELITE-S*

MAG-WELL

FULL SIZE GOLD MAG-WELL

THE FULL SIZE GOLD MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. SELECT MAG-WELL FIT MODEL BASED ON THE FIT CHART. THIS MAGWELL IS ONLY COMPATIBLE WITH "S" SIZE BACKSTRAP.

MMAC-486

SFX RIVAL, METE SFX, METE SFT, METE SFX PRO, METE SFT PRO, SFX RIVAL-S, TTI COMBAT

MAG-WELL

FULL SIZE BLACK MAG-WELL

THE FULL SIZE BLACK MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. SELECT MAG-WELL FIT MODEL BASED ON THE FIT CHART. THIS MAGWELL IS ONLY COMPATIBLE WITH "S" SIZE BACKSTRAP.

MMAC-487

SFX RIVAL, METE SFX, METE SFT, METE SFX PRO, METE SFT PRO, SFX RIVAL-S, TTI COMBAT

MAG-WELL

FULL SIZE MAG-WELL

THE FULL SIZE MAG-WELL ENLARGES THE MAGAZINE WELL FOR FASTER RELOAD SPEED. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. SELECT MAG-WELL FIT MODEL BASED ON THE FIT CHART. THIS MAGWELL IS ONLY COMPATIBLE WITH "S" SIZE BACKSTRAP.

MMAC-382

ALL TP9 SERIES PISTOLS MAGAZINE

MAG-WELL

18 MAGAZINE, ELITE PISTOLS MAG-WELL



WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. SELECT MAG-WELL FIT MODEL BASED ON THE FIT CHART. THIS MAGWELL IS ONLY COMPATIBLE WITH "S" SIZE BACKSTRAP.

MMAC-193

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, METE SF, METE SF PRO

MAG-WELL


FULL SIZE MAG-WELL (FDE)



WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. SELECT MAG-WELL FIT MODEL BASED ON THE FIT CHART. THIS MAGWELL IS ONLY COMPATIBLE WITH "S" SIZE BACKSTRAP.

MMAC-485

SFX RIVAL, METE SFX, METE SFT, METE SFX PRO, METE SFT PRO, SFX RIVAL-S, TTI COMBAT



MAGAZINE EXTENSION

OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM

www.canik-store.com

MAGAZINE EXTENSION

CANiK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION

THE CANiK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANIK MAGAZINE EXTENSION HAS BEEN RIGOROUSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

MASTER PACK (PCS)
20



FEATURES

ADDS +3 ROUNDS CAPACITY
DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING
(PLEASE CHECK COMPATIBLE MODELS SHOWN)
EASY TO INSTALL
NO TOOLS ARE REQUIRED FOR INSTALLATION
CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-013

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, METE SF PRO, METE SF, TP9 V2, TP9 SF, TP9 SA, TP9 SF Mod.2, TP9 SA Mod.2, TP9 SFx, TP9 SFx Mod.2, TP9 SFT, TP9 SAT, TP9 DAT, TP9 SFx METE, TP9 SFT METE

MAGAZINE EXTENSION

CANiK® STANDARD POLYMER +2 MAGAZINE EXTENSION

THE CANiK® STANDARD POLYMER +2 MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANIK® MAGAZINE EXTENSION HAS BEEN RIGOROUSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



FEATURES

ADDS +2 ROUNDS CAPACITY
DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING
(PLEASE CHECK COMPATIBLE MODELS SHOWN)
EASY TO INSTALL
HIGH QUALITY FIBER GLASS REINFORCED POLYMER
NO TOOLS ARE REQUIRED FOR INSTALLATION
SERRATED DESIGN
EASY MAINTENANCE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-014

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, METE SF PRO, METE SF

MAGAZINE EXTENSION

CANiK® STANDARD ALUMINUM +0 MAGAZINE BASE PLATE

THE CANiK® ALUMINUM +0 MAGAZINE BASEPLATE IS DESIGNED TO REPLACE THE FACTORY MAGAZINE EXTENSION OR POLYMER BASE PLATE. THIS CANIK® MAGAZINE BASEPLATE HAS BEEN RIGOROUSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS BASEPLATE ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

MASTER PACK (PCS)
20



FEATURES

MADE OF ALUMINUM
EASY TO INSTALL
NO TOOLS ARE REQUIRED FOR INSTALLATION
CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING
BLACK FINISH



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-136

FITS

ALL TP9 SERIES MAGAZINES

MAGAZINE EXTENSION

CANiK® STANDARD ALUMINUM +3 TUNGSTEN FINISH MAGAZINE EXTENSION

THE CANiK® STANDARD ALUMINUM +3 TUNGSTEN FINISH MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANiK® MAGAZINE EXTENSION HAS BEEN RIGOROUSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

MASTER PACK (PCS)
20



FEATURES

ADDS +3 ROUNDS CAPACITY
DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING
(PLEASE CHECK COMPATIBLE MODELS SHOWN)
EASY TO INSTALL
NO TOOLS ARE REQUIRED FOR INSTALLATION
TYPE III ALUMINUM HARD ANODIZED COATING
TUNGSTEN FINISH



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-453

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, METE SF PRO, METE SF

MAGAZINE EXTENSION

CANiK® STANDARD ALUMINUM +3 RED MAGAZINE EXTENSION

THE CANiK® STANDARD ALUMINUM +3 RED MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANiK® MAGAZINE EXTENSION HAS BEEN RIGOROUSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

MASTER PACK (PCS)
20



FEATURES

ADDS +3 ROUNDS CAPACITY
DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING
(PLEASE CHECK COMPATIBLE MODELS SHOWN)
EASY TO INSTALL
NO TOOLS ARE REQUIRED FOR INSTALLATION
TYPE III ALUMINUM HARD ANODIZED COATING
RED FINISH



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-454

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, METE SF PRO, METE SF

MAGAZINE EXTENSION

CANiK® STANDARD POLYMER +2 TUNGSTEN FINISH MAGAZINE EXTENSION

THE CANiK® STANDARD POLYMER +2 TUNGSTEN FINISH MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANiK® MAGAZINE EXTENSION HAS BEEN RIGOROUSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE FOR FASTER RELOADS. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

MASTER PACK (PCS)
20



FEATURES

ADDS +2 ROUNDS CAPACITY
DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING
(PLEASE CHECK COMPATIBLE MODELS SHOWN)
EASY TO INSTALL
HIGH QUALITY FIBER GLASS REINFORCED POLYMER
NO TOOLS ARE REQUIRED FOR INSTALLATION
SERRATED DESIGN
EASY MAINTENANCE
TUNGSTEN FINISH



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-455

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, METE SF PRO, METE SF

MAGAZINE EXTENSION

CANiK® STANDARD ALUMINUM +2 MAGAZINE EXTENSION

THE CANiK® STANDARD ALUMINUM +2 MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANIK MAGAZINE EXTENSION HAS BEEN RIGOROUSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



FEATURES

- ADDS +2 ROUNDS CAPACITY
- DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING (PLEASE CHECK COMPATIBLE MODELS SHOWN)
- EASY TO INSTALL
- NO TOOLS ARE REQUIRED FOR INSTALLATION
- CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-473

FITS

TP9 V2, TP9 DA, TP9 SF, TP9 SA, TP9 SA Mod.2, TP9 SFL, TP9 Sfx Mod.2, TP9 SFT METE, TP9 Sfx METE, TP9 Sfx METE SFT, METE SFT PRO, METE Sfx METE Sfx PRO, Sfx RIVAL, Sfx RIVAL-S, TTI COMBAT

MAGAZINE EXTENSION

CANiK® STANDARD ALUMINUM +2 MAGAZINE EXTENSION

THE CANiK® STANDARD ALUMINUM +2 MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANIK MAGAZINE EXTENSION HAS BEEN RIGOROUSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



FEATURES

- ADDS +2 ROUNDS CAPACITY
- DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING (PLEASE CHECK COMPATIBLE MODELS SHOWN)
- EASY TO INSTALL
- NO TOOLS ARE REQUIRED FOR INSTALLATION
- CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-474

FITS

TP9 V2, TP9 DA, TP9 SF, TP9 SA, TP9 SA Mod.2, TP9 SFL, TP9 Sfx Mod.2, TP9 SFT METE, TP9 Sfx METE, TP9 Sfx METE SFT, METE SFT PRO, METE Sfx METE Sfx PRO, Sfx RIVAL, Sfx RIVAL-S, TTI COMBAT

MAGAZINE EXTENSION

CANiK® STANDARD ALUMINUM +2 MAGAZINE EXTENSION

THE CANiK® STANDARD ALUMINUM +2 MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANIK MAGAZINE EXTENSION HAS BEEN RIGOROUSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



FEATURES

- ADDS +2 ROUNDS CAPACITY
- DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING (PLEASE CHECK COMPATIBLE MODELS SHOWN)
- EASY TO INSTALL
- NO TOOLS ARE REQUIRED FOR INSTALLATION
- CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-475

FITS

TP9 V2, TP9 DA, TP9 SF, TP9 SA, TP9 SA Mod.2, TP9 SFL, TP9 Sfx Mod.2, TP9 SFT METE, TP9 Sfx METE, TP9 Sfx METE SFT, METE SFT PRO, METE Sfx METE Sfx PRO, Sfx RIVAL, Sfx RIVAL-S, TTI COMBAT

MAGAZINE EXTENSION

CANiK® STANDARD ALUMINUM +5 MAGAZINE EXTENSION

THE CANiK® STANDARD ALUMINUM +5 MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANIK MAGAZINE EXTENSION HAS BEEN RIGOROUSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



FEATURES

- ADDS +2 ROUNDS CAPACITY
- DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING (PLEASE CHECK COMPATIBLE MODELS SHOWN)
- EASY TO INSTALL
- NO TOOLS ARE REQUIRED FOR INSTALLATION
- CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING



MAGAZINE EXTENSION

CANiK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION

THE CANiK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANIK MAGAZINE EXTENSION HAS BEEN RIGOROUSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



FEATURES

- ADDS +3 ROUNDS CAPACITY
- DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING (PLEASE CHECK COMPATIBLE MODELS SHOWN)
- EASY TO INSTALL
- NO TOOLS ARE REQUIRED FOR INSTALLATION
- CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING
- BLACK COLOR



MAGAZINE EXTENSION

CANiK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION

THE CANiK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANIK MAGAZINE EXTENSION HAS BEEN RIGOROUSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



FEATURES

- ADDS +3 ROUNDS CAPACITY
- DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING (PLEASE CHECK COMPATIBLE MODELS SHOWN)
- EASY TO INSTALL
- NO TOOLS ARE REQUIRED FOR INSTALLATION
- CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING
- RED COLOR



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-068

FITS

TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 ELITE, TP9 SF METE, TP9 SF METE-S, METE SF, METE SF PRO

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-737

FITS

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-738

FITS

MAGAZINE EXTENSION

CANiK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION

THE CANiK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANIK MAGAZINE EXTENSION HAS BEEN RIGOROUSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



FEATURES

ADDS +3 ROUNDS CAPACITY
DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING
(PLEASE CHECK COMPATIBLE MODELS SHOWN)
EASY TO INSTALL
NO TOOLS ARE REQUIRED FOR INSTALLATION
CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING
GOLD COLOR



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-739

FITS

MAGAZINE EXTENSION

CANiK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION

THE CANiK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANIK MAGAZINE EXTENSION HAS BEEN RIGOROUSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



FEATURES

ADDS +3 ROUNDS CAPACITY
DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING
(PLEASE CHECK COMPATIBLE MODELS SHOWN)
EASY TO INSTALL
NO TOOLS ARE REQUIRED FOR INSTALLATION
CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING
TUNGSTEN COLOR



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-740

FITS

MAGAZINE EXTENSION

CANiK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION

THE CANiK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANIK MAGAZINE EXTENSION HAS BEEN RIGOROUSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



FEATURES

ADDS +3 ROUNDS CAPACITY
DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING
(PLEASE CHECK COMPATIBLE MODELS SHOWN)
EASY TO INSTALL
NO TOOLS ARE REQUIRED FOR INSTALLATION
CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING
BLUE COLOR



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-741

FITS

MAGAZINE EXTENSION

CANiK® FULL SIZE PISTOLS +0 MAGAZINE BASE PLATE

THE CANiK® FULL SIZE PISTOLS +0 MAGAZINE BASE PLATE IS DESIGNED FOR YOU TO CARRY MORE ROUNDS IN YOUR MAGAZINE FOR EDC OR FIELD ACTIVITIES. THIS CANiK MAGAZINE EXTENSION HAS BEEN RIGOROUSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS EXTENSION ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE WITH EASE. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.



DURABLE
FINISH



HIGH QUALITY
CNC TECH



CERAKOTE®



COMBAT
PROVEN

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-692

FITS


ALL TP9 MODEL PISTOLS

BACKSTRAP

OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM

www.canik-store.com



BACKSTRAP

CANiK® COMPACT SIZE BACKSTRAP (2 SIZES)

THE CANiK® STANDARD COMPACT SIZE BACKSTRAP DESIGN ALLOWS THE SHOOTER TO COMPLETELY CUSTOMIZE THEIR CANiK FIREARM. THE TWO INCLUDED SIZES PROVIDE THE SHOOTER WITH THE ABILITY TO SELECT THEIR PERFERRED GRIP. THIS BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



MASTER PACK (PCS)
30

FEATURES

DESIGNED BY CANiK®
COMPATIBLE WITH COMPACT SIZE MAG-WELLS
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIFICALLY DESIGNED TO PROVIDE OPTIMUM ERGONOMICS
2 DIFFERENT SIZES



HIGH QUALITY
POLYMER



COMBAT
PROVEN

ATTENTION COMPACT SIZE BACKSTRAP IS ONLY COMPATIBLE WITH COMPACT SIZE MAG-WELL MMAC-027 / MMAC-199 / MMAC-200

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE.
PLEASE DO NOT POINT THE MAGAZINE SPRING TOWARDS YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-024

FITS

TP9 SF MTE, TP9 SF MTE-S, TP9 ELITE COMBAT, TP9 SF ELITE-S COMBAT, TP9 SF ELITE, TP9 SF ELITE-S, MTE SF PRO, MTE SF

BACKSTRAP

CANiK® FULL SIZE ALUMINIUM BACKSTRAP (SMALL)

THE CANiK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



MASTER PACK (PCS)
30

FEATURES

ORIGINAL DESIGN
MADE BY ALUMINIUM
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIAL DESIGN FOR MAXIMUM ERGONOMY
SPECIAL TEXTURE FOR EXTRA CONTROL
BLACK COLOR



DURABLE
FINISH



HIGH QUALITY
CNC TECH

WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-328

FITS

TP9 SFX, TP9 V2, TP9 DA, TP9 SA, TP9 SF, TP9 SA Mod2

BACKSTRAP

CANiK® FULL SIZE ALUMINIUM BACKSTRAP (SMALL)

THE CANiK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



MASTER PACK (PCS)
30

FEATURES

ORIGINAL DESIGN
MADE BY ALUMINIUM
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIAL DESIGN FOR MAXIMUM ERGONOMY
SPECIAL TEXTURE FOR EXTRA CONTROL
TUGSTEN COLOR



DURABLE
FINISH



HIGH QUALITY
CNC TECH

WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-329

FITS

TP9 SFX, TP9 V2, TP9 DA, TP9 SA, TP9 SF, TP9 SA Mod2

BACKSTRAP

CANiK® FULL SIZE BRASS BACKSTRAP (SMALL)

THE CANiK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAGWELL WITH ITS USER-FRIENDLY DESIGN.



MASTER PACK (PCS)
30

FEATURES

ORIGINAL DESIGN
MADE BY BRASS
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIAL DESIGN FOR MAXIMUM ERGONOMY
SPECIAL TEXTURE FOR EXTRA CONTROL



WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-332

FITS

TP9 SFx, TP9 V2, TP9 DA, TP9 SA, TP9 SF, TP9 SA Mod2

BACKSTRAP

CANiK® FULL SIZE ALUMINIUM BACKSTRAP (MEDIUM)

THE CANiK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAGWELL WITH ITS USER-FRIENDLY DESIGN.



MASTER PACK (PCS)
30

FEATURES

ORIGINAL DESIGN
MADE BY ALUMINIUM
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIAL DESIGN FOR MAXIMUM ERGONOMY
SPECIAL TEXTURE FOR EXTRA CONTROL
BLACK COLOR



WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-333

FITS

TP9 SFx, TP9 V2, TP9 DA, TP9 SA, TP9 SF, TP9 SA Mod2

BACKSTRAP

CANiK® FULL SIZE ALUMINIUM BACKSTRAP (MEDIUM)

THE CANiK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAGWELL WITH ITS USER-FRIENDLY DESIGN.



MASTER PACK (PCS)
30

FEATURES

ORIGINAL DESIGN
MADE BY ALUMINIUM
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIAL DESIGN FOR MAXIMUM ERGONOMY
SPECIAL TEXTURE FOR EXTRA CONTROL
TUNGSTEN COLOR



WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-334

FITS

TP9 SFx, TP9 V2, TP9 DA, TP9 SA, TP9 SF, TP9 SA Mod2

BACKSTRAP

CANiK® FULL SIZE BRASS BACKSTRAP (MEDIUM)

THE CANiK® FULL SIZE BRASS BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE BRASS BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



FEATURES

ORIGINAL DESIGN
MADE BY BRASS
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIAL DESIGN FOR MAXIMUM ERGONOMY
SPECIAL TEXTURE FOR EXTRA CONTROL



WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-335

FITS

TP9 Sfx, TP9 V2, TP9 DA, TP9 SA, TP9 SF, TP9 SA Mod2

BACKSTRAP

CANiK® FULL SIZE ALUMINIUM BACKSTRAP (SMALL)

THE CANiK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



MASTER PACK (PCS)
30

FEATURES

ORIGINAL DESIGN
MADE BY ALUMINIUM
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIAL DESIGN FOR MAXIMUM ERGONOMY
SPECIAL TEXTURE FOR EXTRA CONTROL
BLACK COLOR



WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-336

FITS

TP9 Sfx Mod.2, TP9 SF Mod.2, TP9 Sfx METE, TP9 SFT METE, METE SFT, METE SFT PRO, METE Sfx, METE Sfx PRO

BACKSTRAP

CANiK® FULL SIZE ALUMINIUM BACKSTRAP (SMALL)

THE CANiK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



MASTER PACK (PCS)
30

FEATURES

ORIGINAL DESIGN
MADE BY ALUMINIUM
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIAL DESIGN FOR MAXIMUM ERGONOMY
SPECIAL TEXTURE FOR EXTRA CONTROL
TUNGSTEN COLOR



ATTENTION FULL SIZE ALUMINIUM BACKSTRAP IS ONLY COMPATIBLE WITH FULL SIZE MAG-WELL MMAC-026 / MMAC-135

WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-337

FITS

TP9 Sfx Mod.2, TP9 SF Mod.2, TP9 Sfx METE, TP9 SFT METE, METE SFT, METE SFT PRO, METE Sfx, METE Sfx PRO

BACKSTRAP

CANiK® FULL SIZE ALUMINIUM BACKSTRAP (MEDIUM)

THE CANiK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.

MASTER PACK (PCS)
30



FEATURES

ORIGINAL DESIGN
MADE BY ALUMINIUM
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIAL DESIGN FOR MAXIMUM ERGONOMY
SPECIAL TEXTURE FOR EXTRA CONTROL
BLACK COLOR



**DURABLE
FINISH**



**HIGH QUALITY
CNC TECH**

ATTENTION FULL SIZE ALUMINIUM BACKSTRAP IS ONLY COMPATIBLE WITH FULL SIZE MAG-WELL MMAC-026 / MMAC-134

WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-338

FITS

TP9 SFX Mod.2, TP9 SF Mod.2, TP9 SFX METE, TP9 SFT METE, METE SFT, METE SFT PRO, METE SFX, METE SFX PRO

BACKSTRAP

CANiK® FULL SIZE ALUMINIUM BACKSTRAP (MEDIUM)

THE CANiK® FULL SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE ALUMINIUM BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.

MASTER PACK (PCS)
30



FEATURES

ORIGINAL DESIGN
MADE BY ALUMINIUM
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIAL DESIGN FOR MAXIMUM ERGONOMY
SPECIAL TEXTURE FOR EXTRA CONTROL
TUNGSTEN COLOR



**DURABLE
FINISH**



**HIGH QUALITY
CNC TECH**

ATTENTION FULL SIZE ALUMINIUM BACKSTRAP IS ONLY COMPATIBLE WITH FULL SIZE MAG-WELL MMAC-026 / MMAC-134

WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-339

FITS


TP9 SFX Mod.2, TP9 SF Mod.2, TP9 SFX METE, TP9 SFT METE, METE SFT, METE SFT PRO, METE SFX, METE SFX PRO

BACKSTRAP

CANiK® FULL SIZE BRASS BACKSTRAP (MEDIUM)

THE CANiK® FULL SIZE BRASS BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE BRASS BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.

MASTER PACK (PCS)
30



FEATURES

ORIGINAL DESIGN
MADE BY BRASS
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIAL DESIGN FOR MAXIMUM ERGONOMY
SPECIAL TEXTURE FOR EXTRA CONTROL



**DURABLE
FINISH**



**HIGH QUALITY
CNC TECH**

ATTENTION FULL SIZE BRASS BACKSTRAP IS ONLY COMPATIBLE WITH FULL SIZE MAG-WELL MMAC-026 / MMAC-134

WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-340

FITS

TP9 SFX Mod.2, TP9 SF Mod.2, TP9 SFX METE, TP9 SFT METE, METE SFT, METE SFT PRO, METE SFX, METE SFX PRO

BACKSTRAP

CANiK® FULL SIZE BRASS BACKSTRAP (MEDIUM)

THE CANiK® FULL SIZE BRASS BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE BRASS BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



MASTER PACK (PCS)
30

FEATURES

ORIGINAL DESIGN
MADE BY BRASS
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIAL DESIGN FOR MAXIMUM ERGONOMY
SPECIAL TEXTURE FOR EXTRA CONTROL



DURABLE
FINISH



HIGH QUALITY
CNC TECH

ATTENTION COMPACT SIZE ALUMINIUM BACKSTRAP IS ONLY COMPATIBLE WITH COMPACT SIZE MAG-WELL MMAC-027 / MMAC-199 / MMAC-200

WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-341

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, METE SF, METE SF PRO

BACKSTRAP

CANiK® COMPACT SIZE ALUMINIUM BACKSTRAP (SMALL)

THE CANiK® COMPACT SIZE ALUMINIUM BACKSTRAP DESIGN ALLOWS THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE COMPACT SIZE ALUMINIUM BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



FEATURES

ORIGINAL DESIGN
MADE BY ALUMINIUM
COMPATIBLE WITH COMPACT SIZE MAG-WELLS
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIAL DESIGN FOR MAXIMUM ERGONOMY
SPECIAL DESIGN FOR MAXIMUM ERGONOMY
TUNGSTEN COLOR



DURABLE
FINISH



HIGH QUALITY
CNC TECH

ATTENTION FULL SIZE BRASS BACKSTRAP IS ONLY COMPATIBLE WITH FULL SIZE MAG-WELL MMAC-026 / MMAC-134

WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-342

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, METE SF, METE SF PRO

BACKSTRAP

CANiK® COMPACT SIZE BRASS BACKSTRAP (SMALL)

THE CANiK® COMPACT SIZE BRASS BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE COMPACT SIZE BRASS BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



MASTER PACK (PCS)
30

FEATURES

ORIGINAL DESIGN
MADE BY ALUMINIUM
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIAL DESIGN FOR MAXIMUM ERGONOMY
SPECIAL TEXTURE FOR EXTRA CONTROL
TUNGSTEN COLOR



DURABLE
FINISH



HIGH QUALITY
CNC TECH

ATTENTION COMPACT SIZE BRASS BACKSTRAP IS ONLY COMPATIBLE WITH COMPACT SIZE MAG-WELL MMAC-027 / MMAC-199 / MMAC-200

WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-343

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, METE SF, METE SF PRO

BACKSTRAP

CANiK® COMPACT SIZE ALUMINIUM BACKSTRAP (MEDIUM)

THE CANiK® COMPACT SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE COMPACT SIZE ALUMINIUM BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



MASTER PACK (PCS)

30

FEATURES

ORIGINAL DESIGN
MADE BY ALUMINIUM
COMPATIBLE WITH COMPACT SIZE MAG-WELLS
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIAL DESIGN FOR MAXIMUM ERGONOMY
SPECIAL TEXTURE FOR EXTRA CONTROL
BLACK COLOR



DURABLE
FINISH



HIGH QUALITY
CNC TECH

ATTENTION COMPACT SIZE ALUMINIUM BACKSTRAP IS ONLY COMPATIBLE WITH COMPACT SIZE MAG-WELL MMAC-027

WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-344

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, METE SF, METE SF PRO

BACKSTRAP

CANiK® COMPACT SIZE ALUMINIUM BACKSTRAP (SMALL)

THE CANiK® COMPACT SIZE ALUMINIUM BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE COMPACT SIZE ALUMINIUM BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



MASTER PACK (PCS)

30

FEATURES

ORIGINAL DESIGN
MADE BY ALUMINIUM
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIAL DESIGN FOR MAXIMUM ERGONOMY
SPECIAL TEXTURE FOR EXTRA CONTROL
BLACK COLOR



DURABLE
FINISH



HIGH QUALITY
CNC TECH

ATTENTION COMPACT SIZE ALUMINIUM BACKSTRAP IS ONLY COMPATIBLE WITH COMPACT SIZE MAG-WELL MMAC-027

WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-345

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, METE SF, METE SF PRO

BACKSTRAP

CANiK® COMPACT SIZE BRASS BACKSTRAP (MEDIUM)

THE CANiK® COMPACT SIZE BRASS BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE COMPACT SIZE BRASS BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



MASTER PACK (PCS)

30

FEATURES

ORIGINAL DESIGN
MADE BY BRASS
COMPATIBLE WITH COMPACT SIZE MAG-WELLS
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIAL DESIGN FOR MAXIMUM ERGONOMY
SPECIAL TEXTURE FOR EXTRA CONTROL



DURABLE
FINISH



HIGH QUALITY
CNC TECH

ATTENTION COMPACT SIZE BRASS BACKSTRAP IS ONLY COMPATIBLE WITH COMPACT SIZE MAG-WELL MMAC-027

WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-346


FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, METE SF, METE SF PRO

BACKSTRAP

CANiK® FULL SIZE BRASS BACKSTRAP (SMALL)

THE CANiK® FULL SIZE BRASS BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE FULL SIZE BRASS BACKSTRAP ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



MASTER PACK (PCS)

30

FEATURES

ORIGINAL DESIGN
MADE BY BRASS
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIAL DESIGN FOR MAXIMUM ERGONOMY
SPECIAL TEXTURE FOR EXTRA CONTROL



DURABLE
FINISH



HIGH QUALITY
CNC TECH

ATTENTION FULL SIZE BRASS BACKSTRAP IS ONLY COMPATIBLE WITH FULL SIZE MAG-WELL MMAC-026 / MMAC-135

WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-347

FITS

TP9 SFx Mod.2, TP9 SF Mod.2, TP9 SFx METE, TP9 SFT METE, METE SFT, METE SFT PRO, METE SFx, METE SFx PRO

BACKSTRAP

CANiK® COMPACT SIZE LANYARD COMPATIBLE BACKSTRAP (SMALL)

CANiK® COMPACT SIZE LANYARD COMPATIBLE BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE COMPACT SIZE ALUMINIUM BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



FEATURES

ORIGINAL DESIGN
COMPATIBLE WITH LANYARD
COMPATIBLE WITH COMPACT SIZE MAG-WELLS
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIAL DESIGN FOR MAXIMUM ERGONOMY
SPECIAL TEXTURE FOR EXTRA CONTROL
BLACK COLOR



DURABLE
FINISH



HIGH QUALITY
CNC TECH

ATTENTION FULL SIZE BRASS BACKSTRAP IS ONLY COMPATIBLE WITH FULL SIZE MAG-WELL MMAC-026 /

WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-352

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, METE SF, METE SF PRO

BACKSTRAP

CANiK® COMPACT SIZE LANYARD COMPATIBLE BACKSTRAP (MEDIUM)

CANiK® COMPACT SIZE LANYARD COMPATIBLE BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE COMPACT SIZE ALUMINIUM BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



FEATURES

ORIGINAL DESIGN
COMPATIBLE WITH LANYARD
COMPATIBLE WITH COMPACT SIZE MAG-WELLS
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIAL DESIGN FOR MAXIMUM ERGONOMY
SPECIAL TEXTURE FOR EXTRA CONTROL
BLACK COLOR



DURABLE
FINISH



HIGH QUALITY
CNC TECH

ATTENTION COMPACT SIZE LANYARD COMPATIBLE BACKSTRAP IS ONLY COMPATIBLE WITH COMPACT SIZE MAG-WELL MMAC-027 / MMAC-199 / MMAC-200

WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-500

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, METE SF, METE SF PRO

BACKSTRAP

CANiK® FULL SIZE LANYARD COMPATIBLE BACKSTRAP (SMALL)

CANiK® FULL SIZE LANYARD COMPATIBLE BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE COMPACT SIZE ALUMINIUM BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-769

FITS

METE SFX, METE SFX PRO, METE SFT, METE SFT PRO, TP9 SFX METE, TP9 SFT METE, TT1 COMBAT

BACKSTRAP

CANiK® FULL SIZE LANYARD COMPATIBLE BACKSTRAP (MEDIUM)

CANiK® FULL SIZE LANYARD COMPATIBLE BACKSTRAP DESIGN ALLOW THE SHOOTER TO DOMINATE THE GUN AT THE HIGHEST LEVEL. THE COMPACT SIZE ALUMINIUM BACKSTRAP IS MAG-WELL COMPATIBLE AND ALLOWS EASY INSTALLATION OF YOUR MAG-WELL WITH ITS USER-FRIENDLY DESIGN.



WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-770

FITS

METE SFX, METE SFX PRO, METE SFT, METE SFT PRO, TP9 SFX METE, TP9 SFT METE, TT1 COMBAT

RECOIL SPRING

OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM

www.canik-store.com



RECOIL SPRING

CANiK® COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY

THE CANiK® COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH LOW STRENGTH AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH BLUE PAINT AND THE LETTER "L", MEANING IT IS INTENDED TO BE USED WITH LOWER ENERGY 9X19MM AMMUNITION.



FEATURES

BLUE COLOR SPRING
REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS
GLOSSY SURFACE FINISH TO REDUCE FRICTION
RECTANGULAR CROSS SECTIONED HELICAL RECOIL SPRING
FITS WITH NO MODIFICATION NEEDED



WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNERS MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-010

FITS

TP9 SF METE - TP9 SF METE-S

RECOIL SPRING

CANiK® COMPACT SIZE HIGH FORCE RECOIL SPRING ASSEMBLY

THE CANiK® COMPACT SIZE HIGH FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH HIGH STRENGTH AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH RED PAINT AND THE LETTER "H", MEANING IT IS INTENDED TO BE USED WITH HIGH ENERGY 9X19MM AMMUNITION.



FEATURES

RED COLOR SPRING
REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS
RECTANGULAR CROSS SECTIONED HELICAL RECOIL SPRING
FITS WITH NO MODIFICATION NEEDED



WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNERS MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-032

FITS

TP9 SF METE - TP9 SF METE-S

RECOIL SPRING

CANiK® FULL SIZE RECOIL LOW FORCE SPRING ASSEMBLY

THE CANiK® FULL SIZE LOW FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH LOWER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH BLUE PAINT AND THE LETTER "L", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.

MASTER PACK (PCS)

25



FEATURES

BLUE COLOR SPRING
REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS
GLOSSY SURFACE FINISH TO REDUCE FRICTION
RECTANGULAR CROSS SECTIONED HELICAL RECOIL SPRING
FITS WITH NO MODIFICATION NEEDED



WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-053

FITS

TP9 SA,TP9 SF,TP9 SFx,TP9 SFL,TP9 SFT,TP9 SAT,TP9 SA Mod.2,TP9 SFT METE,TP9 SFx METE,METE SFx,METE SFx PRO,METE SFT,METE SFT PRO,Sfx RIVAL,Sfx RIVAL-S

RECOIL SPRING

CANiK® FULL SIZE RECOIL HIGH FORCE SPRING ASSEMBLY

THE CANiK® FULL SIZE HIGH FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH HIGHER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH RED PAINT AND THE LETTER "H", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.

MASTER PACK (PCS)

25



FEATURES

RED COLOR SPRING
REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS
RECTANGULAR CROSS SECTIONED HELICAL RECOIL SPRING
FITS WITH NO MODIFICATION NEEDED



DURABLE
FINISH



COMBAT
PROVEN

WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.


MMAC-054

FITS

TP9 SA, TP9 SF, TP9 SFx, TP9 SFx Mod.2, TP9 SFL, TP9 SFT, TP9 SAT, TP9 SA Mod.2, TP9 SFT
METE, TP9 SFx METE, METE SFx, METE SFx PRO, METE SFT, METE SFT PRO, SFx RIVAL, SFx RIVAL-S

SPRINCO® RECOIL SPRING

SPRINCO RECOIL SPRINGS MAKE A SIGNIFICANT DIFFERENCE BY THE MANAGEMENT OF PEAK IMPACT FORCES TO THE SLIDE/FRAME INTERFACE. EXTEND THE LIFE OF YOUR PISTOL BY INSTALLING A SPRINCO RECOIL SPRING SYSTEM. A SECONDARY, OR SUB-SPRING ASSEMBLY IS INCORPORATED ONTO A HEAT TREATED, 17-4 H900 STAINLESS STEEL GUIDE ROD TO CUSHION THE SLIDE TO FRAME IMPACT! ALL COMPONENTS, INCLUDING THE CHROME SILICON WIRE SECONDARY SPRINGS, ARE HAND POLISHED TO A BRILLIANT FINISH FOR REDUCED FRICTION.



FEATURES

REDUCES MUZZLE FLIP
FASTER RETURN TO SIGHT PICTURE FOR FOLLOW UP SHOTS SIGHT ACQUISITION
REDUCES FELT (PERCEIVED) RECOIL
PROTECTS YOUR FIREARM FROM SLIDE BATTERING
LEGAL FOR COMPETITION IN MOST IDPA*, ISPSA, AND CMP DIVISIONS
17-4 H900 HEAT TREATED STAINLESS STEEL CONSTRUCTION
CHROME SILICON WIRE SECONDARY SPRINGS NEVER HAVE TO BE REPLACED



DURABLE
FINISH



HIGH QUALITY
CNC TECH

WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNERS MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.


MMAC-102

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 DA

SPRINCO® RECOIL SPRING

SPRINCO RECOIL SPRINGS MAKE A SIGNIFICANT DIFFERENCE BY THE MANAGEMENT OF PEAK IMPACT FORCES TO THE SLIDE/FRAME INTERFACE. EXTEND THE LIFE OF YOUR PISTOL BY INSTALLING A SPRINCO RECOIL SPRING SYSTEM. A SECONDARY, OR SUB-SPRING ASSEMBLY IS INCORPORATED ONTO A HEAT TREATED, 17-4 H900 STAINLESS STEEL GUIDE ROD TO CUSHION THE SLIDE TO FRAME IMPACT! ALL COMPONENTS, INCLUDING THE CHROME SILICON WIRE SECONDARY SPRINGS, ARE HAND POLISHED TO A BRILLIANT FINISH FOR REDUCED FRICTION.



FEATURES

REDUCES MUZZLE FLIP
FASTER RETURN TO SIGHT PICTURE FOR FOLLOW UP SHOTS SIGHT ACQUISITION
REDUCES FELT (PERCEIVED) RECOIL
PROTECTS YOUR FIREARM FROM SLIDE BATTERING
LEGAL FOR COMPETITION IN MOST IDPA*, USPA AND CMP DIVISIONS
17-4 H900 HEAT TREATED STAINLESS STEEL CONSTRUCTION
CHROME SILICON WIRE SECONDARY SPRING NEVER HAVE TO BE REPLACED



DURABLE
FINISH



HIGH QUALITY
CNC TECH


WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

FITS

TP9 SFx, TP9 SFx METE, METE SFx

SPRINCO® RECOIL SPRING

SPRINCO RECOIL SPRINGS MAKE A SIGNIFICANT DIFFERENCE BY THE MANAGEMENT OF PEAK IMPACT FORCES TO THE SLIDE/FRAME INTERFACE. EXTEND THE LIFE OF YOUR PISTOL BY INSTALLING A SPRINCO RECOIL SPRING SYSTEM. A SECONDARY, OR SUB-SPRING ASSEMBLY IS INCORPORATED ONTO A HEAT TREATED, 17-4 H900 STAINLESS STEEL GUIDE ROD TO CUSHION THE SLIDE TO FRAME IMPACT! ALL COMPONENTS, INCLUDING THE CHROME SILICON WIRE SECONDARY SPRINGS, ARE HAND POLISHED TO A BRILLIANT FINISH FOR REDUCED FRICTION.



FEATURES

- REDUCES MUZZLE FLIP
- FASTER RETURN TO SIGHT PICTURE FOR FOLLOW UP SHOTS SIGHT ACQUISITION
- REDUCES FELT (PERCEIVED) RECOIL
- PROTECTS YOUR FIREARM FROM SLIDE BATTERING
- LEGAL FOR COMPETITION IN MOST IDPA*, USPA AND DIVISIONS
- 17-4 H900 HEAT TREATED STAINLESS STEEL CONSTRUCTION
- CHROME SILICON WIRE SECONDARY SPRINGS NEVER HAVE TO BE REPLACED



DURABLE
FINISH



HIGH QUALITY
CNC TECH

WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-104

FITS

TP9 SF, TP9 SA, TP9 SFL, TP9 SFT, TP9 SF Mod.2, TP9 SA Mod.2, METE SFT, SFx RIVAL, SFx RIVAL-S

RECOIL SPRING

CANiK® COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY

THE CANiK® COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH LOWER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH BLUE PAINT AND THE LETTER "L", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.

MASTER PACK (PCS)

25



FEATURES

- BLUE COLOR SPRING
- REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS
- GLOSSY SURFACE FINISH TO REDUCE FRICTION
- RECTANGULAR CROSS SECTIONED HELICAL RECOIL SPRING
- FITS WITH NO MODIFICATION NEEDED



DURABLE
FINISH



COMBAT
PROVEN

WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-137

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, METE SF, METE SF PRO

RECOIL SPRING

CANiK® COMPACT SIZE HIGH FORCE RECOIL SPRING ASSEMBLY

THE CANiK® COMPACT SIZE HIGH FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH HIGHER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH RED PAINT AND THE LETTER "H", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.

MASTER PACK (PCS)

25



FEATURES

- RED COLOR SPRING
- REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS
- RECTANGULAR CROSS SECTIONED HELICAL RECOIL SPRING
- FITS WITH NO MODIFICATION NEEDED



DURABLE
FINISH



COMBAT
PROVEN

WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-138

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, METE SF, METE SF PRO

RECOIL SPRING

CANiK® FULL SIZE LOW FORCE RECOIL SPRING ASSEMBLY

THE CANiK® COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH LOWER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH BLUE PAINT AND THE LETTER "L", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.

MASTER PACK (PCS)

25



FEATURES

BLUE COLOR SPRING
REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS
GLOSSY SURFACE FINISH TO REDUCE FRICTION
RECTANGULAR CROSS SECTIONED HELICAL RECOIL SPRING
FITS WITH NO MODIFICATION NEEDED



DURABLE
FINISH



COMBAT
PROVEN

WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNERS MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-187

FITS

TP9 V2, TP9 DA, TP9 DAT

RECOIL SPRING

CANiK® FULL SIZE HIGH FORCE RECOIL SPRING ASSEMBLY

THE CANiK® COMPACT SIZE HIGH FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH HIGHER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH RED PAINT AND THE LETTER "H", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.

MASTER PACK (PCS)

25



FEATURES

RED COLOR SPRING
REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS
GLOSSY SURFACE FINISH TO REDUCE FRICTION
RECTANGULAR CROSS SECTIONED HELICAL RECOIL SPRING
FITS WITH NO MODIFICATION NEEDED



DURABLE
FINISH



COMBAT
PROVEN

WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-188

FITS

TP9 V2, TP9 DA, TP9 DAT

RECOIL SPRING

CANiK® SUB COMPACT LOW FORCE RECOIL SPRING ASSEMBLY

THE CANiK® COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH CARTRIDGES WHICH ARE LOW STRENGTH. IT ALSO PLAYS AN IMPORTANT ROLE DIRECTING RECOIL FORCES TO THE SLIDE AND BODY OF YOUR PISTOL. THIS WILL HELP YOU MAKE FAST FOLLOW UP SHOTS. THE RECOIL SPRING, MARKED WITH BLUE PAINT IS INTENDED TO BE USED WITH LOW ENERGY 9X19MM AMMUNITION.

MASTER PACK (PCS)

25



FEATURES

BLUE COLOR SPRING
REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS
TELESCOPIC SPRING SYSTEM
NICKEL-PLATED
FITS WITH NO MODIFICATION NEEDED



DURABLE
FINISH



HIGH QUALITY
CNC TECH



COMBAT
PROVEN

WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-201

FITS

TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, METE SC, METE SC PRO

RECOIL SPRING

CANiK® SUB COMPACT HIGH FORCE RECOIL SPRING ASSEMBLY

THE CANiK® COMPACT SIZE HIGH FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH HIGHER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH RED PAINT AND THE LETTER "H", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.



FEATURES

RED COLOR SPRING
REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS
TELESCOPIC SPRING SYSTEM
NICKEL-PLATED
FITS WITH NO MODIFICATION NEEDED



DURABLE
FINISH



HIGH QUALITY
CNC TECH



COMBAT
PROVEN

WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-291

FITS

TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, METE SC, METE SC PRO

RECOIL SPRING

CANiK® COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY (PHILIPPINE EDITION)

THE CANiK® COMPACT SIZE LOW FORCE RECOIL SPRING ASSEMBLY IS PRODUCED FOR USERS WHO TARGET OPTIMUM PERFORMANCE WITH LOWER ENERGY AMMUNITION. THIS RECOIL SPRING ALSO PLAYS AN IMPORTANT ROLE IN DIRECTING THE FORCE OF THE RECOIL ON THE SLIDE, HELPING YOU STAY ON TARGET FOR FASTER FOLLOW UP SHOTS. THIS RECOIL SPRING IS MARKED WITH BLUE PAINT AND THE LETTER "L", MEANING IT IS INTENDED TO BE USED WITH 9X19MM AMMUNITION OPERATING BELOW +P+ PRESSURE SPECIFICATION.



FEATURES

BLUE COLOR SPRING
REDUCES FELT RECOIL, BETTER FOLLOW UP SHOTS
GLOSSY SURFACE FINISH TO REDUCE FRICTION
RECTANGULAR CROSS SECTIONED HELICAL RECOIL SPRING
FITS WITH NO MODIFICATION NEEDED



DURABLE
FINISH



COMBAT
PROVEN

WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-491

FITS

TP9 SA, TP9 SF, TP9 SFx, TP9 SFL, TP9 SFT, TP9 SAT, TP9 SA Mod.2, TP9 SFT METE, TP9 SFx
METE, METE SFx, METE SFx PRO, METE SFT, METE SFT PRO, SFx RIVAL

RECOIL SPRING

CANiK® SUB COMPACT RECOIL ASSEMBLY (REPLACEMENT)

THE CANiK® SUB COMPACT RECOIL SPRING ASSEMBLY PLAYS AN IMPORTANT ROLE DIRECTING RECOIL FORCES TO THE SLIDE AND BODY OF YOUR PISTOL WITH ITS TELESCOPIC STRUCTURE. IT SHOWS SUPERIOR PERFORMANCE EVEN UNDER EXTREMELY HIGH TENSIONS. REDUCES FRICTION THANKS TO ITS HIGH-QUALITY NICKEL-PLATED SURFACE.



FEATURES

PROVIDES BETTER FOLLOW UP SHOTS
TELESCOPIC SPRING SYSTEM
HIGH QUALITY NICKEL-PLATED
REDUCES RECOIL
PROTECTS YOUR SLIDE FROM IMPACTS
NO MODIFICATIONS NEEDED



DURABLE
FINISH



COMBAT
PROVEN

WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-139

FITS

TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, METE SC, METE SC PRO, TP9 ELITE SC CAS, TP9
SUB ELITE CAS

RECOIL SPRING

CANiK® COMPACT RECOIL ASSEMBLY



WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-493

FITS

RECOIL SPRING

CANiK® FULL SIZE PISTOLS RECOIL ASSEMBLY



WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-752

FITS

TP9 SA, TP9 SF, TP9 SFx, TP9 SFL, TP9 SFT, TP9 SAT, TP9 SA Mod.2, TP9 SFT METE, TP9 SFx METE, METE SFx, METE SFx PRO, METE SFT, METE SFT PRO, SFx RIVAL, SFx RIVAL-S

RECOIL SPRING

CANiK® MICRO COMPACT SIZE PISTOLS RECOIL ASSEMBLY



WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.


MMAC-753

FITS

METE MC9, METE MC9 TAC

MAGAZINE SPRING

SPRINCO RECOIL SPRINGS MAKE A SIGNIFICANT DIFFERENCE BY THE MANAGEMENT OF PEAK IMPACT FORCES TO THE SLIDE/FRAME INTERFACE. EXTEND THE LIFE OF YOUR PISTOL BY INSTALLING A SPRINCO RECOIL SPRING SYSTEM. A SECONDARY, OR SUB-SPRING ASSEMBLY IS INCORPORATED ONTO A HEAT TREATED, 17-4 H900 STAINLESS STEEL GUIDE ROD TO CUSHION THE SLIDE TO FRAME IMPACT! ALL COMPONENTS, INCLUDING THE CHROME SILICON WIRE SECONDARY SPRINGS, ARE HAND POLISHED TO A BRILLIANT FINISH FOR REDUCED FRICTION.



FEATURES

- REDUCES MUZZLE FLIP
- FASTER RETURN TO SIGHT PICTURE FOR FOLLOW UP SHOTS SIGHT ACQUISITION
- REDUCES FELT (PERVEIVED) RECOIL
- PROTECTS YOUR FIREARM FROM SLIDE BATTERING
- LEGAL FOR COMPETITION IN MOST IDPA, USPA AND CMP DIVISIONS
- 17-4 H900 HEAT TREATED STAINLESS STEEL CONSTRUCTION
- CHROME SILICON WIRE SECONDARY SPRINGS NEVER HAVE TO BE REPLACED



DURABLE
FINISH



HIGH QUALITY
CNC TECH

WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-104

FITS

TP9 DA, TP9 SF, TP9 SA, TP9 SA Mod.2, TP9 SFL, TP9 SFx Mod.2, TP9 SFT METE, TP9 SFx METE

RECOIL SPRING

CANiK® COMPACT SIZE PISTOLS RECOIL ASSEMBLY



DURABLE
FINISH



COMBAT
PROVEN

WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-094

FITS

TP9 SF METE, TP9 SF METE-S

RECOIL SPRING

CANiK® FULL SIZE PISTOLS RECOIL ASSEMBLY



FEATURES

- BLUE (75N-80N)
- RED (85N-90N)



DURABLE
FINISH



COMBAT
PROVEN

WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL. FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-733

FITS

TP9 SA, TP9 SF, TP9 SFx, TP9 SFL, TP9 SFT, TP9 SAT, TP9 SA Mod.2, TP9 SFT METE, TP9 SFx METE, METE SFx, METE SFx PRO, METE SFT, METE SFT PRO, SFx RIVAL, SFx RIVAL-S

RECOIL SPRING

CANiK® V2 MODEL PISTOLS RECOIL ASSEMBLY



FEATURES

BLUE (75N-80N)
RED (85N-90N)



DURABLE
FINISH



COMBAT
PROVEN

WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL.
FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-734

FITS

TP9 V2, TP9 DA, TP9 DAT

RECOIL SPRING

CANiK® SUB COMPACT PISTOLS RECOIL ASSEMBLY



FEATURES

BLUE (73N-77N)
RED (95N-105N)



DURABLE
FINISH



COMBAT
PROVEN

WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL.
FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-735

FITS

TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, METE SC, METE SC PRO

RECOIL SPRING

CANiK® MICRO COMPACT PISTOLS RECOIL ASSEMBLY



FEATURES

RED (95N-105N)



DURABLE
FINISH




COMBAT
PROVEN

WARNING! USING +P+ AMMUNITION WITH THIS RECOIL SPRING COULD RESULT IN DAMAGE OR DESTRUCTION TO YOUR PISTOL.
FOR INSTALLATION INSTRUCTIONS PLEASE REFER TO YOUR PISTOL OWNER'S MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-776

FITS

METE MC9, METE MC9 TAC



SIGHT

OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM

www.canik-store.com

SIGHT

SIGHT SET (FIBER FRONT & BLACKED OUT REAR SIGHT)

THE WARREN® DESIGNED CANIK® SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED ON THE TARGET. THE FIBER OPTIC FRONT SIGHT AND BLACKED OUT REAR SIGHT ARE DESIGNED BY WARREN®, THE LEADER IN FIBER OPTIC TECHNOLOGY STANDARDIZATION IN THE WORLD.

MASTER PACK (PCS)

30



FEATURES

FIBER OPTIC FRONT SIGHT
'U' SHAPED, BLACKED OUT REAR SIGHT



DURABLE
FINISH



HIGH QUALITY
CNC TECH

ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM. (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-002

FITS

TP9 SFx, TP9 SFx Mod.2, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT

SIGHT

WARREN® TACTICAL SUPPRESSOR SIGHT (FIBER FRONT & BLACKED-OUT REAR)

THE WARREN® TACTICAL SUPPRESSOR SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED ON THE TARGET, EVEN WHEN USING A SUPPRESSOR. THE HIGH FIBER OPTIC FRONT SIGHT AND HIGH BLACKED OUT REAR SIGHT ARE DESIGNED BY WARREN®, THE LEADER IN FIBER OPTIC TECHNOLOGY STANDARDIZATION IN THE WORLD.

MASTER PACK (PCS)

30



FEATURES

HIGH FIBER OPTIC FRONT SIGHT
HIGH, 'U' SHAPED, BLACKED OUT REAR SIGHT



DURABLE
FINISH



HIGH QUALITY
CNC TECH

ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM. (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 AI 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SF T6472-15 AT 33001 AND HIGHER

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-003

FITS

TP9 SFT, TP9 SAT, TP9 DAT

SIGHT

CANIK® 3 WHITE DOT SUPPRESSOR SIGHT SET

THE CANIK® 3 WHITE DOT TACTICAL SUPPRESSOR SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED ON THE TARGET, EVEN WHEN USING A SUPPRESSOR. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS.

MASTER PACK (PCS)

30



FEATURES

WHITE DOT FRONT SIGHT
2 WHITE DOT REAR SIGHT
ANGLED REAR SIGHT EDGE FOR EMERGENCY ONE-HAND OPERATION
'U' SHAPED TWO WHITE DOT REAR SIGHT



DURABLE
FINISH



HIGH QUALITY
CNC TECH



COMBAT
PROVEN

ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM. (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 AI 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SF T6472-15 AT 33001 AND HIGHER

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-004

FITS

TP9 ELITE SC - TP9 SFx MOD 2 - TP9 SA MOD 2 - TP9 SF MOD 2 - TP9 ELITE-S COMBAT
TP9 SF METE - TP9 SF METE -S - TP9 SFx METE - TP9 SFT METE - TP9 SUB METE TP9 V2*SEE BACK
TP9 SF*SEE BACK - TP9 SA*SEE BACK - TP9 DA - TP9 SF ELITE - TP9 SF ELITE-S - TP9 ELITE COMBAT

SIGHT

WARREN® BLACK OUT REAR SIGHT & CANIK® WHITE DOT FRONT SIGHT SET

THE WARREN® BLACKED OUT REAR SIGHT AND THE CANIK® WHITE DOT FRONT SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS. THE BACK OUT REAR SIGHT FEATURES A UNIQUE WAVE DESIGN THAT FEATURES CONCAVE CORNERS FOR AN EXTRA WIDE FIELD-OF-VIEW. THE U-SHAPED NOTCH HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE QUICKLY TO THE FRONT SIGHT.

MASTER PACK (PCS)

30



FEATURES

WHITE DOT FRONT SIGHT
'U' SHAPED, BLACKED OUT REAR SIGHT



DURABLE
FINISH



HIGH QUALITY
CNC TECH

ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM.
(MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 AI 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SF T6472-15 AT 33001 AND HIGHER (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-005

FITS

TP9 V2, TP9 DA, TP9 SF, TP9 SA, TP9 SF ELITE, TP9 SF ELITE-S, TP9 SFL

SIGHT

CANIK® WHITE DOT FRONT SIGHT

THE CANIK® WHITE DOT FRONT SIGHT ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS

MASTER PACK (PCS)

30



FEATURES

WHITE DOT FRONT SIGHT



DURABLE
FINISH



HIGH QUALITY
CNC TECH



COMBAT
PROVEN

ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM.
(MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-006

FITS

TP9, TP9 V2, TP9 SF, TP9 SA, TP9 DA, TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, TP9 SFX METE, TP9 SFT METE, TP9 SUB METE, TP9 SUB ELITE, TP9 ELITE SC, TP9 SFX Mod.2, TP9 SA Mod.2, TP9 SF Mod.2, TP9 SFX, METE SFX, METE SFX PRO, METE SFT, METE SFT PRO, METE SF, METE SF PRO, METE SC, METE SC PRO

SIGHT

WARREN® FIBER OPTIC FRONT SIGHT

THE WARREN® FIBER OPTIC FRONT SIGHT ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. IT IS IDEAL FOR QUICK TARGET TRANSITION AND FAST FOLLOW-UP SHOTS.

MASTER PACK (PCS)

30



FEATURES

FIBER OPTIC FRONT SIGHT



DURABLE
FINISH



HIGH QUALITY
CNC TECH



COMBAT
PROVEN

ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM.
(MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-007

FITS

TP9, TP9 V2, TP9 SF, TP9 SA, TP9 DA, TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, TP9 SFX METE, TP9 SFT METE, TP9 SUB METE, TP9 SUB ELITE, TP9 ELITE SC, TP9 SFX Mod.2, TP9 SA Mod.2, TP9 SF Mod.2, TP9 SFX, METE SFX, METE SFX PRO, METE SFT, METE SFT PRO, METE SF, METE SF PRO, METE SC, METE SC PRO, SFX RIVAL, SFX RIVAL-S

SIGHT

WARREN® WIDE BLACK OUT REAR SIGHT

THE WARREN® WIDE BLACK OUT REAR SIGHT ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. IT IS IDEAL FOR QUICK TARGET TRANSITION AND FAST FOLLOW-UP SHOTS. THE BACK OUT REAR SIGHT FEATURES A UNIQUE WAVE DESIGN THAT FEATURES CONCAVE CORNERS FOR AN EXTRA WIDE FIELD-OF-VIEW. THE U-SHAPED NOTCH HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE QUICKLY TO THE FRONT SIGHT.

MASTER PACK (PCS)
30



FEATURES

"U" SHAPED BLACKED OUT REAR SIGHT



ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM. (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-088

FITS

TP9 SFx, TP9 SFx Mod.2, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT

SIGHT

WARREN® REAR SIGHT WITH OPTIC LID

WARREN® REAR SIGHT WITH OPTIC LID ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED ON THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS.

MASTER PACK (PCS)
30



FEATURES

'U' SHAPED TWO WHITE DOT REAR SIGHT
PATRIOT BROWN COLOR



ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM. (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-023

FITS


TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SFx Mod.2, TP9 SFx

SIGHT

WARREN® TACTICAL SUPPRESSOR SIGHT (FIBER FRONT & WIDE BLACKED-OUT REAR)

THE WARREN® TACTICAL SUPPRESSOR SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED ON THE TARGET, EVEN WHEN USING A SUPPRESSOR. THE HIGH FIBER OPTIC FRONT SIGHT AND HIGH BLACKED OUT REAR SIGHT ARE DESIGNED BY WARREN®, THE LEADER IN FIBER OPTIC TECHNOLOGY STANDARDIZATION IN THE WORLD.

MASTER PACK (PCS)
30



FEATURES

HIGH FIBER OPTIC FRONT SIGHT
HIGH, 'U' SHAPED, BLACKED OUT REAR SIGHT



ATTENTION ATTENTION: FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM. PACN1000 (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 A1 04161 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SF T6472-15 AT 33001 AND HIGHER

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-025

FITS

TP9 V2, TP9 DA, TP9 SF, TP9 SA, TP9 SF ELITE, TP9 SF ELITE-S, TP9 SFL

SIGHT

WARREN® NARROW BLACK OUT REAR SIGHT

THE WARREN® NARROW BLACK OUT REAR SIGHT ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. IT IS IDEAL FOR QUICK TARGET TRANSITION AND FAST FOLLOW-UP SHOTS. THE BACK OUT REAR SIGHT FEATURES A UNIQUE WAVE DESIGN THAT FEATURES CONCAVE CORNERS FOR AN EXTRA WIDE FIELD-OF-VIEW. THE U-SHAPED NOTCH HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE QUICKLY TO THE FRONT SIGHT.

MASTER PACK (PCS)

30



FEATURES

"U" SHAPED BLACKED OUT REAR SIGHT



ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM. (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 AI 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SF T6472-15 AT 33001 AND HIGHER

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-087

FITS

TP9 V2, TP9 DA, TP9 SF, TP9 SA, TP9 SA Mod.2, TP9 SF ELITE, TP9 SF ELITE-S, TP9 SFL

SIGHT

WARREN® WIDE BLACK OUT REAR SIGHT

THE WARREN® WIDE BLACK OUT REAR SIGHT ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. IT IS IDEAL FOR QUICK TARGET TRANSITION AND FAST FOLLOW-UP SHOTS. THE BACK OUT REAR SIGHT FEATURES A UNIQUE WAVE DESIGN THAT FEATURES CONCAVE CORNERS FOR AN EXTRA WIDE FIELD-OF-VIEW. THE U-SHAPED NOTCH HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE QUICKLY TO THE FRONT SIGHT.

MASTER PACK (PCS)

30



FEATURES

"U" SHAPED BLACKED OUT REAR SIGHT



ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM. (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-088

FITS

TP9 SFX, TP9 SFX Mod.2, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT

SIGHT

CANIK® WHITE DOT FRONT SIGHT

THE CANIK® WIDE WHITE DOT FRONT SIGHT ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS.

MASTER PACK (PCS)

30



FEATURES

WHITE DOT FRONT SIGHT



ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM. (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 AI 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SF T6472-15 AT 33001 AND HIGHER

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-089

FITS

TP9 V2, TP9 DA, TP9 SF, TP9 SA, TP9 SA Mod.2, TP9 SF ELITE, TP9 SF ELITE-S, TP9 SFL, TP9 SFX METE, SFT METE, TP9 SUB METE, TP9 SFX, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S

SIGHT

WARREN® FIBER OPTIC FRONT AND BLACK OUT REAR SIGHT SET

THE WARREN® FIBER OPTIC FRONT AND BLACK OUT REAR SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. IT IS IDEAL FOR QUICK TARGET TRANSITION AND FAST FOLLOW-UP SHOTS. THE BACK OUT REAR SIGHT FEATURES A UNIQUE WAVE DESIGN THAT FEATURES CONCAVE CORNERS FOR AN EXTRA WIDE FIELD-OF-VIEW. THE U-SHAPED NOTCH HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE QUICKLY TO THE FRONT SIGHT.



MASTER PACK (PCS)
30

FEATURES

FIBER OPTIC FRONT SIGHT
"U" SHAPED BLACKED OUT REAR SIGHT



ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM. (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 AI 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SF T6472-15 AT 33001 AND HIGHER

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-090

FITS

TP9 V2, TP9 DA, TP9 SF, TP9 SA, TP9 SA Mod.2, TP9 SF ELITE, TP9 SF ELITE-S, TP9 SFL

SIGHT

CANiK® WHITE DOT FRONT SIGHT & METE SERIES REAR SIGHT

THE CANiK® WHITE DOT FRONT SIGHT & METE SERIES REAR SIGHT ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS. THIS SIGHT HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE QUICKLY TO THE FRONT SIGHT.

MASTER PACK (PCS)
30



FEATURES

WHITE DOT FRONT SIGHT
"U" SHAPED TWO WHITE DOT REAR SIGHT WITH WHITE CENTER LINE



ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM. (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 AI 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SF T6472-15 AT 33001 AND HIGHER

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-091

FITS

TP9 V2, TP9 DA, TP9 SF, TP9 SA, TP9 SA Mod.2, TP9 SF ELITE, TP9 SF ELITE-S, TP9 SFL, TP9 SFX METE, SFT METE, TP9 SUB METE, TP9 SFX, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S

SIGHT

CANiK® WHITE DOT FRONT SIGHT & SERRATED TACTICAL REAR SIGHT

THE CANiK® WHITE DOT FRONT SIGHT & SERRATED TACTICAL REAR SIGHT ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS. THIS SIGHT HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE QUICKLY TO THE FRONT SIGHT.



FEATURES

WHITE DOT FRONT SIGHT
ANGLED REAR SIGHT EDGE FOR EMERGENCY ONE-HAND OPERATION
"U" SHAPED SERRATED REAR SIGHT



ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM. (MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 AI 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SF T6472-15 AT 33001 AND HIGHER

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-158

FITS

TP9, TP9 V2, TP9 SF, TP9 SA, TP9 DA, TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, TP9 SFX METE, TP9 SFT METE, TP9 SUB METE, TP9 SUB ELITE, TP9 ELITE SC, TP9 SFX Mod.2, TP9 SA Mod.2, TP9 SF Mod.2

SIGHT

CANiK® 3 WHITE DOT TACTICAL SIGHT SET

THE CANiK® 3 WHITE DOT TACTICAL SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS. THIS SIGHT HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE QUICKLY TO THE FRONT SIGHT.

MASTER PACK (PCS)
30



FEATURES

WHITE DOT FRONT SIGHT
2 WHITE DOT REAR SIGHT
ANGLED REAR SIGHT EDGE FOR EMERGENCY ONE-HAND OPERATION
'U' SHAPED TWO WHITE DOT REAR SIGHT



ATTENTION FOR PROPER INSTALLATION, USE THE CANIK SIGHT ADJUSTMENT TOOL, AVAILABLE FOR SALE ON CANIKUSA.COM.
(MMAC - 035) CANIK® SIGHT ADJUSTMENT TOOL.

NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 AI 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SF T6472-15 AT 33001 AND HIGHER

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-202

FITS

TP9, TP9 V2, TP9 SF, TP9 SA, TP9 DA, TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, TP9 SFX METE, TP9 SFT METE, TP9 SUB METE, TP9 SUB ELITE, TP9 ELITE SC, TP9 SFX Mod.2, TP9 SA Mod.2, TP9 SF Mod.2

SIGHT

CANiK® 3 DOT TRITIUM TACTICAL SIGHT SET

THE CANiK® 3 DOT TRITIUM TACTICAL SIGHT SET ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS. THIS SIGHT HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE QUICKLY TO THE FRONT SIGHT.

MASTER PACK (PCS)
30



FEATURES

TRITIUM FRONT SIGHT
2 DOT TRITIUM TACTICAL REAR SIGHT
ANGLED REAR SIGHT EDGE FOR EMERGENCY ONE-HAND OPERATION
'U' SHAPED TWO WHITE DOT REAR SIGHT



NOTICE REGARDING COMPATIBILITY THIS SIGHT SET IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS TP9 V2 T6472-15 AI 04151 AND HIGHER TP9 SA T6472-16 AP 00201 AND HIGHER TP9 SF T6472-15 AT 33001 AND HIGHER

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-299

FITS

TP9, TP9 V2, TP9 SF, TP9 SA, TP9 DA, TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, TP9 SFX METE, TP9 SFT METE, TP9 SUB METE, TP9 SUB ELITE, TP9 ELITE SC, TP9 SFX Mod.2, TP9 SA Mod.2, TP9 SF Mod.2

SIGHT

CANiK ADJUSTABLE REAR SIGHT(BLACK)

THE CANIK ADJUSTABLE REAR SIGHT PROVIDES THE SHOOTER THE ABILITY TO PERFECTLY ADJUST FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS INTEGRATED INTO THE OPTIC LID CAP AND CAN BE QUICKLY INSTALLED ONTO COMPATIBLE CANIK PISTOLS. THANKS TO ITS FULLY ADJUSTABLE LOW PROFILE DESIGN, THIS SIGHT WORKS WITH ORIGINAL CANIK FRONT SIGHTS. HARDENED "CLICK" ADJUSTMENT SCREWS GIVE SMOOTH AND ACCURATE MATCH/TARGET ADJUSTMENT FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS MANUFACTURED TO THE INDUSTRY'S HIGHEST STANDARDS OF QUALITY AND IS MACHINED FROM SOLID BAR-STOCK STEEL USING CANIK'S STATE-OF-THE-ART CNC MANUFACTURING PROCESSES

MASTER PACK (PCS)
30



FEATURES

WORKS WITH CANIK FACTORY FRONT SIGHTS
MACHINED FROM SOLID STEEL USING STATE-OF-THE-ART CNC MILLING
INCLUDES OPTIC LID CAP
EASY ASSEMBLY
CLICK ADJUSTMENT
BLACK COLOR



WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-361

TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9SFX, TP9 SFX Mod.2

SIGHT

CANiK® WHITE DOT FRONT SIGHT & METE SERIES REAR SIGHT

THE CANiK® WHITE DOT FRONT SIGHT & METE SERIES REAR SIGHT ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED TO THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS. THIS SIGHT HAS SLIGHTLY ROUNDED CORNERS TO PREVENT CLOTHES SNAGGING WHEN DRAWING, AND DIRECT THE EYE QUICKLY TO THE FRONT SIGHT.

MASTER PACK (PCS)

30



FEATURES

WHITE DOT FRONT SIGHT
"U" SHAPED TWO WHITE DOT REAR SIGHT WITH WHITE CENTER LINE



DURABLE
FINISH



HIGH QUALITY
CNC TECH



COMBAT
PROVEN

WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-092

FITS

TP9 SFX, TP9 SFX Mod.2, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT

SIGHT

CANiK® ADJUSTABLE REAR SIGHT(BLACK)

THE CANiK ADJUSTABLE REAR SIGHT PROVIDES THE SHOOTER THE ABILITY TO PERFECTLY ADJUST FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS INTEGRATED INTO THE OPTIC LID CAP AND CAN BE QUICKLY INSTALLED ONTO COMPATIBLE CANiK PISTOLS. THANKS TO ITS FULLY ADJUSTABLE LOW PROFILE DESIGN, THIS SIGHT WORKS WITH ORIGINAL CANiK FRONT SIGHTS. HARDENED "CLICK" ADJUSTMENT SCREWS GIVE SMOOTH AND ACCURATE MATCH/TARGET ADJUSTMENT FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS MANUFACTURED TO THE INDUSTRY'S HIGHEST STANDARDS OF QUALITY AND IS MACHINED FROM SOLID BAR-STOCK STEEL USING CANiK'S STATE-OF-THE-ART CNC MANUFACTURING PROCESSES.



FEATURES

WORKS WITH CANiK FACTORY FRONT SIGHTS
MACHINED FROM SOLID STEEL USING STATE-OF-THE-ART CNC MILLING
INCLUDES OPTIC LID CAP
EASY ASSEMBLY
CLICK ADJUSTMENT
BLACK COLOR



DURABLE
FINISH



HIGH QUALITY
CNC TECH

WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-362

FITS

TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9SFX, TP9 SFX Mod.2, SFX RIVAL, SFX RIVAL-S

SIGHT

CANiK® REAR SIGHT WITH OPTIC LID (BLACK)

WARREN REAR SIGHT WITH OPTIC LID ENSURES THAT THE SHOOTER IS PERFECTLY ENGAGED ON THE TARGET. THIS SIGHT SYSTEM IS THE PREFERRED OPTION FOR LESS THAN IDEAL LIGHTING CONDITIONS.



FEATURES

WORKS WITH CANiK FACTORY FRONT SIGHTS
MACHINED FROM SOLID STEEL USING STATE-OF-THE-ART CNC MILLING
INCLUDES OPTIC LID CAP
EASY ASSEMBLY
CLICK ADJUSTMENT
BLACK COLOR



DURABLE
FINISH



HIGH QUALITY
CNC TECH

WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-363

FITS

TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SFX Mod.2, TP9 SFX

SIGHT

CANİK ADJUSTABLE REAR SIGHT(FDE)

THE CANIK ADJUSTABLE REAR SIGHT PROVIDES THE SHOOTER THE ABILITY TO PERFECTLY ADJUST FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS INTEGRATED INTO THE OPTIC LID CAP AND CAN BE QUICKLY INSTALLED ONTO COMPATIBLE CANIK PISTOLS. THANKS TO ITS FULLY ADJUSTABLE LOW PROFILE DESIGN, THIS SIGHT WORKS WITH ORIGINAL CANIK FRONT SIGHTS. HARDENED "CLICK" ADJUSTMENT SCREWS GIVE SMOOTH AND ACCURATE MATCH/TARGET ADJUSTMENT FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS MANUFACTURED TO THE INDUSTRY'S HIGHEST STANDARDS OF QUALITY AND IS MACHINED FROM SOLID BAR-STOCK STEEL USING CANIK'S STATE-OF-THE-ART CNC MANUFACTURING PROCESSES.



MASTER PACK (PCS)

30

FEATURES

WORKS WITH CANIK FACTORY FRONT SIGHTS
MACHINED FROM SOLID STEEL USING STATE-OF-THE-ART CNC MILLING
INCLUDES OPTIC LID CAP
EASY ASSEMBLY
CLICK ADJUSTMENT
FDE COLOR



DURABLE FINISH



**HIGH QUALITY
CNC TECH**

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-483

TP9 ELITE COMBAT.TP9 ELITE-S COMBAT.TP9SEx.TP9 SEx Mod.2

SIGHT

CANİK ADJUSTABLE REAR SIGHT(TUNGSTEN)

THE CANIK ADJUSTABLE REAR SIGHT PROVIDES THE SHOOTER THE ABILITY TO PERFECTLY ADJUST FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS INTEGRATED INTO THE OPTIC LID CAP AND CAN BE QUICKLY INSTALLED ONTO COMPATIBLE CANIK PISTOLS. THANKS TO ITS FULLY ADJUSTABLE LOW PROFILE DESIGN, THIS SIGHT WORKS WITH ORIGINAL CANIK FRONT SIGHTS. HARDENED "CLICK" ADJUSTMENT SCREWS GIVE SMOOTH AND ACCURATE MATCH/TARGET ADJUSTMENT FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS MANUFACTURED TO THE INDUSTRY'S HIGHEST STANDARDS OF QUALITY AND IS MACHINED FROM SOLID BAR-STOCK STEEL USING CANIK'S STATE-OF-THE-ART CNC MANUFACTURING PROCESSES.



MASTER PACK (PCS)

30

FEATURES

WORKS WITH CANIK FACTORY FRONT SIGHTS
MACHINED FROM SOLID STEEL USING STATE-OF-THE-ART CNC MILLING
INCLUDES OPTIC LID CAP
EASY ASSEMBLY
CLICK ADJUSTMENT
TUNGSTEN COLOR



DURABLE FINISH



**HIGH QUALITY
CNC TECH**

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-484

TP9 ELITE COMBAT.TP9 ELITE-S COMBAT.TP9SEx.TP9 SEx Mod.2

SIGHT

CANİK ADJUSTABLE REAR SIGHT(RIVAL GREY)

THE CANIK ADJUSTABLE REAR SIGHT PROVIDES THE SHOOTER THE ABILITY TO PERFECTLY ADJUST FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS INTEGRATED INTO THE OPTIC LID CAP AND CAN BE QUICKLY INSTALLED ONTO COMPATIBLE CANIK PISTOLS. THANKS TO ITS FULLY ADJUSTABLE LOW PROFILE DESIGN, THIS SIGHT WORKS WITH ORIGINAL CANIK FRONT SIGHTS. HARDENED "CLICK" ADJUSTMENT SCREWS GIVE SMOOTH AND ACCURATE MATCH/TARGET ADJUSTMENT FOR BOTH WINDAGE AND ELEVATION. THIS SIGHT IS MANUFACTURED TO THE INDUSTRY'S HIGHEST STANDARDS OF QUALITY AND IS MACHINED FROM SOLID BAR-STOCK STEEL USING CANIK'S STATE-OF-THE-ART CNC MANUFACTURING PROCESSES.



MASTER PACK (PCS)

30

FEATURES

WORKS WITH CANIK FACTORY FRONT SIGHTS
MACHINED FROM SOLID STEEL USING STATE-OF-THE-ART CNC MILLING
INCLUDES OPTIC LID CAP
EASY ASSEMBLY
CLICK ADJUSTMENT
RIVAL GREY COLOR



**DURAB
FINIS**

 HIGH QUALITY
CNC TECH

WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-548

TP9 ELITE COMBAT.TP9 ELITE-S COMBAT.TP9SFx.TP9 SFx Mod.2

SIGHT

REAR SIGHT (TUNGSTEN)



WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-379

FITS

TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SFx Mod.2, TP9 SFx

SIGHT

REAR SIGHT WITH OPTIC LID (TUNGSTEN)



WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-009

FITS

TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SFx Mod.2, TP9 SFx

SIGHT

REAR SIGHT WITH OPTIC LID (FDE)



WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-011

FITS

TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SFx Mod.2, TP9 SFx

SIGHT

REAR SIGHT WITH OPTIC LID (WHITE)



WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-012

FITS

TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SFX Mod.2, TP9 SFX

SIGHT

WARREN® REAR SIGHT WITH OPTIC LID (RIVAL GREY)



WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-726

FITS

TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SFX, TP9 SFX Mod.2, SFX RIVAL, SFX RIVAL-S

SIGHT

WARREN® REAR SIGHT WITH OPTIC LID (BLACK)




WARNING! CANIK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-727

FITS

TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SFX, TP9 SFX Mod.2, SFX RIVAL, SFX RIVAL-S

OPTIC BASEPLATE



OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM

www.canik-store.com

OPTIC BASE PLATE

CANiK® OPTIC INTERFACE #4

THE CANiK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANiK® TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANiK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION



FEATURES

MADE FROM HIGH STRENGTH ALUMINUM
HIGH-QUALITY ELOXAL COATING
TORX KEY (T10)
USER-FRIENDLY INSTALLATION
LOW PROFILE DESIGN



DURABLE
FINISH



HIGH QUALITY
CNC TECH

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

MMAC-033

TP9 SFX, TP9 SFX Mod.2, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT
COMPATIBLE OPTICS: SHIELD SIGHTS™ SMS - LEUPOLD™ - J POINT™ - MECANIK M01

OPTIC BASE PLATE

CANiK® OPTIC INTERFACE #1

THE CANiK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANiK® TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANiK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.



FEATURES

MADE FROM HIGH STRENGTH ALUMINUM
HIGH-QUALITY ELOXAL COATING
TORX KEY (T10)
USER-FRIENDLY INSTALLATION
LOW PROFILE DESIGN



DURABLE
FINISH



HIGH QUALITY
CNC TECH

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

MMAC-034

FITS

TP9 SFX, TP9 SFX Mod.2, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT
COMPATIBLE OPTICS: TRUGLO - DOCTER - MEOPTA - INSIGHT - VORTEX - MECANIK M02

OPTIC BASE PLATE

CANiK® OPTIC BASE PLATE (A) FOR NON-OPTIC READY PISTOLS

THE CANiK® OPTIC INTERFACE FOR NON-OPTIC READY PISTOLS PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR DESIRED CANiK® MODEL. THIS INTERFACE REPLACES THE REAR SIGHT ON YOUR PISTOL WITH AN INTERFACE PLATE, WHICH THE OPTIC IS DIRECTLY MOUNTED TO. THE NON-OPTIC READY INTERFACE IS MADE OF HIGH QUALITY STEEL, PROVIDING A STABLE AND LONG-LASTING BASE FOR THE COMPATIBLE OPTIC OF YOUR CHOICE.



FEATURES

MANUFACTURED FROM HIGH QUALITY 4140 STEEL
TENIFER COATING
TORX KEY (T10 & T20)
USER-FRIENDLY INSTALLATION
LOW PROFILE DESIGN



DURABLE
FINISH



HIGH QUALITY
CNC TECH

ATTENTION THIS BASE PLATE IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS & ABOVE
TP9 V2 T6472-15 A1 04151 TP9 SA T6472-16 AP 00201 TP9 SF T6472-15 AT 33001

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

MMAC-151

FITS

TP9 V2, TP9 SF, TP9 SA Mod.2, TP9 SF Mod.2, TP9 DA, TP9 SAT, TP9 DAT, TP9 SFT, TP9 SF
ELITE, TP9 SF ELITE-S, TP9 SFL
COMPATIBLE OPTICS: SHIELD SIGHTS™ SMS - MECANIK™ M01

OPTIC BASE PLATE

CANiK® OPTIC INTERFACE #2

THE CANiK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANiK® TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANiK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.

MASTER PACK (PCS)

30



FEATURES

- MADE FROM HIGH STRENGTH ALUMINUM
- HIGH-QUALITY ELOXAL COATING
- TORX KEY (T10)
- USER-FRIENDLY INSTALLATION
- LOW PROFILE DESIGN



DURABLE
FINISH



HIGH QUALITY
CNC TECH

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

MMAC-152

FITS

TP9 SFX, TP9 SFX Mod.2, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT
COMPATIBLE OPTICS: TRIJCON

OPTIC BASE PLATE

CANiK® OPTIC INTERFACE #3

THE CANiK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANiK® TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANiK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.

MASTER PACK (PCS)

30



FEATURES

- MADE FROM HIGH STRENGTH ALUMINUM
- HIGH-QUALITY ELOXAL COATING
- TORX KEY (T10)
- USER-FRIENDLY INSTALLATION
- LOW PROFILE DESIGN



DURABLE
FINISH



HIGH QUALITY
CNC TECH

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

MMAC-153

FITS

TP9 SFX, TP9 SFX Mod.2, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT
COMPATIBLE OPTICS: C-MORE STS

OPTIC BASE PLATE

CANiK® OPTIC BASE PLATE (B) FOR NON-OPTIC READY PISTOLS

THE CANiK® OPTIC INTERFACE FOR NON-OPTIC READY PISTOLS PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR DESIRED CANiK® MODEL. THIS INTERFACE REPLACES THE REAR SIGHT ON YOUR PISTOL WITH AN INTERFACE PLATE, WHICH THE OPTIC IS DIRECTLY MOUNTED TO. THE NON-OPTIC READY INTERFACE IS MADE OF HIGH QUALITY STEEL, PROVIDING A STABLE AND LONG-LASTING BASE FOR THE COMPATIBLE OPTIC OF YOUR CHOICE.

MASTER PACK (PCS)

30



FEATURES

- MANUFACTURED FROM HIGH QUALITY 4140 STEEL
- TENIFER COATING
- TORX KEY (T10)
- USER-FRIENDLY INSTALLATION
- LOW PROFILE DESIGN



DURABLE
FINISH



HIGH QUALITY
CNC TECH

ATTENTION THIS BASE PLATE IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS 6 ABOVE
TP9 V2 T6472-15 AI 04151 TP9 SA T6472-16 AP 00201 TP9 SF T6472-15 AT 33001

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

MMAC-169

FITS

TP9 V2, TP9 SF, TP9 SA Mod.2, TP9 SF Mod.2, TP9 DA, TP9 SAT, TP9 DAT, TP9 SFT, TP9 SF
ELITE, TP9 SF ELITE-S, TP9 SFL
COMPATIBLE OPTICS: TRUGLO™ - VORTEX™ - MECANIK™ M02

OPTIC BASE PLATE

CANiK® OPTIC BASE PLATE (D)FOR NON-OPTIC READY PISTOLS

THE CANiK® CO-WITNESS OPTIC INTERFACE #5 WITH FRONT SIGHT HAS A PERFECT INFRASTRUCTURE FOR YOUR OPTICS WITH ITS HIGH STRENGTH ALUMINUM FRAME. THE SERRATIONS ON IT BLEND PERFECTLY WITH THE SERRATIONS OF YOUR PISTOL WHICH ALSO CREATES AN EXTRA SURFACE FOR SLIDE MANIPULATION. THANKS TO SPECIAL FRONT & COMBINED REAR SIGHT IT HAS CO-WITNESS FEATURE.

MASTER PACK (PCS)

30



FEATURES

MADE FROM HIGH STRENGTH ALUMINUM
HIGH-QUALITY ELOXAL COATING
TORX KEY (T10)
USER-FRIENDLY INSTALLATION
LOW PROFILE DESIGN
SPECIAL DESIGN FRONT SIGHT
CO-WITNESS



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

MMAC-190

FITS

TP9 SFX, TP9 SFX Mod.2, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT
COMPATIBLE OPTICS: AIMPOINT® ACRO-C1

OPTIC BASE PLATE

CANiK® OPTIC BASE PLATE (D)FOR NON-OPTIC READY PISTOLS

THE CANiK® OPTIC INTERFACE FOR NON-OPTIC READY PISTOLS PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR DESIRED CANiK® MODEL. THIS INTERFACE REPLACES THE REAR SIGHT ON YOUR PISTOL WITH AN INTERFACE PLATE, WHICH THE OPTIC IS DIRECTLY MOUNTED TO. THE NON-OPTIC READY INTERFACE IS MADE OF HIGH QUALITY STEEL, PROVIDING A STABLE AND LONG-LASTING BASE FOR THE COMPATIBLE OPTIC OF YOUR CHOICE.

MASTER PACK (PCS)

30



FEATURES

MANUFACTURED FROM HIGH QUALITY 4140 STEEL
TENIFER COATING
TORX KEY (T10)
USER-FRIENDLY INSTALLATION
LOW PROFILE DESIGN



ATTENTION THIS BASE PLATE IS COMPATIBLE WITH THE FOLLOWING MODELS BEARING INDICATED SERIAL NUMBERS & ABOVE
TP9 V2 T6472-15 A1 D4151 TP9 SA T6472-16 AP 00201 TP9 SF T6472-15 AT 33001

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

MMAC-357

TP9 V2, TP9 SF, TP9 SA Mod.2, TP9 SF Mod.2, TP9 DA, TP9 SAT, TP9 DAT, TP9 SFT, TP9 SF ELITE, TP9 SF ELITE-S, TP9 SFL
COMPATIBLE OPTICS: C-MORE STS

OPTIC BASE PLATE

CANiK® OPTIC BASE PLATE (C) FOR NON-OPTIC READY PISTOLS

THE CANiK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANiK® TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANiK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION

MASTER PACK (PCS)

30



FEATURES

MADE FROM HIGH STRENGTH ALUMINUM
HIGH-QUALITY ELOXAL COATING
TORX KEY (T10)
USER-FRIENDLY INSTALLATION
LOW PROFILE DESIGN



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

MMAC-358

FITS

TP9 V2, TP9 SF, TP9 SA Mod.2, TP9 SF Mod.2, TP9 DA, TP9 SAT, TP9 DAT, TP9 SFT, TP9 SF ELITE, TP9 SF ELITE-S, TP9 SFL
COMPATIBLE OPTICS: TRIJICON

OPTIC BASE PLATE

CANiK® OPTIC INTERFACE #5

THE CANiK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANiK® TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANiK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.

MASTER PACK (PCS)

30



FEATURES

MADE FROM HIGH STRENGTH ALUMINUM
HIGH-QUALITY ELOXAL COATING
TORX KEY (T10)
USER-FRIENDLY INSTALLATION
LOW PROFILE DESIGN



DURABLE
FINISH



HIGH QUALITY
CNC TECH

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

OPTIC BASE PLATE

CANiK® OPTIC INTERFACE #R01

THE CANiK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANiK® TP9 PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANiK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.



FEATURES

MADE FROM HIGH STRENGTH ALUMINUM
HIGH-QUALITY ELOXAL COATING
TORX KEY (T10)
USER-FRIENDLY INSTALLATION
LOW PROFILE DESIGN



DURABLE
FINISH



HIGH QUALITY
CNC TECH

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

OPTIC BASE PLATE

CANiK® OPTIC INTERFACE #R02

THE CANiK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANiK® RIVAL PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANiK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.



FEATURES

MADE FROM HIGH STRENGTH ALUMINUM
HIGH-QUALITY ELOXAL COATING
TORX KEY (T10)
USER-FRIENDLY INSTALLATION
LOW PROFILE DESIGN



DURABLE
FINISH



HIGH QUALITY
CNC TECH

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

MMAC-549

FITS

TP9 SFX, TP9 SFX Mod.2, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT
COMPATIBLE OPTICS: SIG SAUER ROMEO 2 MA™ - C-MORE RTS 2™

MMAC-550

FITS

TP9 SFX, TP9 SFX Mod.2, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, SFX RIVAL
COMPATIBLE OPTICS: TRUGLO - DOCTER - MEOPTA - INSIGHT - VORTEX - MECANIK M02

MMAC-551

FITS

TP9 SFX, TP9 SFX Mod.2, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, SFX RIVAL
COMPATIBLE OPTICS: TRIJICON RMR - MECANIK M03

OPTIC BASE PLATE

CANiK® OPTIC INTERFACE #R04

THE CANiK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANiK® RIVAL PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANiK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.



FEATURES

MADE FROM HIGH STRENGTH ALUMINUM
HIGH-QUALITY ELOXAL COATING
TORX KEY (T10)
USER-FRIENDLY INSTALLATION
LOW PROFILE DESIGN



DURABLE
FINISH



HIGH QUALITY
CNC TECH

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

MMAC-553

FITS

TP9 SFX, TP9 SFX Mod.2, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, SFX RIVAL
COMPATIBLE OPTICS: SHIELD - LEUPOLD - J POINT

OPTIC BASE PLATE

CANiK® OPTIC INTERFACE #R05

THE CANiK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANiK® RIVAL PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANiK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.



FEATURES

MADE FROM HIGH STRENGTH ALUMINUM
HIGH-QUALITY ELOXAL COATING
TORX KEY (T10)
USER-FRIENDLY INSTALLATION
LOW PROFILE DESIGN



DURABLE
FINISH



HIGH QUALITY
CNC TECH

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

MMAC-554

FITS

TP9 SFX, TP9 SFX Mod.2, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, SFX RIVAL
COMPATIBLE OPTICS: ACRO C1

OPTIC BASE PLATE

CANiK® OPTIC INTERFACE #R06

THE CANiK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANiK® RIVAL PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANiK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.



FEATURES

MADE FROM HIGH STRENGTH ALUMINUM
HIGH-QUALITY ELOXAL COATING
TORX KEY (T10)
USER-FRIENDLY INSTALLATION
LOW PROFILE DESIGN



DURABLE
FINISH



HIGH QUALITY
CNC TECH

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

MMAC-555

FITS

TP9 SFX, TP9 SFX Mod.2, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, SFX RIVAL
COMPATIBLE OPTICS: ROMEO 3 - C-MORE RTS 2

OPTIC BASE PLATE

CANiK® OPTIC INTERFACE #R04C

THE CANiK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANiK® RIVAL PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANiK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.



FEATURES

MADE FROM HIGH STRENGTH ALUMINUM
HIGH-QUALITY ELOXAL COATING
TORX KEY (T10)
USER-FRIENDLY INSTALLATION
LOW PROFILE DESIGN
BLACK COLOR



DURABLE
FINISH



HIGH QUALITY
CNC TECH

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

OPTIC BASE PLATE

CANiK® OPTIC INTERFACE #R04C

THE CANiK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANiK® RIVAL PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANiK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.

FEATURES

MADE FROM HIGH STRENGTH ALUMINUM
HIGH-QUALITY ELOXAL COATING
TORX KEY (T10)
USER-FRIENDLY INSTALLATION
LOW PROFILE DESIGN
RIVAL GREY COLOR



DURABLE
FINISH



HIGH QUALITY
CNC TECH

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

OPTIC BASE PLATE

OPTIC INTERFACE



DURABLE
FINISH



HIGH QUALITY
CNC TECH

WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-556

FITS

TP9 SFX, TP9 SFX Mod.2, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, SFX RIVAL
COMPATIBLE OPTICS: SHIELD SIGHTS™ SMS - SHIELD RMS - MECANIK M01

MMAC-611

FITS

TP9 SFX, TP9 SFX Mod.2, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, SFX RIVAL
COMPATIBLE OPTICS: SHIELD - ROMEO ZERO - MECANIK M01

MMAC-036

FITS

RED-DOT SIGHT BASE PLATE FOR NON OPTIC READY PISTOLS

OPTIC BASE PLATE

CANiK® OPTIC INTERFACE #R04

THE CANiK® OPTIC INTERFACE PLATE PROVIDES THE ABILITY TO MOUNT A COMPATIBLE OPTIC TO YOUR OPTIC READY CANiK® RIVAL PISTOL. THE OPTIC INTERFACE IS CONSTRUCTED USING HIGH STRENGTH ALUMINUM. THE SERRATIONS ON THE INTERFACE PERFECTLY BLEND WITH THE SERRATIONS ON YOUR CANiK®, CREATING AN ADDITIONAL SURFACE FOR SLIDE MANIPULATION.



FEATURES

MADE FROM HIGH STRENGTH ALUMINUM
HIGH-QUALITY ELOXAL COATING
TORX KEY (T10)
USER-FRIENDLY INSTALLATION
LOW PROFILE DESIGN



DURABLE
FINISH




HIGH QUALITY
CNC TECH

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

MMAC-552

FITS

TP9 SFX, TP9 SFX Mod.2, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, SFX RIVAL
COMPATIBLE OPTICS: LEUPOLD, SHIELD



FIRING PIN & MAGAZINE

OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM

www.canik-store.com

FIRING PIN ASSEMBLY

CANiK® FIRING PIN ASSEMBLY

THE CANiK® FIRING PIN ASSEMBLY IS DESIGNED BY CANiK® RESEARCH AND DEVELOPMENT FOR DURABILITY AND HIGH PERFORMANCE.

MASTER PACK (PCS)
30



FEATURES

TENIFER® COATED
USER FRIENDLY INSTALLATION



WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-052

FITS

TP9 V2, TP9 SF, TP9 SA, TP9 SA Mod.2, TP9 SF ELITE, TP9 SF ELITE-S, TP9 SFL, TP9 SFT, TP9 SAT, TP9 DAT, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SFx Mod.2, TP9 SFx, TP9 DA, TP9 DA ELITE, SFx RIVAL

DRY FIRE ASSEMBLY

CANiK® ASSEMBLY FOR DRY FIRE TRAINING

THE CANiK® ASSEMBLY FOR DRY FIRE TRAINING IS DESIGNED BY CANiK® RESEARCH AND DEVELOPMENT TO MEET THE TRAINING NEEDS OF ALL PROFESSIONAL SHOOTERS. IT ALLOWS YOU TO PROTECT YOUR PISTOL'S FIRING PIN WHILE DRY FIRE PRACTICING.

MASTER PACK (PCS)
30



FEATURES

CERAKOTE™ COATED
DRY FIRE PIN ASSEMBLY IS INCAPABLE OF FIRING AMMUNITION
USER FRIENDLY INSTALLATION
COLORED IN RED
SUITABLE DESIGN FOR DRY FIRE TRAINING



WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-080

FITS

ALL TP, METE AND RIVAL SERIES PISTOLS

FIRING PIN ASSEMBLY

CANiK® FIRING PIN ASSEMBLY

THE CANiK® FIRING PIN ASSEMBLY IS DESIGNED BY CANiK® RESEARCH AND DEVELOPMENT FOR DURABILITY AND HIGH PERFORMANCE.

MASTER PACK (PCS)
30



FEATURES

TENIFER® COATED
USER FRIENDLY INSTALLATION



WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-360

FITS

TP9 SF METE, TP9 SF METE-S, TP9 SFT METE, TP9 SFx METE, TP9 ELITE SC, TP9 SUB METE, TP9 SUB ELITE

FIRING PIN ASSEMBLY

CANiK® FIRING PIN ASSEMBLY

THE CANiK® FIRING PIN ASSEMBLY IS DESIGNED BY CANiK® RESEARCH AND DEVELOPMENT FOR DURABILITY AND HIGH PERFORMANCE.

MASTER PACK (PCS)
200



FIRING PIN ASSEMBLY

CANiK® FIRING PIN ASSEMBLY

THE CANiK® FIRING PIN ASSEMBLY IS DESIGNED BY CANiK® RESEARCH AND DEVELOPMENT FOR DURABILITY AND HIGH PERFORMANCE.



MAGAZINE CATCH

CANiK® EXTENDED MAGAZINE CATCH ASSEMBLY

THE CANiK® DESIGNED EXTENDED MAGAZINE CATCH ASSEMBLY OFFERS INNOVATIVE STYLING AND FUNCTIONALITY IN 4 DIFFERENT SIZES. THE MAGAZINE BUTTON AND CATCH ARE MADE WITH HIGH TECH MIM (METAL INJECTION MOLDING). FOR MAXIMUM DURABILITY, ALL PARTS (EXCEPT MAGAZINE CATCH SPRING) ARE COATED WITH HIGH QUALITY TENIFER® FINISH. 4 DIFFERENT BUTTON OPTIONS ARE PROVIDED FOR OPTIMAL TACTILE RESPONSE, SPORTING USAGE, AND AESTHETICS.

MASTER PACK (PCS)
30



FEATURES

MIM (METAL INJECTION MOLDING)
COMPATIBLE WITH ALL TP SERIES PISTOLS
4 DIFFERENT SIZES; STANDARD, SMALL, MEDIUM & LARGE
HIGH QUALITY TENIFER® FINISH
REVERSIBLE DESIGN FOR AMBIDEXTROUS USAGE
WITH FOUR DIFFERENT SIZES



HIGH QUALITY
MIM TECH



DURABLE
FINISH



COMBAT
PROVEN

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-428

FITS

METE SC, METE SC PRO, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFx, METE SFx PRO

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-492

FITS

TP9 V2, TP9 SF, TP9 SF ELITE, TP9 SF ELITE-S, TP9 SFL, TP9 SFT, TP9 SAT, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SFx Mod.2, TP9 SFx, METE SFx, METE SFx PRO, METE SFT, METE SFT PRO, METE SF, METE SF PRO, SFx RIVAL, TTI COMBAT

WARNING! FOR ASSEMBLY / DISASSEMBLY, INSTRUCTIONS, SEE QR CODE LINK ABOVE. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-149

FITS

ALL TP, METE SERIES PISTOLS
SFx RIVAL, SFx RIVAL-S

FIRING PIN ASSEMBLY

CANiK® FIRING PIN ASSEMBLY

THE CANiK® FIRING PIN ASSEMBLY IS DESIGNED BY CANiK® RESEARCH AND DEVELOPMENT FOR DURABILITY AND HIGH PERFORMANCE.



FEATURES

TENIFER® COATED
USER FRIENDLY INSTALLATION



DURABLE
FINISH



HIGH QUALITY
CNC TECH



COMBAT
PROVEN

WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-756

FITS

TP9 V2, TP9 SF, TP9 SA, TP9 SA Mod.2, TP9 SF ELITE, TP9 SF ELITE-S, TP9 SFL, TP9 SFT, TP9 SAT, TP9 DAT, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 Sfx Mod.2, TP9 Sfx, TP9 DA, TP9 DA ELITE, Sfx RIVAL, Sfx RIVAL-S

FIRING PIN ASSEMBLY

CANiK® FIRING PIN ASSEMBLY

THE CANiK® FIRING PIN ASSEMBLY IS DESIGNED BY CANiK® RESEARCH AND DEVELOPMENT FOR DURABILITY AND HIGH PERFORMANCE.



FEATURES

TENIFER® COATED
USER FRIENDLY INSTALLATION
30N-32N



DURABLE
FINISH



HIGH QUALITY
CNC TECH




COMBAT
PROVEN

WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. REFER TO INSTALLATION INSTRUCTIONS PROVIDED. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-699

FITS

METE MC9, METE MC9 TAC



TRIGGER

OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM

www.canik-store.com

TRIGGER

CANiK® ALUMINUM FLAT TRIGGER ASSEMBLY

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANiK® ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANiK® R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.



MASTER PACK (PCS)
25

FEATURES

FLAT-FACE
SERRATED DESIGN
CNC – MACHINED HIGH STRENGTH ALUMINUM
DESIGNED BY CANiK®
SHORT PRE-TRAVEL & RESET DISTANCE



**DURABLE
FINISH**



**HIGH QUALITY
CNC TECH**

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-065

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SFX Mod.2, TP9 SF Mod.2, TP9 SF METE, TP9 SF METE-S, TP9 SFT METE, TP9 SFX METE, TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, SUB ELITE CAS, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFX, METE SFX PRO, METE SC, METE SC PRO, SFX RIVAL, SFX RIVAL-S

TRIGGER

CANiK® ENHANCED 90° ALUMINUM FLAT TRIGGER ASSEMBLY

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANiK® ENHANCED 90° ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANiK® R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.



MASTER PACK (PCS)
25

FEATURES

FLAT-FACE
SERRATED DESIGN
CNC – MACHINED HIGH-QUALITY AVIATION ALUMINUM
PATENTED DESIGN
SHORT PRE-TRAVEL & RESET DISTANCE
ENHANCED 90 DEGREE TRIGGER BREAK
FLAT FACE WITH DIAMOND PATTERN DESIGN



**DURABLE
FINISH**



**HIGH QUALITY
CNC TECH**

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-066

FITS

TP9 SF ELITE, TP9 ELITE COMBAT, TP9 SFX Mod.2, TP9 SF Mod.2, TP9 SF METE, TP9 SFT METE, TP9 SFX METE, TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, SUB ELITE CAS, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFX, METE SFX PRO, METE SC, METE SC PRO, SFX RIVAL, SFX RIVAL-S

TRIGGER

CANiK® FULL SIZE PISTOL ALUMINUM FLAT TRIGGER ASSEMBLY

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANiK® ALUMINUM FLAT TRIGGER IS DESIGNED BY CANiK® R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.



MASTER PACK (PCS)
25

FEATURES

FLAT-FACE
SERRATED DESIGN
CNC – MACHINED HIGH STRENGTH ALUMINUM
DESIGNED BY CANiK®
SHORT PRE-TRAVEL & RESET DISTANCE



**DURABLE
FINISH**



**HIGH QUALITY
CNC TECH**

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-067

TP9 V2, TP9 SF, TP9 SA, TP9 SFX, TP9 SA Mod.2, TP9 DA, TP9 SFT, TP9 SFL, TP9 SAT, TP9 DAT

TRIGGER

CANiK® ENHANCED 90° LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANiK® ENHANCED 90° LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANiK® R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.



MASTER PACK (PCS)
25

FEATURES

- FLAT-FACE
- SERRATED DESIGN
- CNC – MACHINED HIGH-QUALITY AVIATION ALUMINUM
- PATENTED DESIGN
- SHORT PRE-TRAVEL & RESET DISTANCE
- ENHANCED 90 DEGREE TRIGGER BREAK
- FLAT FACE WITH DIAMOND PATTERN DESIGN
- LIGHTENED ALUMINUM TRIGGER



**DURABLE
FINISH**



**HIGH QUALITY
CNC TECH**

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-465

FITS

TP9 SF ELITE, TP9 ELITE COMBAT, TP9 SFX Mod.2, TP9 SF METE, TP9 SFT METE, TP9 SFX METE, TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, TP9 SUB ELITE CAS, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFX, METE SFX PRO, METE SC, METE SC PRO, SFX RIVAL, SFX RIVAL-S

TRIGGER

CANiK® ALUMINUM FLAT TRIGGER ASSEMBLY

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANiK® ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANiK® R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.



FEATURES

- FLAT-FACE
- SERRATED DESIGN
- CNC – MACHINED HIGH-QUALITY AVIATION ALUMINUM
- PATENTED DESIGN
- SHORT PRE-TRAVEL & RESET DISTANCE
- FLAT FACE WITH DIAMOND PATTERN DESIGN
- LIGHTENED ALUMINUM TRIGGER



**DURABLE
FINISH**



**HIGH QUALITY
CNC TECH**

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-171

FITS

TP9 SF Mod.2, TP9 SFX Mod.2, TP9 ELITE, TP9 ELITE-S, TP9 SFX Mod.2, TP9 SF METE, TP9 SFT METE-S, TP9 SFT METE, TP9 SFX METE, TP9 SAT, TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFX, METE SFX PRO, METE SC, METE SC PRO, SFX RIVAL, SFX RIVAL-S, TTI COMBAT

TRIGGER

CANiK® ENHANCED 90° LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANiK® ENHANCED 90° LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANiK® R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.



FEATURES

- FLAT-FACE
- SERRATED DESIGN
- CNC – MACHINED HIGH-QUALITY AVIATION ALUMINUM
- PATENTED DESIGN
- SHORT PRE-TRAVEL & RESET DISTANCE
- ENHANCED 90 DEGREE TRIGGER BREAK
- FLAT FACE WITH DIAMOND PATTERN DESIGN
- LIGHTENED ALUMINUM TRIGGER



**DURABLE
FINISH**



**HIGH QUALITY
CNC TECH**

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-350

FITS

TP9 SF ELITE, TP9 ELITE COMBAT, TP9 SFX Mod.2, TP9 SF METE, TP9 SFT METE, TP9 SFX METE, TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, TP9 SUB ELITE CAS, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFX, METE SFX PRO, METE SC, METE SC PRO, SFX RIVAL, RIVAL-S, TTI COMBAT



SFx RIVAL-S ACCESSORY

OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM

www.canik-store.com

CUSTOM COLOR PACK

RIVAL-S POLYMER GRIP

THE CANIK® POLYMER COLOR GRIP DESIGN ALLOWS THE SHOOTER TO COMPLETELY CUSTOMIZE THEIR SFX RIVAL-S. THE THREE INCLUDED SIZES PROVIDE THE SHOOTER WITH THE ABILITY TO SELECT THEIR PREFERRED GRIP.

FEATURES

DESIGNED BY CANIK®
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIFICALLY DESIGNED TO PROVIDE OPTIMUM ERGONOMICS
3 SIZES (S,M,L)

EXTENDED COMPETITION MAGAZINE RELEASE

EXTENDED COMPETITION MAGAZINE RELEASE OFFERS INNOVATIVE STYLED SURFACE FOR FAST MAGAZINE RELEASE.

FEATURES

EXTENDED SURFACE
HIGH QUALITY CERAKOTE OVER TENIFER FINISH



+0 MAGAZINE BASE PLATE

+0 MAGAZINE BASEPLATE IS DESIGNED TO REPLACE THE FACTORY MAGAZINE BASEPLATE HAS BEEN RIGOROUSLY TESTED TO SUPPORT EASIER LOADING OF THE PISTOL. WHEN INSTALLED, THE MAGWELL ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE EASIER. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

FEATURES

MADE OF ALUMINIUM
EASY TO INSTALL
NO TOOLS ARE REQUIRED FOR INSTALLATION

SLIDE STOP ASSEMBLY

FEATURES

MODULAR AMBIDEXTROUS DESING



MAG-WELL

THE CANIK® STANDART COMPACT SIZE EXTENDED MAG-WELL ALLOWS FOR EASIER LOADING OF THE PISTOL. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.

FEATURES

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN
CERAKOTE OVER TYPE III ALUMINIUM HARD ANODIZED COATING
CNC-MACHINED HIGH-QUALITY AVIATION ALUMINIUM
INCLUDES ALLEN KEY & SCREWS

SLIDE AND CAP

FEATURES

HIGH QUALITY STEEL STRUCTURE

FORWARD INDEX ATTACHMENT LEFT&RIGHT

FEATURES

EXTRA SERRATED SURFACE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-620

FITS

SFX RIVAL-S

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-621

FITS

SFX RIVAL-S

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-622

FITS

SFX RIVAL-S

CUSTOM COLOR PACK

RIVAL-S POLYMER GRIP

THE CANIK® POLYMER COLOR GRIP DESIGN ALLOWS THE SHOOTER TO COMPLETELY CUSTOMIZE THEIR SFX RIVAL-S. THE THREE INCLUDED SIZES PROVIDE THE SHOOTER WITH THE ABILITY TO SELECT THEIR PREFERRED GRIP.

FEATURES

DESIGNED BY CANIK®
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIFICALLY DESIGNED TO PROVIDE OPTIMUM ERGONOMICS
3 SIZES (S,M,L)

EXTENDED COMPETITION MAGAZINE RELEASE

EXTENDED COMPETITION MAGAZINE RELEASE OFFERS INNOVATIVE STYLED SURFACE FOR FAST MAGAZINE RELEASE.

FEATURES

EXTENDED SURFACE
HIGH QUALITY CERAKOTE OVER TENIFER FINISH



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-702

FITS

SFX RIVAL-S

+0 MAGAZINE BASE PLATE

+0 MAGAZINE BASEPLATE IS DESIGNED TO REPLACE THE FACTORY MAGAZINE BASEPLATE HAS BEEN RIGOROUSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS BASE PLATE ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE EASIER. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

FEATURES

MADE OF ALUMINIUM
EASY TO INSTALL
NO TOOLS ARE REQUIRED FOR INSTALLATION

SLIDE STOP ASSEMBLY

FEATURES

MODULAR AMBIDEXTROUS DESING



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-703

FITS

SFX RIVAL-S

MAG-WELL

THE CANIK® STANDART COMPACT SIZE EXTENDED MAG-WELL ALLOWS FOR EASIER LOADING OF THE PISTOL. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.

FEATURES

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN
CERAKOTE OVER TYPE III ALUMINIUM HARD ANODIZED COATING
CNC-MACHINED HIGH-QUALITY AVIATION ALUMINIUM
INCLUDES ALLEN KEY & SCREWS

SLIDE AND CAP

FEATURES

HIGH QUALITY STEEL STRUCTURE

FORWARD INDEX ATTACHMENT LEFT&RIGHT

FEATURES

EXTRA SERRATED SURFACE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-704

FITS

SFX RIVAL-S

CUSTOM COLOR PACK

RIVAL-S POLYMER GRIP

THE CANIK® POLYMER COLOR GRIP DESIGN ALLOWS THE SHOOTER TO COMPLETELY CUSTOMIZE THEIR SFX RIVAL-S. THE THREE INCLUDED SIZES PROVIDE THE SHOOTER WITH THE ABILITY TO SELECT THEIR PREFERRED GRIP.

FEATURES

DESIGNED BY CANIK®
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIFICALLY DESIGNED TO PROVIDE OPTIMUM ERGONOMICS
3 SIZES (S,M,L)

EXTENDED COMPETITION MAGAZINE RELEASE

EXTENDED COMPETITION MAGAZINE RELEASE OFFERS INNOVATIVE STYLED SURFACE FOR FAST MAGAZINE RELEASE.

FEATURES

EXTENDED SURFACE
HIGH QUALITY CERAKOTE OVER TENIFER FINISH



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-705

FITS

SFX RIVAL-S

+0 MAGAZINE BASE PLATE

+0 MAGAZINE BASEPLATE IS DESIGNED TO REPLACE THE FACTORY MAGAZINE BASEPLATE HAS BEEN RIGOROUSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS BASE PLATE ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE EASIER. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

FEATURES

MADE OF ALUMINIUM
EASY TO INSTALL
NO TOOLS ARE REQUIRED FOR INSTALLATION

SLIDE STOP ASSEMBLY

FEATURES

MODULAR AMBIDEXTROUS DESIGN



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-707

FITS

SFX RIVAL-S

MAG-WELL

THE CANIK® STANDARD COMPACT SIZE EXTENDED MAG-WELL ALLOWS FOR EASIER LOADING OF THE PISTOL. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.

FEATURES

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN
CERAKOTE OVER TYPE III ALUMINIUM HARD ANODIZED COATING
CNC-MACHINED HIGH-QUALITY AVIATION ALUMINIUM
INCLUDES ALLEN KEY & SCREWS

SLIDE AND CAP

FEATURES

HIGH QUALITY STEEL STRUCTURE

FORWARD INDEX ATTACHMENT LEFT&RIGHT

FEATURES

EXTRA SERRATED SURFACE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-708

FITS

SFX RIVAL-S

RIVAL-S POLYMER GRIP

THE CANIK® POLYMER COLOR GRIP DESIGN ALLOWS THE SHOOTER TO COMPLETELY CUSTOMIZE THEIR SFX RIVAL-S. THE THREE INCLUDED SIZES PROVIDE THE SHOOTER WITH THE ABILITY TO SELECT THEIR PREFERRED GRIP.

FEATURES

DESIGNED BY CANIK®
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIFICALLY DESIGNED TO PROVIDE OPTIMUM ERGONOMICS
3 SIZES (S,M,L)

EXTENDED COMPETITION MAGAZINE RELEASE

EXTENDED COMPETITION MAGAZINE RELEASE OFFERS INNOVATIVE STYLED SURFACE FOR FAST MAGAZINE RELEASE.

FEATURES

EXTENDED SURFACE
HIGH QUALITY CERAKOTE OVER TENIFER FINISH



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-706

FITS

SFX RIVAL-S

CUSTOM COLOR PACK

+0 MAGAZINE BASE PLATE

+0 MAGAZINE BASEPLATE IS DESIGNED TO REPLACE THE FACTORY MAGAZINE BASEPLATE HAS BEEN RIGOROUSLY TESTED TO SUPPORT YOU EVEN IN THE MOST CHALLENGING CONDITIONS. THIS BASE PLATE ALSO ADDS A SMALL AMOUNT OF WEIGHT TO THE MAGAZINE, HELPING THE EMPTY MAGAZINE DROP FREE EASIER. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

FEATURES

MADE OF ALUMINIUM
EASY TO INSTALL
NO TOOLS ARE REQUIRED FOR INSTALLATION

SLIDE STOP ASSEMBLY

FEATURES

MODULAR AMBIDEXTROUS DESING



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-709

FITS

SFX RIVAL-S

MAG-WELL

THE CANIK® STANDART COMPACT SIZE EXTENDED MAG-WELL ALLOWS FOR EASIER LOADING OF THE PISTOL. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.

FEATURES

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN
CERAKOTE OVER TYPE III ALUMINIUM HARD ANODIZED COATING
CNC-MACHINED HIGH-QUALITY AVIATION ALUMINIUM
INCLUDES ALLEN KEY & SCREWS

SLIDE AND CAP

FEATURES

HIGH QUALITY STEEL STRUCTURE

FORWARD INDEX ATTACHMENT LEFT&RIGHT

FEATURES

EXTRA SERRATED SURFACE

COMPENSATOR

SFX RIVAL COMPENSATOR (RIVAL GREY)

JOINING THE RANKS OF OUR LINE OF ELITE COMPENSATORS IS THE SFX RIVAL. ELEVATE YOUR ACCURACY WITH THIS MODIFICATION THAT IS DESIGNED TO REDUCE FIREARM RECOIL. WHETHER YOU CONCEAL CARRY, SPEND TIME ON THE RANGE, OR CARRY FOR WORK, A COMPENSATOR CAN IMPROVE AIM AND SPEED.

SFX RIVAL COMPENSATOR INTENDED TO FIT YOUR FIREARM SEAMLESSLY WITHOUT COMPROMISING STYLE. THE SFX RIVAL PISTOL IS POPULAR FOR ITS HIGH-END PERFORMANCE.



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-057

FITS

SFX RIVAL - SFX RIVAL-S

COMPENSATOR

SFX RIVAL COMPENSATOR (BLACK)

JOINING THE RANKS OF OUR LINE OF ELITE COMPENSATORS IS THE SFX RIVAL. ELEVATE YOUR ACCURACY WITH THIS MODIFICATION THAT IS DESIGNED TO REDUCE FIREARM RECOIL. WHETHER YOU CONCEAL CARRY, SPEND TIME ON THE RANGE, OR CARRY FOR WORK, A COMPENSATOR CAN IMPROVE AIM AND SPEED.

SFX RIVAL COMPENSATOR INTENDED TO FIT YOUR FIREARM SEAMLESSLY WITHOUT COMPROMISING STYLE. THE SFX RIVAL PISTOL IS POPULAR FOR ITS HIGH-END PERFORMANCE.



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-058

FITS

SFX RIVAL - SFX RIVAL-S


SCOPE MOUNT

MECANIK® ALUMINUM SCOPE MOUNT

THE MECANIK ALUMINUM SCOPE MOUNT ALLOWS EASY MOUNTING OF OPTICS, LIGHT AND LASERS TO YOUR HANDGUN WITHOUT MODIFYING YOUR PISTOL. THE SCOPE MOUNT ATTACHES TO THE PISTOL'S ACCESSORY RAIL AND THE SHIELDED MOUNT PROTECTS YOUR OPTIC LENS FROM THE PARTICLES COMING FROM THE CHAMBER.

FEATURES

MADE OF ALUMINUM
OPTIC LENS SHIELD
EASY INSTALLATION
COMPATIBLE WITH 1913 PICATINNY RAIL
RED COLOR



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-155

FITS

TP9 V2, TP9 SA, TP9 SA Mod.2, TP9 SF, TP9 SF Mod.2, TP9 SFx, TP9 SFx Mod.2, TP9 SFT, TP9 SFL, TP9 SAT, TP9 SFx METE, TP9 SFT METE, METE SFT, METE SFT PRO, METE SFx, METE SFx PRO, SFx RIVAL, SFx RIVAL-S, TP9 SFx, TP9 SFx Mod.2, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT


SCOPE MOUNT

MECANIK® ALUMINUM SCOPE MOUNT

THE MECANIK ALUMINUM SCOPE MOUNT ALLOWS EASY MOUNTING OF OPTICS, LIGHT AND LASERS TO YOUR HANDGUN WITHOUT MODIFYING YOUR PISTOL.THE SCOPE MOUNT ATTACHES TO THE PISTOL'S ACCESSORY RAIL AND THE SHIELDED MOUNT PROTECTS YOUR OPTIC LENS FROM THE PARTICULES COMING FROM THE CHAMBER.

FEATURES

MADE OF ALUMINUM
OPTIC LENS SHIELD
EASY INSTALLATION
COMPATIBLE WITH 1913 PICATINNY RAIL
GRAY COLOR



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-636

FITS

TP9 V2,TP9 SA,TP9 SA Mod.2,TP9 SF,TP9 DA,TP9 SF Mod.2,TP9 SFx,TP9 SFx Mod.2,TP9 SFT,TP9 SFL,TP9 SAT,TP9 SFx METE,TP9 SFT METE,METE SFT,METE SFT PRO,METE SFx,METE SFx PRO,Sfx RIVAL,Sfx RIVAL-S,TP9 SFx,TP9 SFx Mod.2,TP9 ELITE COMBAT,TP9 ELITE-S COMBAT

SCOPE MOUNT

MECANIK® ALUMINUM SCOPE MOUNT

THE MECANIK ALUMINUM SCOPE MOUNT ALLOWS EASY MOUNTING OF OPTICS, LIGHT AND LASERS TO YOUR HANDGUN WITHOUT MODIFYING YOUR PISTOL.THE SCOPE MOUNT ATTACHES TO THE PISTOL'S ACCESSORY RAIL AND THE SHIELDED MOUNT PROTECTS YOUR OPTIC LENS FROM THE PARTICULES COMING FROM THE CHAMBER.

FEATURES

MADE OF ALUMINUM
OPTIC LENS SHIELD
EASY INSTALLATION
COMPATIBLE WITH 1913 PICATINNY RAIL
BLUE COLOR



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-693

FITS

TP9 V2,TP9 SA,TP9 SA Mod.2,TP9 SF,TP9 DA,TP9 SF Mod.2,TP9 SFx,TP9 SFx Mod.2,TP9 SFT,TP9 SFL,TP9 SAT,TP9 SFx METE,TP9 SFT METE,METE SFT,METE SFT PRO,METE SFx,METE SFx PRO,Sfx RIVAL,Sfx RIVAL-S,TP9 SFx,TP9 SFx Mod.2,TP9 ELITE COMBAT,TP9 ELITE-S COMBAT


SCOPE MOUNT

MECANIK® ALUMINUM SCOPE MOUNT

THE MECANIK ALUMINUM SCOPE MOUNT ALLOWS EASY MOUNTING OF OPTICS, LIGHT AND LASERS TO YOUR HANDGUN WITHOUT MODIFYING YOUR PISTOL.THE SCOPE MOUNT ATTACHES TO THE PISTOL'S ACCESSORY RAIL AND THE SHIELDED MOUNT PROTECTS YOUR OPTIC LENS FROM THE PARTICULES COMING FROM THE CHAMBER.

FEATURES

MADE OF ALUMINUM
OPTIC LENS SHIELD
EASY INSTALLATION
COMPATIBLE WITH 1913 PICATINNY RAIL
BLUE COLOR



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-637

FITS

TP9 V2,TP9 SA,TP9 SA Mod.2,TP9 SF,TP9 DA,TP9 SF Mod.2,TP9 SFx,TP9 SFx Mod.2,TP9 SFT,TP9 SFL,TP9 SAT,TP9 SFx METE,TP9 SFT METE,METE SFT,METE SFT PRO,METE SFx,METE SFx PRO,Sfx RIVAL,Sfx RIVAL-S,TP9 SFx,TP9 SFx Mod.2,TP9 ELITE COMBAT,TP9 ELITE-S COMBAT

WOOD GRIP

CANiK® WOOD GRIP (ROSEWOOD)

THE CANiK® WOOD GRIP PROVIDES THE USER THE ABILITY TO CUSTOMIZE THEIR RIVAL-S PISTOL GRIP. FOR A CLASSIC LOOK THAT BLENDS PREMIUM GRIP SURFACES AND STYLE, THE RIVAL-S WOOD GRIP IS WHAT YOU ARE LOOKING FOR!

FEATURES

DESIGNED BY CANiK®
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIFICALLY DESIGNED TO PROVIDE OPTIMUM ERGONOMICS
MADE OF WOOD



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-626

FITS

SFX RIVAL-S

WOOD GRIP

CANiK® WOOD GRIP (ROOT WALNUT)

THE CANiK® WOOD GRIP PROVIDES THE USER THE ABILITY TO CUSTOMIZE THEIR RIVAL-S PISTOL GRIP. FOR A CLASSIC LOOK THAT BLENDS PREMIUM GRIP SURFACES AND STYLE, THE RIVAL-S WOOD GRIP IS WHAT YOU ARE LOOKING FOR!

FEATURES

DESIGNED BY CANiK®
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIFICALLY DESIGNED TO PROVIDE OPTIMUM ERGONOMICS
MADE OF WOOD



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-627

FITS

SFX RIVAL-S

WOOD GRIP

CANiK® WOOD GRIP (WALNUT)

THE CANiK® WOOD GRIP PROVIDES THE USER THE ABILITY TO CUSTOMIZE THEIR RIVAL-S PISTOL GRIP. FOR A CLASSIC LOOK THAT BLENDS PREMIUM GRIP SURFACES AND STYLE, THE RIVAL-S WOOD GRIP IS WHAT YOU ARE LOOKING FOR!

FEATURES

DESIGNED BY CANiK®
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIFICALLY DESIGNED TO PROVIDE OPTIMUM ERGONOMICS
MADE OF WOOD



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-628

FITS

SFX RIVAL-S

CANiK® STORE

WOOD GRIP

CANiK® WOOD GRIP (WALNUT WITH LOGO)

THE CANiK® WOOD GRIP PROVIDES THE USER THE ABILITY TO CUSTOMIZE THEIR RIVAL-S PISTOL GRIP. FOR A CLASSIC LOOK THAT BLENDS PREMIUM GRIP SURFACES AND STYLE, THE RIVAL-S WOOD GRIP IS WHAT YOU ARE LOOKING FOR!

FEATURES

DESIGNED BY CANiK®
FAST ASSEMBLY WITH USER-FRIENDLY DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIFICALLY DESIGNED TO PROVIDE OPTIMUM ERGONOMICS
MADE OF WOOD



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-629

FITS

SFx RIVAL-S

THUMB REST

CANiK® ALUMINUM THUMB REST

THE CANiK® ALUMINUM THUMB REST INCREASES SURFACE CONTACT WITH THE PISTOL AND REDUCES SUPPORT HAND SLIPPAGE WHILE PROVIDING AN INDEX POINT FOR A CONSISTENT HIGH THUMBS-FORWARD GRIP. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

FEATURES

EASY INSTALLATION
CERAKOTE OVER TYPE III ALUMINUM HARD ANODIZED COATING
PROVIDES THE FASTEST FOLLOW-UP SIGHT PICTURE
SERRATED SURFACE
BLUE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-623

FITS

SFx RIVAL-S

THUMB REST

CANiK® ALUMINUM THUMB REST

THE CANiK® ALUMINUM THUMB REST INCREASES SURFACE CONTACT WITH THE PISTOL AND REDUCES SUPPORT HAND SLIPPAGE WHILE PROVIDING AN INDEX POINT FOR A CONSISTENT HIGH THUMBS-FORWARD GRIP. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

FEATURES

EASY INSTALLATION
CERAKOTE OVER TYPE III ALUMINUM HARD ANODIZED COATING
PROVIDES THE FASTEST FOLLOW-UP SIGHT PICTURE
SERRATED SURFACE
RED



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-625

FITS

SFx RIVAL-S

THUMB REST

CANiK® ALUMINUM THUMB REST

THE CANiK® ALUMINUM THUMB REST INCREASES SURFACE CONTACT WITH THE PISTOL AND REDUCES SUPPORT HAND SLIPPAGE WHILE PROVIDING AN INDEX POINT FOR A CONSISTENT HIGH THUMBS-FORWARD GRIP. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

FEATURES

EASY INSTALLATION
CERAKOTE OVER TYPE III ALUMINUM HARD ANODIZED COATING
PROVIDES THE FASTEST FOLLOW-UP SIGHT PICTURE
SERRATED SURFACE
LIGHT BRONZE



THUMB REST

CANiK® ALUMINUM THUMB REST

THE CANiK® ALUMINUM THUMB REST INCREASES SURFACE CONTACT WITH THE PISTOL AND REDUCES SUPPORT HAND SLIPPAGE WHILE PROVIDING AN INDEX POINT FOR A CONSISTENT HIGH THUMBS-FORWARD GRIP. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

FEATURES

EASY INSTALLATION
CERAKOTE OVER TYPE III ALUMINUM HARD ANODIZED COATING
PROVIDES THE FASTEST FOLLOW-UP SIGHT PICTURE
SERRATED SURFACE
BLACK CHERRY



THUMB REST

CANiK® ALUMINUM THUMB REST

THE CANiK® ALUMINUM THUMB REST INCREASES SURFACE CONTACT WITH THE PISTOL AND REDUCES SUPPORT HAND SLIPPAGE WHILE PROVIDING AN INDEX POINT FOR A CONSISTENT HIGH THUMBS-FORWARD GRIP. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

FEATURES

EASY INSTALLATION
CERAKOTE OVER TYPE III ALUMINUM HARD ANODIZED COATING
PROVIDES THE FASTEST FOLLOW-UP SIGHT PICTURE
SERRATED SURFACE
GREEN



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-624

FITS

SFX RIVAL-S

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-710

FITS

SFX RIVAL-S

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-711

FITS

SFX RIVAL-S

THUMB REST

CANiK® ALUMINUM THUMB REST

THE CANiK® ALUMINUM THUMB REST INCREASES SURFACE CONTACT WITH THE PISTOL AND REDUCES SUPPORT HAND SLIPPAGE WHILE PROVIDING AN INDEX POINT FOR A CONSISTENT HIGH THUMBS-FORWARD GRIP. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

FEATURES

EASY INSTALLATION
CERAKOTE OVER TYPE III ALUMINUM HARD ANODIZED COATING
PROVIDES THE FASTEST FOLLOW-UP SIGHT PICTURE
SERRATED SURFACE
LIME GREEN



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-712

FITS

SFX RIVAL-S

THUMB REST

CANiK® ALUMINUM THUMB REST

THE CANiK® ALUMINUM THUMB REST INCREASES SURFACE CONTACT WITH THE PISTOL AND REDUCES SUPPORT HAND SLIPPAGE WHILE PROVIDING AN INDEX POINT FOR A CONSISTENT HIGH THUMBS-FORWARD GRIP. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

FEATURES

EASY INSTALLATION
CERAKOTE OVER TYPE III ALUMINUM HARD ANODIZED COATING
PROVIDES THE FASTEST FOLLOW-UP SIGHT PICTURE
SERRATED SURFACE
TURQUOISE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-713

FITS

SFX RIVAL-S

THUMB REST

CANiK® ALUMINUM THUMB REST

THE CANiK® ALUMINUM THUMB REST INCREASES SURFACE CONTACT WITH THE PISTOL AND REDUCES SUPPORT HAND SLIPPAGE WHILE PROVIDING AN INDEX POINT FOR A CONSISTENT HIGH THUMBS-FORWARD GRIP. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

FEATURES

EASY INSTALLATION
CERAKOTE OVER TYPE III ALUMINUM HARD ANODIZED COATING
PROVIDES THE FASTEST FOLLOW-UP SIGHT PICTURE
SERRATED SURFACE
DARK BRONZE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-715

FITS

SFX RIVAL-S

THUMB REST

CANiK® ALUMINUM THUMB REST

THE CANiK® ALUMINUM THUMB REST INCREASES SURFACE CONTACT WITH THE PISTOL AND REDUCES SUPPORT HAND SLIPPAGE WHILE PROVIDING AN INDEX POINT FOR A CONSISTENT HIGH THUMBS-FORWARD GRIP. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

FEATURES

EASY INSTALLATION
CERAKOTE OVER TYPE III ALUMINUM HARD ANODIZED COATING
PROVIDES THE FASTEST FOLLOW-UP SIGHT PICTURE
SERRATED SURFACE
GOLD



THUMB REST

CANiK® ALUMINUM THUMB REST

THE CANiK® ALUMINUM THUMB REST INCREASES SURFACE CONTACT WITH THE PISTOL AND REDUCES SUPPORT HAND SLIPPAGE WHILE PROVIDING AN INDEX POINT FOR A CONSISTENT HIGH THUMBS-FORWARD GRIP. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

FEATURES

EASY INSTALLATION
CERAKOTE OVER TYPE III ALUMINUM HARD ANODIZED COATING
PROVIDES THE FASTEST FOLLOW-UP SIGHT PICTURE
SERRATED SURFACE
RIVAL GREY



THUMB REST

CANiK® ALUMINUM THUMB REST

THE CANiK® ALUMINUM THUMB REST INCREASES SURFACE CONTACT WITH THE PISTOL AND REDUCES SUPPORT HAND SLIPPAGE WHILE PROVIDING AN INDEX POINT FOR A CONSISTENT HIGH THUMBS-FORWARD GRIP. THE USER FRIENDLY DESIGN ALLOWS FOR EASY DISASSEMBLY AND INSTALLATION.

FEATURES

EASY INSTALLATION
CERAKOTE OVER TYPE III ALUMINUM HARD ANODIZED COATING
PROVIDES THE FASTEST FOLLOW-UP SIGHT PICTURE
SERRATED SURFACE
GRAPHITE BLACK/SILVER



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-716

FITS

SFx RIVAL-S

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-717

FITS

SFx RIVAL-S

WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-714

FITS

SFx RIVAL-S

TRIGGER

CANiK® ENHANCED 90 LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANiK ENHANCED 90° LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANiK® R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.

FEATURES

- FLAT-FACE
- SERRATED DESIGN
- CNC-MACHINED HIGH-QUALITY AVIATION ALUMINUM
- PATENTED DESIGN
- SHORT PRE-TRAVEL & RESET DISTANCE
- ENHANCED 90 DEGREE TRIGGER BREAK
- FLAT FACE WITH DIAMOND PATTERN DESIGN
- LIGHTENED ALUMINUM TRIGGER
- BLUE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-638

FITS

TP9 SF ELITE, TP9 ELITE COMBAT, TP9 SFX Mod.2, TP9 SF METE, TP9 SFT METE, TP9 SFX METE, TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, TP9 SUB ELITE CAS, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFX, METE SFX PRO, METE SC, METE SC PRO, SFX RIVAL, SFX RIVAL-S, TTI COMBAT

TRIGGER

CANiK® ENHANCED 90 LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANiK ENHANCED 90° LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANiK® R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.

FEATURES

- FLAT-FACE
- SERRATED DESIGN
- CNC-MACHINED HIGH-QUALITY AVIATION ALUMINUM
- PATENTED DESIGN
- SHORT PRE-TRAVEL & RESET DISTANCE
- ENHANCED 90 DEGREE TRIGGER BREAK
- FLAT FACE WITH DIAMOND PATTERN DESIGN
- LIGHTENED ALUMINUM TRIGGER
- RED



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-640

FITS

TP9 SF ELITE, TP9 ELITE COMBAT, TP9 SFX Mod.2, TP9 SF METE, TP9 SFT METE, TP9 SFX METE, TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, TP9 SUB ELITE CAS, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFX, METE SFX PRO, METE SC, METE SC PRO, SFX RIVAL, SFX RIVAL-S, TTI COMBAT

TRIGGER

CANiK® ENHANCED 90 LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANiK ENHANCED 90° LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANiK® R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.

FEATURES

- FLAT-FACE
- SERRATED DESIGN
- CNC-MACHINED HIGH-QUALITY AVIATION ALUMINUM
- PATENTED DESIGN
- SHORT PRE-TRAVEL & RESET DISTANCE
- ENHANCED 90 DEGREE TRIGGER BREAK
- FLAT FACE WITH DIAMOND PATTERN DESIGN
- LIGHTENED ALUMINUM TRIGGER
- LIGHT BRONZE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-639

FITS

TP9 SF ELITE, TP9 ELITE COMBAT, TP9 SFX Mod.2, TP9 SF METE, TP9 SFT METE, TP9 SFX METE, TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, TP9 SUB ELITE CAS, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFX, METE SFX PRO, METE SC, METE SC PRO, SFX RIVAL, SFX RIVAL-S, TTI COMBAT

TRIGGER

CANiK® ENHANCED 90 LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANiK ENHANCED 90° LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANiK® R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.

FEATURES

- FLAT-FACE
- SERRATED DESIGN
- CNC-MACHINED HIGH-QUALITY AVIATION ALUMINUM
- PATENTED DESIGN
- SHORT PRE-TRAVEL & RESET DISTANCE
- ENHANCED 90 DEGREE TRIGGER BREAK
- FLAT FACE WITH DIAMOND PATTERN DESIGN
- LIGHTENED ALUMINUM TRIGGER
- BLACK CHERRY



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-718

FITS

TP9 SF ELITE, TP9 ELITE COMBAT, TP9 SFX Mod.2, TP9 SF METE, TP9 SFT METE, TP9 SFX METE, TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, TP9 SUB ELITE CAS, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFX, METE SFX PRO, METE SC, METE SC PRO, SFX RIVAL, SFX RIVAL-S, TTI COMBAT

TRIGGER

CANiK® ENHANCED 90 LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANiK ENHANCED 90° LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANiK® R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.

FEATURES

- FLAT-FACE
- SERRATED DESIGN
- CNC-MACHINED HIGH-QUALITY AVIATION ALUMINUM
- PATENTED DESIGN
- SHORT PRE-TRAVEL & RESET DISTANCE
- ENHANCED 90 DEGREE TRIGGER BREAK
- FLAT FACE WITH DIAMOND PATTERN DESIGN
- LIGHTENED ALUMINUM TRIGGER
- GREEN



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-719

FITS

TP9 SF ELITE, TP9 ELITE COMBAT, TP9 SFX Mod.2, TP9 SF METE, TP9 SFT METE, TP9 SFX METE, TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, TP9 SUB ELITE CAS, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFX, METE SFX PRO, METE SC, METE SC PRO, SFX RIVAL, SFX RIVAL-S, TTI COMBAT

TRIGGER

CANiK® ENHANCED 90 LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANiK ENHANCED 90° LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANiK® R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.

FEATURES

- FLAT-FACE
- SERRATED DESIGN
- CNC-MACHINED HIGH-QUALITY AVIATION ALUMINUM
- PATENTED DESIGN
- SHORT PRE-TRAVEL & RESET DISTANCE
- ENHANCED 90 DEGREE TRIGGER BREAK
- FLAT FACE WITH DIAMOND PATTERN DESIGN
- LIGHTENED ALUMINUM TRIGGER
- LIME GREEN



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-720

FITS

TP9 SF ELITE, TP9 ELITE COMBAT, TP9 SFX Mod.2, TP9 SF METE, TP9 SFT METE, TP9 SFX METE, TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, TP9 SUB ELITE CAS, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFX, METE SFX PRO, METE SC, METE SC PRO, SFX RIVAL, SFX RIVAL-S, TTI COMBAT

TRIGGER

CANiK® ENHANCED 90 LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANiK ENHANCED 90° LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANiK® R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.

FEATURES

- FLAT-FACE
- SERRATED DESIGN
- CNC-MACHINED HIGH-QUALITY AVIATION ALUMINUM
- PATENTED DESIGN
- SHORT PRE-TRAVEL & RESET DISTANCE
- ENHANCED 90 DEGREE TRIGGER BREAK
- FLAT FACE WITH DIAMOND PATTERN DESIGN
- LIGHTENED ALUMINUM TRIGGER
- TURQUOISE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-721

FITS

TP9 SF ELITE, TP9 ELITE COMBAT, TP9 SFX Mod.2, TP9 SF METE, TP9 SFT METE, TP9 SFX METE, TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, TP9 SUB ELITE CAS, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFX, METE SFX PRO, METE SC, METE SC PRO, SFX RIVAL, SFX RIVAL-S, TTI COMBAT

TRIGGER

CANiK® ENHANCED 90 LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANiK ENHANCED 90° LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANiK® R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.

FEATURES

- FLAT-FACE
- SERRATED DESIGN
- CNC-MACHINED HIGH-QUALITY AVIATION ALUMINUM
- PATENTED DESIGN
- SHORT PRE-TRAVEL & RESET DISTANCE
- ENHANCED 90 DEGREE TRIGGER BREAK
- FLAT FACE WITH DIAMOND PATTERN DESIGN
- LIGHTENED ALUMINUM TRIGGER
- GRAPHITE GREEN



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-722

FITS

TP9 SF ELITE, TP9 ELITE COMBAT, TP9 SFX Mod.2, TP9 SF METE, TP9 SFT METE, TP9 SFX METE, TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, TP9 SUB ELITE CAS, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFX, METE SFX PRO, METE SC, METE SC PRO, SFX RIVAL, SFX RIVAL-S, TTI COMBAT

TRIGGER

CANiK® ENHANCED 90 LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANiK ENHANCED 90° LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANiK® R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.

FEATURES

- FLAT-FACE
- SERRATED DESIGN
- CNC-MACHINED HIGH-QUALITY AVIATION ALUMINUM
- PATENTED DESIGN
- SHORT PRE-TRAVEL & RESET DISTANCE
- ENHANCED 90 DEGREE TRIGGER BREAK
- FLAT FACE WITH DIAMOND PATTERN DESIGN
- LIGHTENED ALUMINUM TRIGGER
- DARK BRONZE



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-723

FITS

TP9 SF ELITE, TP9 ELITE COMBAT, TP9 SFX Mod.2, TP9 SF METE, TP9 SFT METE, TP9 SFX METE, TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, TP9 SUB ELITE CAS, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFX, METE SFX PRO, METE SC, METE SC PRO, SFX RIVAL, SFX RIVAL-S, TTI COMBAT

TRIGGER

CANiK® ENHANCED 90 LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANiK ENHANCED 90° LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANiK® R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.

FEATURES

FLAT-FACE
SERRATED DESIGN
CNC-MACHINED HIGH-QUALITY AVIATION ALUMIUM
PATENTED DESIGN
SHORT PRE-TRAVEL & RESET DISTANCE
ENHANCED 90 DEGREE TRIGGER BREAK
FLAT FACE WITH DIAMOND PATTERN DESIGN
LIGHTENED ALUMIUM TRIGGER
GOLD



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-724

FITS

TP9 SF ELITE, TP9 ELITE COMBAT, TP9 SFX Mod.2, TP9 SF METE, TP9 SFT METE, TP9 SFX METE, TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, TP9 SUB ELITE CAS, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFX, METE SFX PRO, METE SC, METE SC PRO, SFX RIVAL, SFX RIVAL-S, TTI COMBAT

TRIGGER

CANiK® ENHANCED 90 LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY

WITHOUT ANY DOUBT ONE OF THE MOST CRITICAL COMPONENTS OF FAST AND ACCURATE FOLLOW UP SHOOTING IS THE TRIGGER. CANiK ENHANCED 90° LIGHTENED ALUMINUM FLAT TRIGGER ASSEMBLY IS DESIGNED BY CANiK® R&D DIVISION EXACTLY FOR THIS PURPOSE. THIS PHENOMENAL FLAT-FACED, CRISP TRIGGER OFFERS VERY SHORT PRE-TRAVEL AND RESET DISTANCES FOR RAPID AND ACCURATE FOLLOW UP SHOTS.

FEATURES

FLAT-FACE
SERRATED DESIGN
CNC-MACHINED HIGH-QUALITY AVIATION ALUMIUM
PATENTED DESIGN
SHORT PRE-TRAVEL & RESET DISTANCE
ENHANCED 90 DEGREE TRIGGER BREAK
FLAT FACE WITH DIAMOND PATTERN DESIGN
LIGHTENED ALUMIUM TRIGGER
RIVAL GREY




WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH. ONLY USE WITH COMPATIBLE PISTOL MODELS.

MMAC-725

FITS

TP9 SF ELITE, TP9 ELITE COMBAT, TP9 SFX Mod.2, TP9 SF METE, TP9 SFT METE, TP9 SFX METE, TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC, TP9 SUB ELITE CAS, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFX, METE SFX PRO, METE SC, METE SC PRO, SFX RIVAL, SFX RIVAL-S, TTI COMBAT



UPGRADE PACK

OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM

www.canik-store.com

UPGRADE PACK

CANiK® UPGRADE PACK #1 - MAGAZINES (WITH ALLEN KEY & SCREW)

CANiK® UPGRADE PACK #1 CONTAINS:

- 1 X COMPACT SIZE 15 ROUND MAGAZINE (MA595 / MMAC-028)
- 1 X CANiK® STANDARD COMPACT SIZE BACKSTRAP (2 SIZES)(PACN0500 / MMAC-024)
- 3 X CANiK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION (PACN0200 / MMAC-013)
- 1 X CANiK® STANDARD COMPACT SIZE MAG-WELL (PACN0251 / MMAC-027)

CANiK® STANDARD COMPACT SIZE BACKSTRAP (2 SIZES):

DESIGNED BY CANiK®
COMPATIBLE WITH COMPACT SIZE MAG-
WELLS
FAST ASSEMBLY WITH USER-FRIENDLY
DESIGN
EFFECTIVE AND COMFORTABLE SHOOTING
SPECIFICALLY DESIGNED TO PROVIDE
OPTIMUM ERGONOMICS
2 DIFFERENT SIZES

COMPACT SIZE 15 ROUND MAGAZINE:

15 ROUND 9X19MM CAPACITY
POLYMER BASE PLATE
DOUBLE-STACK DESIGN
WITNESS HOLES FOR VISUAL CONFIRMATION
ANTI-FRICTION COATING (AFC)
CORROSION RESISTANT
DEVELOPED AND MANUFACTURED
BY MEC-GAR®
INTERCHANGEABLE
COMPONENT STRUCTURE
EASY MAINTENANCE

CANiK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION:

ADDS +3 ROUNDS CAPACITY
DESIGNED TO WORK WITH YOUR ORIGINAL
MAGAZINE SPRING
(PLEASE CHECK COMPATIBLE MODELS
SHOWN)
EASY TO INSTALL
NO TOOLS ARE REQUIRED FOR INSTALLATION

CANiK® STANDARD COMPACT SIZE MAG- WELL:

QUICK ASSEMBLY WITH USER-FRIENDLY
DESIGN
CERAKOTE™ OVER TYPE III ALUMINUM HARD
ANODIZED COATING
CNC - MACHINED HIGH-QUALITY, AIRCRAFT
GRADE ALUMINUM
BLACK FINISH



WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. PLEASE DO NOT DIRECT THE BASE PLATE TO YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. REFER TO INSTALLATION INSTRUCTIONS PROVIDED, AND PISTOL USER MANUAL. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-099

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S

UPGRADE PACK

CANiK® UPGRADE PACK #2 - MAGAZINE & MAG-WELL (WITH ALLEN KEY & SCREW)

CANiK® UPGRADE PACK #2 CONTAINS: 1 X COMPACT SIZE 15 ROUND MAGAZINE WITH +3

- ALUMINIUM EXTENSION (MA895 / MMAC-029)
- 1 X CANiK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION (PACN0200 / MMAC-013)
- COMPACT SIZE 15 ROUND MAGAZINE WITH +3 ALUMINIUM EXTENSION
- 18 (15+3) ROUND 9X19MM CAPACITY
- +3 ALUMINIUM EXTENDED BASE PLATE

DOUBLE-STACK DESIGN
WITNESS HOLES FOR VISUAL CONFIRMATION
ANTI-FRICTION COATING (AFC)
CORROSION RESISTANT
DEVELOPED AND MANUFACTURED BY MEC GAR®
INTERCHANGEABLE COMPONENT STRUCTURE
EASY MAINTENANCE

CANiK® STANDARD ALUMINUM

+3 MAGAZINE EXTENSION:
ADDS +3 ROUNDS CAPACITY
DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING
(PLEASE CHECK COMPATIBLE MODELS SHOWN)
EASY TO INSTALL
NO TOOLS ARE REQUIRED FOR INSTALLATION
CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. PLEASE DO NOT DIRECT THE BASE PLATE TO YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-100

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, METE SF, METE SF PRO

UPGRADE PACK

CANiK® UPGRADE PACK #1 - MAGAZINES (RESTRICTED) WITH ALLEN KEY & SCREW

CANiK® UPGRADE PACK #1 (RESTRICTED) CONTAINS:

- 1 X COMPACT SIZE 10 ROUND MAGAZINE WITH +3 EXTENSION (MA2083 / MMAC-195)
- 1 X CANiK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION (PACN0200 / MMAC-013)

COMPACT SIZE 10 ROUND MAGAZINE WITH +3 EXTENSION

10 ROUND 9X19MM CAPACITY
DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 10 ROUNDS
ALUMINIUM EXTENDED BASE PLATE
DOUBLE-STACK DESIGN
WITNESS HOLES FOR VISUAL CONFIRMATION
ANTI-FRICTION COATING (AFC)
CORROSION RESISTANT
DEVELOPED AND MANUFACTURED BY MEC-GAR®
INTERCHANGEABLE COMPONENT STRUCTURE
EASY MAINTENANCE

CANiK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION:

ADDS +3 ROUNDS CAPACITY
DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING
(PLEASE CHECK COMPATIBLE MODELS SHOWN)
EASY TO INSTALL
NO TOOLS ARE REQUIRED FOR INSTALLATION
CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. PLEASE DO NOT DIRECT THE BASE PLATE TO YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-197

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, METE SF, METE SF PRO

UPGRADE PACK

CANiK® UPGRADE PACK #5 - MECANIK M01

CANiK® UPGRADE PACK #5 MECANIK M01 OPTICS CONVERTS YOUR NON-OPTIC READY PISTOL INTO OPTIC READY PISTOL.

CANiK® UPGRADE PACK #5 CONTAINS

- 1 X MECANIK™ M01 MODEL MICRO RED-DOT (3 MOA) (MMAC-330)
- 1 X CANiK® OPTIC BASE PLATE (A) FOR NON-OPTIC READY PISTOLS (MMAC-151)

MECANIK™ M01 MODEL MICRO RED-DOT (3 MOA)
 3 MOA RED DOT SIGHT
 IT IS DESIGNED FOR DUTY AND CONCEALED CARRY PISTOLS
 AUTOMATIC BRIGHTNESS ADJUSTMENT (10 LEVEL)
 THANKS TO THE HI-TECH MOTION SENSOR, IT TURNS OFF WHEN NOT IN USE. IT STARTS WORKING AGAIN WHEN MOTION IS DETECTED
 LOW-PROFILE DESIGN THAT CAN BE USED WITH CO-WITNESS FEATURE
 THANKS TO ITS HIGH QUALITY SUPER LED FEATURE, IT HAS A CLEARER DOT COMPARED TO ITS COMPETITORS
 MECANIK M01 COMES PRE-ZEROED OUT OF THE FACTORY FOR METE SERIES PISTOL.
 PARALLAX-FREE

CANiK® OPTIC BASE PLATE (A) FOR NON-OPTIC READY PISTOLS
 MANUFACTURED FROM HIGH QUALITY 4140 STEEL
 TENIFER COATING
 TORX KEY (T10 & T20)
 USER-FRIENDLY INSTALLATION
 LOW PROFILE DESIGN



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. PLEASE DO NOT DIRECT THE BASE PLATE TO YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-466

FITS

TP9 V2*SEE BACK - TP9 SF*SEE BACK - TP9 SA*SEE BACK - TP9 SA MOD 2 - TP9 SF MOD 2
 TP9 DA - TP9 SAT - TP9 DAT - TP9 SFT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF
 COMPATIBLE OPTICS: MECANIK™ M01 - SHIELD SIGHTS™ SMS

UPGRADE PACK

CANiK® UPGRADE PACK #6 - MECANIK M02

CANiK® UPGRADE PACK #6 MECANIK M02 OPTICS CONVERTS YOUR NON-OPTIC READY PISTOL INTO OPTIC READY PISTOL.

CANiK® UPGRADE PACK #6 CONTAINS

- 1 X MECANIK™ M02 MODEL MICRO RED-DOT (3 MOA) (MMAC-331)
- 1 X CANiK® OPTIC BASE PLATE (A) FOR NON-OPTIC READY PISTOLS (PACN0704 / MMAC-169)

MECANIK™ M02 MODEL MICRO RED-DOT (3 MOA)
 3 MOA RED DOT SIGHT
 IT IS A VERSATILE OPTIC DESIGNED FOR HOME/SELF DEFENSE, HUNTING AND COMPETITION.
 MANUAL BIRGHTNESS ADJUSTMENT (2 LEVEL FOR NVG+8 DAYLIGHT)
 THANKS TO ITS HIGH QUALITY SUPER LED FEATURE, IT HAS A CLEARER DOT COMPARED TO ITS COMPETITORS
 WIDE OPTICAL LENS
 PARALLAX-FREE

CANiK® OPTIC BASE PLATE (B) FOR NON-OPTIC READY PISTOLS
 MANUFACTURED FROM HIGH QUALITY 4140 STEEL
 TENIFER COATING
 TORX KEY (T10 & T20)
 USER-FRIENDLY INSTALLATION
 LOW PROFILE DESIGN



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE. PLEASE DO NOT DIRECT THE BASE PLATE TO YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-467

FITS

TP9 V2*SEE BACK - TP9 SF*SEE BACK - TP9 SA*SEE BACK - TP9 SA MOD 2 - TP9 SF MOD 2
 TP9 DA - TP9 SAT - TP9 DAT - TP9 SFT - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SF
 COMPATIBLE OPTICS: MECANIK™ M02 - VORTEX™ VENOM

UPGRADE PACK

CANiK® UPGRADE PACK #5 MAGAZINE & MAG-WELL (WITH ALLEN KEY & SCREW)

CANiK® UPGRADE PACK #5 CONTAINS:

- 1 X COMPACT SIZE 10 ROUND MAGAZINE (MA594 / MMAC-194)
- 1 X CANiK® STANDARD COMPACT SIZE BACKSTRAP (2 SIZES)(PACN0500/ MMAC-024)
- 3 X CANiK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION (PACN0200 / MMAC-013)
- 1 X CANiK® STANDARD COMPACT SIZE MAG-WELL (PACN0251 / MMAC-027)

CANiK® STANDARD COMPACT SIZE BACKSTRAP (2 SIZES):

DESIGNED BY CANiK®

COMPATIBLE WITH COMPACT SIZE MAG-WELLS

FAST ASSEMBLY WITH USER-FRIENDLY DESIGN

EFFECTIVE AND COMFORTABLE SHOOTING

SPECIFICALLY DESIGNED TO PROVIDE OPTIMUM ERGONOMICS

2 DIFFERENT SIZES

CANiK® STANDARD ALUMINUM +3 MAGAZINE EXTENSION:

ADDS +3 ROUNDS CAPACITY

DESIGNED TO WORK WITH YOUR ORIGINAL MAGAZINE SPRING (PLEASE CHECK COMPATIBLE MODELS SHOWN)

EASY TO INSTALL

NO TOOLS ARE REQUIRED FOR INSTALLATION

CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING

COMPACT SIZE 10 ROUND MAGAZINE:

10 ROUND 9X19MM CAPACITY

DIMPLED MAGAZINE BODY PREVENTS LOADING MORE THAN 10 ROUNDS

POLYMER FLAT BASE PLATE

DOUBLE-STACK DESIGN

WITNESS HOLES FOR VISUAL CONFIRMATION

ANTI-FRICTION COATING(AFC)

CORROSION RESISTANT

DEVELOPED AND MANUFACTURED BY MEC-GAR®

INTERCHANGEABLE COMPONENT STRUCTURE

EASY MAINTENANCE

CANiK® STANDARD COMPACT SIZE MAG-WELL:

QUICK ASSEMBLY WITH USER-FRIENDLY DESIGN

CERAKOTE™ OVER TYPE III ALUMINUM HARD ANODIZED COATING

CNC - MACHINED HIGH-QUALITY, AIRCRAFT GRADE ALUMINUM

BLACK FINISH



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE PLEASE DO NOT DIRECT THE BASE PLATE TO YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-196

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S



DUTY PACK & GEAR

OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM

www.canik-store.com

DUTY PACK

CANiK® DUTY PACK #2

CANiK® DUTY PACK (CDP) #2 A COMBINATION OF CANiK® KYDEX® OWB SUB COMPACT FLASHLIGHT COMPATIBLE LEVEL I HOLSTER AND OLIGHT PL MINI 2 TACTICAL PISTOL FLASHLIGHT. IT IS DESIGNED BY KEEPING THE NEEDS OF FIELD OPERATORS IN MIND. CDP IS PREPARED FOR YOU TO EXPERIENCE THE PRIVILEGE OF THE SUPERIOR CANiK® TECHNOLOGY IN ANY ENVIRONMENT SAFELY.

CANiK® KYDEX® SUB COMPACT LEVEL I DUTY HOLSTER
OWB HOLSTER
2MM KYDEX®
TENSION SCREW
OLIGHT PL MINI 2 COMPATIBLE
KYDEX® MOLDED HOLSTER, SOLID AND WELL FITTING
REFLEX SIGHT COMPATIBLE
HIGH PRECISION CNC CUTTING
SLIM DESIGN ALLOWS FOR CLOSE-TO-BODY FIT



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS!
HANDLING OF A FIREARM IS INHERENTLY DANGEROUS AND WE RECOMMEND THAT YOU HAVE TRAINING BEFORE CARRYING!
NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT!
IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE!
THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH!
THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM!
PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT!
FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH!
MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTUATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

MMAC-177

FITS

TP9 SUB ELITE - TP9 SUB METE - TP9 ELITE SC - METE SC - METE SC PRO
TP9 SUB ELITE CAS

DUTY PACK #2 CONTAINS

ONE CANiK® OWB KYDEX® LEVEL1 HOLSTER (MMAC-167)
ONE OLIGHT PL-MINI 2 FLASHLIGHT (MMAC-076)

OLIGHT™ PL-MINI 2

FITS ALL PICATTINNY RAIL MOUNT EQUIPT PISTOLS
ADJUSTABLE RAIL
600 LUMENS WITH 100 METERS OF THROW
OLIGHT MAGNETIC CHARGING SYSTEM – CAN BE CHARGED USING ANY USB POWER SOURCE
QUICK INSTAL AND REMOVAL WITHIN ONE SECOND
ULTRA COMPACT AND LIGHTWEIGHT
UP TO 60 MINS OPERATING TIME WHEN FULLY CHARGED
LOW BATTERY INDICATION
73GRAMS
IPX6 RATED

DUTY PACK

CANiK® DUTY PACK #3

THE CANiK® KYDEX® LEVEL I COMPACT SIZE IWB HOLSTER IS COMPATIBLE W/ OLIGHT PL-MINI 2 FLASHLIGHT. CANiK® KYDEX® COMPACT SIZE FLASHLIGHT COMPATIBLE LEVEL I HOLSTER AND OLIGHT PL MINI 2 TACTICAL PISTOL FLASHLIGHT COMBINATION HAS BEEN PREPARED FOR YOU TO EXPERIENCE THE PRIVILEGE OF SUPERIOR CANiK® TECHNOLOGY SAFELY IN ANY ENVIRONMENT.

CANiK® DUTY PACK #3 CONTAINS

ONE CANiK® KYDEX® IWB COMPATIBLE W/ FLASHLIGHT (RIGHT) (MMAC-142)
ONE OLIGHT PL-MINI 2 FLASHLIGHT (MMAC-076)

OLIGHT™ PL-MINI 2

FITS ALL PICATTINNY RAIL MOUNT EQUIPT PISTOLS
ADJUSTABLE RAIL
600 LUMENS WITH 100 METERS OF THROW
OLIGHT MAGNETIC CHARGING SYSTEM – CAN BE CHARGED USING ANY USB POWER SOURCE
QUICK INSTAL AND REMOVAL WITHIN ONE SECOND
ULTRA COMPACT AND LIGHTWEIGHT
UP TO 60 MINS OPERATING TIME WHEN FULLY CHARGED
LOW BATTERY INDICATION
73GRAMS
IPX6 RATED



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS!
HANDLING OF A FIREARM IS INHERENTLY DANGEROUS AND WE RECOMMEND THAT YOU HAVE TRAINING BEFORE CARRYING!
NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT!
IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE!
THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH!
THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM!
PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT!
FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH!
MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTUATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

MMAC-182

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 SF ELITE-S
TP9 SF METE - TP9 SF METE-S - METE SF - METE SF PRO

SIGHT ADJUSTMENT TOOL

FOR USE WITH ALL TP AND METE SERIES PISTOLS



WARNING! CANiK® PARTS SHOULD BE INSTALLED BY A COMPETENT, QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PARTS ARE BEING INSTALLED ON. ALWAYS REFER TO INSTALLATION INSTRUCTIONS PROVIDED AND/OR PISTOL USER MANUAL. IMPROPER USE OF THIS TOOL MAY RESULT IN DAMAGE TO YOUR SIGHTS AND/OR FIREARM. ONLY TO BE USED BY A QUALIFIED GUNSMITH.

MMAC-035


FITS

ALL TP SERIES PISTOLS

PISTOL STOCK

CANiK® ARMBRACE-1 PISTOL STOCK (FDE)

ARMBRACE 1 A WELL DESIGNED, SOLIDLY BUILT STABILIZING PLATFORM THAT PROVIDES INCREASED ACCURACY, CONTROLLABILITY, AND COMBAT STANCE IMPROVEMENT FOR SHOOTERS. IT IS SPECIALLY BUILT TO PRODUCE THE MOST EFFECTIVE SOLUTION FOR DIFFERENT TASK-ENVIRONMENT CONDITIONS. IT CAN BE EASILY REMOVED AND INSTALLED WITH ITS USER-FRIENDLY DESIGN. IT IS ALWAYS READY TO BE USED SAFELY WITH ITS LIGHT AND DURABLE FRAME. IT IS SUITABLE FOR OPTICAL USE WITH MIL-STD-1913 PICATINNY RAIL ON IT.



FEATURES

INCREASES YOUR COMBAT STANCE
INCREASES YOUR ACCURACY RATE
EASY TO DISASSEMBLE AND INSTALL
HIGH QUALITY FIBER GLASS POLYMER
ACTIVE DEFENSE AGAINST COLD WEAPONS
MIL-STD 1913 PICATINNY RAIL
WEIGHS ONLY 230GR



WARNING! FOR ASSEMBLY, DISASSEMBLY, AND MAINTENANCE INSTRUCTIONS, SEE QR CODE LINK ABOVE PLEASE DO NOT DIRECT THE BASE PLATE TO YOUR FACE OR ANOTHER PERSON WHILE REMOVING THE BASE PLATE. WEAR EYE PROTECTION. INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.

MMAC-542

FITS

ALL TP SERIES PISTOLS
METE SFX, METE SFX PRO, METE SFT, METE SFT PRO, METE SF, METE SF PRO, METE SC, METE SC PRO

PISTOL STOCK

CANiK® ARMBRACE-1 PISTOL STOCK (BLACK)

ARMBRACE 1 A WELL DESIGNED, SOLIDLY BUILT STABILIZING PLATFORM THAT PROVIDES INCREASED ACCURACY, CONTROLLABILITY, AND COMBAT STANCE IMPROVEMENT FOR SHOOTERS. IT IS SPECIALLY BUILT TO PRODUCE THE MOST EFFECTIVE SOLUTION FOR DIFFERENT TASK-ENVIRONMENT CONDITIONS. IT CAN BE EASILY REMOVED AND INSTALLED WITH ITS USER-FRIENDLY DESIGN. IT IS ALWAYS READY TO BE USED SAFELY WITH ITS LIGHT AND DURABLE FRAME. IT IS SUITABLE FOR OPTICAL USE WITH MIL-STD-1913 PICATINNY RAIL ON IT.



FEATURES

INCREASES YOUR COMBAT STANCE
INCREASES YOUR ACCURACY RATE
EASY TO DISASSEMBLE AND INSTALL
HIGH QUALITY FIBER GLASS POLYMER
ACTIVE DEFENSE AGAINST COLD WEAPONS
MIL-STD 1913 PICATINNY RAIL
WEIGHS ONLY 230GR



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

MMAC-541

FITS

ALL TP SERIES PISTOLS
METE SFX, METE SFX PRO, METE SFT, METE SFT PRO, METE SF, METE SF PRO, METE SC, METE SC PRO

PISTOL STOCK

CANiK® ARMBRACE-2 PISTOL STOCK (FDE)

ARMBRACE 2 IS THE SHORTER VERSION OF ARMBRACE 1. IT'S A WELL DESIGNED, SOLIDLY BUILT STABILIZING PLATFORM THAT PROVIDES INCREASED ACCURACY, CONTROLLABILITY, AND COMBAT STANCE IMPROVEMENT FOR SHOOTERS. IT IS SPECIALLY BUILT TO PRODUCE THE MOST EFFECTIVE SOLUTION FOR DIFFERENT TASK-ENVIRONMENT CONDITIONS. IT CAN BE EASILY REMOVED AND INSTALLED WITH ITS USER-FRIENDLY DESIGN. IT IS ALWAYS READY TO BE USED SAFELY WITH ITS LIGHT AND DURABLE FRAME. IT IS SUITABLE FOR OPTICAL USE WITH MIL-STD-1913 PICATINNY RAIL ON IT.



FEATURES

INCREASES YOUR COMBAT STANCE
INCREASES YOUR ACCURACY RATE
EASY TO DISASSEMBLE AND INSTALL
HIGH QUALITY FIBER GLASS POLYMER
ACTIVE DEFENSE AGAINST COLD WEAPONS
MIL-STD 1913 PICATINNY RAIL



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

MMAC-546

FITS

ALL TP SERIES PISTOLS
METE SFX, METE SFX PRO, METE SFT, METE SFT PRO, METE SF, METE SF PRO, METE SC, METE SC PRO

PISTOL STOCK

CANiK® ARMBRACE-2 PISTOL STOCK (BLACK)

ARMBRACE 2 IS THE SHORTER VERSION OF ARMBRACE 1. IT'S A WELL DESIGNED, SOLIDLY BUILT STABILIZING PLATFORM THAT PROVIDES INCREASED ACCURACY, CONTROLLABILITY, AND COMBAT STANCE IMPROVEMENT FOR SHOOTERS. IT IS SPECIALLY BUILT TO PRODUCE THE MOST EFFECTIVE SOLUTION FOR DIFFERENT TASK-ENVIRONMENT CONDITIONS. IT CAN BE EASILY REMOVED AND INSTALLED WITH ITS USER-FRIENDLY DESIGN. IT IS ALWAYS READY TO BE USED SAFELY WITH ITS LIGHT AND DURABLE FRAME. IT IS SUITABLE FOR OPTICAL USE WITH MIL-STD-1913 PICATINNY RAIL ON IT.



FEATURES

- INCREASES YOUR COMBAT STANCE
- INCREASES YOUR ACCURACY RATE
- EASY TO DISASSEMBLE AND INSTALL
- HIGH QUALITY FIBER GLASS POLYMER
- ACTIVE DEFENSE AGAINST COLD WEAPONS
- MIL-STD 1913 PICATINNY RAIL



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS INCLUDED AND IN YOUR PISTOL MANUAL. ONLY INSTALL ON COMPATIBLE MODELS. ALL PARTS AND ACCESSORIES SHOULD BE INSTALLED BY A QUALIFIED GUNSMITH.

GUN BOX

CANiK® LARGE GUN BOX



GUN BOX

CANiK® SMALL GUN BOX



MMAC-545

FITS

ALL TP SERIES PISTOLS
METE SFX, METE SFX PRO, METE SFT, METE SFT PRO, METE SF, METE SF PRO, METE SC, METE SC PRO, SFX RIVAL, SFX RIVAL-S

MMAC-156

FITS

ALL TP, METE AND RIVAL SERIES PISTOLS

MMAC-157

FITS

ALL TP, METE AND RIVAL SERIES PISTOLS

COVER

CANiK® NEOPRENE PISTOL COVER

CANiK® NEOPRENE PISTOL COVER IS MADE BY HIGH QUALITY NEOPRENE FABRIC, HELPING PROTECT YOUR PISTOL SLIDE.



FEATURES

2 MM NEOPRENE

WARNING! PLEASE WASH THIS PRODUCT AT 86°F / 30°C FOR LASTING QUALITY 

MMAC-198

FITS

TP9,TP9 V2,TP9 SF,TP9 SA,TP9 DA,TP9 SF ELITE, TP9 SF ELITE-S,TP9 ELITE COMBAT, TP9 ELITE-S COMBAT,TP9 SF METER,TP9 SF METER-S,TP9 SFX METER,TP9 SFT METER,TP9 SUB METER,TP9 SUB ELITE,TP9 ELITE SC,TP9 SFX Mod.2,TP9 SAT,TP9 DAT,TP9 SFT,TP9 SA Mod.2,TP9 SF Mod.2

CLEANING PAD

CANiK® CLEANING MAT (TP9 SUB ELITE)

THE CANiK® GUN CLEANING MAT UTILIZES LAMINATED FABRIC AND NEOPRENE RUBBER, ALLOWING THE USER TO SAFELY CONDUCT MAINTENANCE ON YOUR FIREARMS ON MOST SURFACES.



FEATURES

3 MM NEOPRENE
TP9 SUB ELITE PART LIST
DIMENSION 27X42CM

WARNING! PLEASE WASH THIS PRODUCT AT 86°F / 30°C FOR LASTING QUALITY 

MMAC-163

CLEANING PAD

CANiK® CLEANING MAT (TP9 SFX METER)

THE CANiK® GUN CLEANING MAT UTILIZES LAMINATED FABRIC AND NEOPRENE RUBBER, ALLOWING THE USER TO SAFELY CONDUCT MAINTENANCE ON YOUR FIREARMS ON MOST SURFACES



FEATURES

3 MM NEOPRENE
TP9 SFX METER PART LIST
DIMENSION 27X42CM

WARNING! PLEASE WASH THIS PRODUCT AT 86°F / 30°C FOR LASTING QUALITY 

MMAC-162

CLEANING PAD

CANiK® CLEANING MAT (TP9 ELITE-S COMBAT)

THE CANiK® GUN CLEANING MAT UTILIZES LAMINATED FABRIC AND NEOPRENE RUBBER, ALLOWING THE USER TO SAFELY CONDUCT MAINTENANCE ON YOUR FIREARMS ON MOST SURFACES.



FEATURES

3 MM NEOPRENE
TP9 ELITE-S COMBAT PART LIST
DIMENSION 27X42CM

CLEANING PAD

CANiK® CLEANING MAT (TP9 ELITE COMBAT)

THE CANiK® GUN CLEANING MAT UTILIZES LAMINATED FABRIC AND NEOPRENE RUBBER, ALLOWING THE USER TO SAFELY CONDUCT MAINTENANCE ON YOUR FIREARMS ON MOST SURFACES.



FEATURES

3 MM NEOPRENE
TP9 ELITE COMBAT PART LIST
DIMENSION 27X42CM

CLEANING PAD

CANiK® CLEANING MAT (METE SFT)

THE CANiK® GUN CLEANING MAT UTILIZES LAMINATED FABRIC AND NEOPRENE RUBBER, ALLOWING THE USER TO SAFELY CONDUCT MAINTENANCE ON YOUR FIREARMS ON MOST SURFACES.



FEATURES

3 MM NEOPRENE
METE SFT PART LIST
DIMENSION 27X42CM

WARNING! PLEASE WASH THIS PRODUCT AT 86°F / 30°C FOR LASTING QUALITY 

MMAC-186

WARNING! PLEASE WASH THIS PRODUCT AT 86°F / 30°C FOR LASTING QUALITY 

MMAC-185

WARNING! PLEASE WASH THIS PRODUCT AT 86°F / 30°C FOR LASTING QUALITY 

MMAC-499

CLEANING PAD

CANiK® CLEANING MAT (METE SFX)

THE CANiK® GUN CLEANING MAT UTILIZES LAMINATED FABRIC AND NEOPRENE RUBBER, ALLOWING THE USER TO SAFELY CONDUCT MAINTENANCE ON YOUR FIREARMS ON MOST SURFACES.



FEATURES

3 MM NEOPRENE
METE SFX PART LIST
DIMENSION 27X42CM

WARNING! PLEASE WASH THIS PRODUCT AT 86°F / 30°C FOR LASTING QUALITY 

MMAC-498

CLEANING PAD

CANiK® CLEANING MAT (SFX RIVAL)

THE CANiK® GUN CLEANING MAT UTILIZES LAMINATED FABRIC AND NEOPRENE RUBBER, ALLOWING THE USER TO SAFELY CONDUCT MAINTENANCE ON YOUR FIREARMS ON MOST SURFACES.



FEATURES

3 MM NEOPRENE
TP9 SUB ELITE PART LIST
DIMENSION 27X42CM

WARNING! PLEASE WASH THIS PRODUCT AT 86°F / 30°C FOR LASTING QUALITY 

MMAC-501

CLEANING PAD

CANiK® CLEANING MAT (TP9 ELITE COMBAT)

THE CANiK® GUN CLEANING MAT UTILIZES LAMINATED FABRIC AND NEOPRENE RUBBER, ALLOWING THE USER TO SAFELY CONDUCT MAINTENANCE ON YOUR FIREARMS ON MOST SURFACES.



FEATURES

3 MM NEOPRENE
TP9 SUB ELITE PART LIST
DIMENSION 60X40CM

WARNING! PLEASE WASH THIS PRODUCT AT 86°F / 30°C FOR LASTING QUALITY 

MMAC-470

CLEANING PAD

CANiK® CLEANING MAT (TP9 ELITE-S COMBAT)

THE CANiK® GUN CLEANING MAT UTILIZES LAMINATED FABRIC AND NEOPRENE RUBBER, ALLOWING THE USER TO SAFELY CONDUCT MAINTENANCE ON YOUR FIREARMS ON MOST SURFACES.



FEATURES

3 MM NEOPRENE
TP9 SUB ELITE PART LIST
DIMENSION 60X40CM

WARNING! PLEASE WASH THIS PRODUCT AT 86°F / 30°C FOR LASTING QUALITY 

MMAC-471

GRIP

CANiK® TACTICAL VERTICAL FOREGRIP (BLACK)

CANiK® TACTICAL VERTICAL FOREGRIP ENABLES VERTICAL GRIP OPTION ON YOUR PISTOL OR ANY PICATINNY RAILED FIREARMS. IT HAS ENHANCING TACTICAL VERSATILITY AND PERFORMANCE.



FEATURES

INCREASES YOUR COMBAT STANCE
INCREASES YOUR ACCURACY RATE
EASY AND FAST ADAPT/REMOVAL MECHANISM
HIGH QUALITY FIBER GLASS POLYMER
COMPATIBLE WITH MIL-STD 1913 PICATINNY RAIL



HIGH QUALITY
POLYMER

WARNING! CANiK® TACTICAL VERTICAL FOREGRIP SHOULD NEVER BE USED ON A LOADED GUN.

MMAC-140

FITS

ALL PISTOLS EQUIPPED WITH PICATINNY RAIL

GRIP

CANiK® TACTICAL VERTICAL FOREGRIP (FDE)

CANiK® TACTICAL VERTICAL FOREGRIP ENABLES VERTICAL GRIP OPTION ON YOUR PISTOL OR ANY PICATINNY RAILED FIREARMS. IT HAS ENHANCING TACTICAL VERSATILITY AND PERFORMANCE.



FEATURES

INCREASES YOUR COMBAT STANCE
INCREASES YOUR ACCURACY RATE
EASY AND FAST ADAPT/REMOVAL MECHANISM
HIGH QUALITY FIBER GLASS POLYMER
COMPATIBLE WITH MIL-STD 1913 PICATINNY RAIL



HIGH QUALITY
POLYMER

WARNING! CANiK® TACTICAL VERTICAL FOREGRIP SHOULD NEVER BE USED ON A LOADED GUN.

MMAC-326

FITS

ALL PISTOLS EQUIPPED WITH PICATINNY RAIL

LANYARD

CANiK® LANYARD (WITHOUT STEEL CORD)

THE CANiK® PISTOL LANYARD IS DESIGNED TO PREVENT THE OPERATOR FROM UNINTENTIONALLY DROPPING THEIR PISTOL, OR TO PREVENT THE PISTOL FROM FALLING INTO THE HANDS OF UNAUTHORIZED PEOPLE DURING A POSSIBLE CLASH. THANKS TO ITS USER-FRIENDLY DESIGN AND DURABLE STRUCTURE, IT CAN EASILY BE ATTACHED TO ALL TYPES OF PISTOLS AND WAIST BELTS.



FEATURES

SPIRAL CORD
ADJUSTABLE VELCRO BELT ADAPTOR
USER FRIENDLY DESIGN



DURABLE
FINISH

ATTENTION REQUIRES #MMAC-352 CANiK® COMPACT SIZE LANYARD COMPATIBLE BACKSTRAP (SMALL)

MMAC-275

LOCK

CANiK® PISTOL CABLE LOCK (UNIVERSAL)

THE CANiK® PISTOL CABLE LOCK BLOCKS THE CHAMBER TO PREVENT A CARTRIDGE FROM BEING FIRED. THE LONG-BRAIDED STEEL CABLE IS INSERTED DOWN THE EJECTION PORT AND DOWN THE MAGAZINE WELL OF THE GUN. THE END OF THE CORD FITS INTO THE LARGE PADLOCK WITH A KEY USED TO SECURE THE DEVICE.



FEATURES

PREVENT UNAUTHORIZED USE
FITS MOST PISTOLS, HANDGUNS, RIFLES, SHOTGUNS & MODERN SPORTING RIFLES
PROTECTIVE COATING ON WIRE TO PREVENT SCRATCHING FIREARM
SECURES PISTOL, RIFLE, SHOTGUN, REVOLVER, AND OTHER FIREARM TYPES



DURABLE
FINISH

WARNING! CANiK® PISTOL CABLE LOCK SHOULD NEVER BE USED ON A LOADED GUN.

MMAC-019

ALL TYPE OF PISTOLS

DUTY PACK

CANiK® DUTY PACK #6 BLACK

THE CANiK® DUTY PACK (CDP) #6 IS A COMBINATION OF THE CANiK® ARMBRACE PISTOL STOCK AND CANiK® TACTICAL VERTICAL FOREGRIP DESIGNED FOR THE NEEDS OF THE EVERYDAY USER IN MIND PROVIDE THE FUNCTIONALITY THAT CANiK® IS KNOWN FOR.

CANiK® TACTICAL VERTICAL FOREGRIP

INCREASE YOUR COMBAT STANCE
INCREASES YOUR ACCURACY RATE
EASY AND FAST ADAP/REMOVAL MECHANISM
HIGH QUALITY FIBER GLASS POLYMER
COMPATIBLE WITH MIL-STD 1913 PICATINNY RAIL

CANiK® ARMBRACE-2 PISTOL STOCK DUTY

INCREASE YOUR COMBAT STANCE
INCREASES YOUR ACCURACY RATE
EASY TO DISASSEMBLE AND INSTALL
HIGH QUALITY FIBER GLASS POLYMER
ACTIVE DEFENSE AGAINST COLD WEAPONS
MIL-STD 1913 PICATINNY RAIL



HIGH QUALITY
CNC TECH

MMAC-290

FITS

ALL TP SERIES PISTOLS, METE SFX, METE SFX PRO, METE SFT, METE SFT PRO, METE SF, METE SF PRO, METE SC, METE SC PRO, SFX RIVAL, SFX RIVAL-S

DUTY PACK

CANIK® DUTY PACK #7 FDE

THE CANIK® DUTY PACK (CDP) #6 IS A COMBINATION OF THE CANIK® ARMBRACE PISTOL STOCK AND CANIK® TACTICAL VERTICAL FOREGRIP DESIGNED FOR THE NEEDS OF THE EVERYDAY USER IN MIND PROVIDE THE FUNCTIONALITY THAT CANIK® IS KNOWN FOR.

CANIK® TACTICAL VERTICAL FOREGRIP

INCREASE YOUR COMBAT STANCE
INCREASES YOUR ACCURACY RATE
EASY AND FAST ADAP/REMOVAL MECHANISM
HIGH QUALITY FIBER GLASS POLYMER
COMPATIBLE WITH MIL-STD 1913 PICATINNY RAIL

CANIK® ARMBRACE-2 PISTOL STOCK DUTY

INCREASE YOUR COMBAT STANCE
INCREASES YOUR ACCURACY RATE
EASY TO DISASSEMBLE AND INSTALL
HIGH QUALITY FIBER GLASS POLYMER
ACTIVE DEFENSE AGAINST COLD WEAPONS
MIL-STD 1913 PICATINNY RAIL



ARMORER'S TOOL KIT



METE MC9 PACH



MMAC-355

FITS

ALL TP SERIES PISTOLS, METE SFX, METE SFX PRO, METE SFT, METE SFT PRO, METE SF, METE SF PRO, METE SC, METE SC PRO, SFX RIVAL, SFX RIVAL-S

MMAC-488

MMAC-677

OFFICIAL ACCESSORY PROGRAM

CANIK STORE

SFX RIVAL PACH



AMMUNITION LOADER (BLACK)



AMMUNITION LOADER (FDE)




MMAC-691

MMAC-296

ALL CANIK MAGAZINES

MMAC-425

ALL CANIK MAGAZINES



HOLSTER

OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM

www.canik-store.com

POLYMER HOLSTER SERIES

MASTER PACK (PCS)
10



- OWB&IWB
- RIGHT HAND

MMAC-081

MASTER PACK (PCS)
10



- OWB&IWB
- RIGHT HAND

MMAC-238



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

ALL TP&METE MODELS

POLYMER MAGAZINE POUCH SERIES

MASTER PACK (PCS)
10



MMAC-086

MASTER PACK (PCS)
10



MMAC-248



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

ALL CANIK PISTOL SERIES MAGAZINES

POLYMER HOLSTER SERIES

MASTER PACK (PCS)
10



- OWB&IWB
- RIGHT HAND

MMAC-129

MASTER PACK (PCS)
10



- OWB&IWB
- RIGHT HAND

MMAC-243



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

ALL TP MODELS

KYDEX HOLSTER SERIES



MASTER PACK (PCS)
10

- IWB
- RIGHT HAND

MMAC-141



MASTER PACK (PCS)
10

- IWB
- RIGHT HAND

MMAC-388



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9 SUB ELITE, TP9 ELITE SC, TP9 SUB METE, SUB ELITE CAS

KYDEX HOLSTER SERIES



MASTER PACK (PCS)
10

- IWB
- RIGHT HAND
COMPATIBLE WITH
OLIGHT PL MINI 2

MMAC-309



MASTER PACK (PCS)
10

- IWB
- RIGHT HAND
COMPATIBLE WITH
OLIGHT PL MINI 2

MMAC-142



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF METE, TP9 DA, TP9 DAT, METE SF, METE SF PRO

KYDEX HOLSTER SERIES



MASTER PACK (PCS)
10

- IWB
- RIGHT HAND

MMAC-144



MASTER PACK (PCS)
10

- IWB
- RIGHT HAND

MMAC-315



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SF ELITE - TP9 ELITE-S - TP9 SF METE
TP9 SF METE-S - TP9 DA - METE SF

KYDEX HOLSTER SERIES

MASTER PACK (PCS)
10



- OWB
- RIGHT HAND
COMPATIBLE WITH
OLIGHT PL MINI 2

MMAC-167

MASTER PACK (PCS)
10



- OWB
- RIGHT HAND
COMPATIBLE WITH
OLIGHT PL MINI 2

MMAC-463



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9 SUB ELITE, TP9 ELITE SC, TP9 SUB METE, TP9 SUB ELITE CAS

KYDEX HOLSTER SERIES



MASTER PACK (PCS)
10



- OWB
- RIGHT HAND
COMPATIBLE WITH
OLIGHT PL26PL PRO

MMAC-303

MASTER PACK (PCS)
10



- OWB
- RIGHT HAND
COMPATIBLE WITH
OLIGHT PL26PL PRO

MMAC-180



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9 V2, TP9 SF, TP9 SA, TP9 DA, TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, TP9 SFX METE, TP9 SFT METE, TP9 SFX MOD.2, METE SFX, METE SFX PRO, METE SFT, METE SFT PRO, METE SF, METE SF PRO

KYDEX HOLSTER SERIES



MASTER PACK (PCS)
10



- OWB
- RIGHT HAND

MMAC-306

MASTER PACK (PCS)
10



- OWB
- RIGHT HAND

MMAC-181



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 ELITE, TP9 ELITE-S, TP9 DA, TP9 DAT, METE SF, METE SF PRO

KYDEX MAGAZINE POUCH SERIES

MASTER PACK (PCS)
10



- OWB
- RIGHT HAND

MMAC-286

MASTER PACK (PCS)
10



- OWB
- RIGHT HAND

MMAC-191



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

ALL TP9 SERIES MAGAZINES

KYDEX MAGAZINE POUCH SERIES

MASTER PACK (PCS)
10



- OWB&IWB
- RIGHT&LEFTHAND

MMAC-192

MASTER PACK (PCS)
10



- OWB&IWB
- RIGHT&LEFTHAND

MMAC-351



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

ALL TP9 SERIES MAGAZINES

CANiK® COMPETITION HOLSTER SERIES

THE CANiK® STANDARD COMPACT SIZE MAG-WELL ENLARGES THE MAGAZINE WELL FOR easier RELOADING. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.

MASTER PACK (PCS)
10



- RIGHT HAND

MMAC-235

FEATURES

FITS ALL TP9 SERIES PISTOLS
INCLUDES THE C-BAX VERSA-HANGER



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTUATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

ALL TP, METE AND RIVAL SERIES PISTOLS

CANiK® COMPETITION HOLSTER SERIES

THE CANiK® STANDARD COMPACT SIZE MAG-WELL ENLARGES THE MAGAZINE WELL FOR *easier* RELOADING. WHEN INSTALLED, THE MAGWELL ALSO CREATES A LARGER LIP AT THE BOTTOM OF THE FRAME, IMPROVING THE SHOOTER'S GRIP AND CONTROL OF THE FIREARM.



MASTER PACK (PCS)
10

MMAC-268

- LEFT HAND

FEATURES

FITS ALL TP9 SERIES PISTOLS
INCLUDES THE C-BAX VERSA-HANGER



HIGH QUALITY
CNC TECH



DURABLE
FINISH

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTUATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

ALL TP, METE AND RIVAL SERIES PISTOLS

POLYMER HOLSTER SERIES



- OWB&IWB
- LEFT HAND

MMAC-240



- OWB&IWB
- LEFT HAND

MMAC-241



VACUUM
FORMED



HIGH QUALITY
CNC CUT



0.08"
KYDEX

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTUATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

ALL TP&METE MODELS

POLYMER HOLSTER SERIES

MASTER PACK (PCS)
10



- OWB&IWB
- LEFT HAND

MMAC-244



- OWB&IWB
- LEFT HAND

MMAC-245



VACUUM
FORMED



HIGH QUALITY
CNC CUT



0.08"
KYDEX

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTUATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

ALL TP&METE MODELS

KYDEX HOLSTER SERIES



MASTER PACK (PCS)
10

- IWB
- RIGHT HAND

MMAC-257



MASTER PACK (PCS)
10

- IWB
- RIGHT HAND

MMAC-318



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9 SF ELITE, TP9 ELITE-S, TP9 SF METE, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 DA, METE SF, METE SF PRO

KYDEX HOLSTER SERIES



MASTER PACK (PCS)
10

- IWB
- RIGHT HAND
COMPATIBLE WITH
OLIGHT PL MINI 2

MMAC-321



MASTER PACK (PCS)
10

- IWB
- RIGHT HAND
COMPATIBLE WITH
OLIGHT PL MINI 2

MMAC-267



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9 SUB ELITE - TP9 SUB ELITE CAS - TP9 ELITE SC - TP9 ELITE SC CAS - TP9 SUB METE METE SC

KYDEX HOLSTER SERIES



MASTER PACK (PCS)
10

- OWB
- RIGHT HAND
COMPATIBLE WITH
OLIGHT PL MINI 2

MMAC-375



MASTER PACK (PCS)
10

- OWB
- RIGHT HAND
COMPATIBLE WITH
OLIGHT PL MINI 2

MMAC-373



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9 DA, TP9 DAT, TP9 SF ELITE, TP9 SF ELITE-S, TP9 SF METE, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, METE SF, METE SF PRO

KYDEX HOLSTER SERIES



MASTER PACK (PCS)
10

- OWB
- RIGHT HAND
COMPATIBLE WITH
OLIGHT PL MINI 2

MMAC-377



MASTER PACK (PCS)
10

COMPATIBLE WITH
OLIGHT PL MINI 2

MMAC-378



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9 SF, TP9 SF MOD.2, TP9 SA, TP9 SA MOD.2, TP9 SFT, TP9 SFT METE, TP9 SFX, TP9 SFX MOD.2, TP9 SFX METE, METE SFX, METE SFT, METE SFT PRO, METE SFX PRO

POYLMER HOLSTER SERIES



- RIGHT HAND

MMAC-502



MMAC-503



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9 V2, TP9 SF, TP9 SF ELITE, TP9 SF ELITE-S, TP9 SFL, TP9 SFT, TP9 SAT, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SFX Mod.2, TP9 SFX, METE SFX, METE SFX PRO, METE SFT, METE SFT PRO, METE SF, METE SF PRO, SFX RIVAL, TP9 SF METE, TP9 SF METE-S, TP9 SA Mod.2, TP9 DA, TP9 SFX METE, TP9 SFT METE, TP9 SA

DUTY HOLSTER



MMAC-540



MMAC-567

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9, METE SERIES PISTOLS

CANIK HOLSTER SERIES



MMAC-593



MMAC-085

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS. WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

ALL TP9, METE SERIES PISTOLS

LEATHER HOLSTER



MMAC-630



MMAC-631



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

SFX RIVAL-S

LEATHER HOLSTER



MMAC-632



MMAC-641



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

SFX RIVAL-S

LEATHER HOLSTER



MMAC-642



MMAC-643



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

SFx RIVAL-S

KYDEX HOLSTER SERIES



- OWB
- RIGHT HAND

MMAC-656



- OWB
- RIGHT HAND

MMAC-657



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9SFx, TP9 SFx Mod.2, TP9 SFx METE, METE SFx, RIVAL, SFx RIVAL-S

KYDEX HOLSTER SERIES



- OWB
- RIGHT HAND

MMAC-658



- OWB
- RIGHT HAND

MMAC-659



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9SFx, TP9 SFx Mod.2, TP9 SFx METE, METE SFx, RIVAL, SFx RIVAL-S

KYDEX HOLSTER SERIES



- IWB
- RIGHT & LEFT HAND

MMAC-673



- IWB
- RIGHT & LEFT HAND

MMAC-674



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

METE MC9

KYDEX HOLSTER SERIES



- OWB
- RIGHT HAND

MMAC-675



- OWB
- RIGHT HAND

MMAC-676



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

METE MC9

KYDEX HOLSTER SERIES



- OWB & IWB
- RIGHT HAND

MMAC-239



- OWB & IWB
- LEFT HAND

MMAC-242



WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

ALL TP and METE SERIES PISTOLS

KYDEX HOLSTER SERIES



- OWB
- RIGHT HAND

MMAC-568

KYDEX HOLSTER SERIES



- OWB
- RIGHT HAND

MMAC-604

KYDEX HOLSTER SERIES



- IWB
- RIGHT HAND

MMAC-779



- OWB
- RIGHT HAND

MMAC-605

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

TP9 SF, TP9 SF MOD2, TP9 SA, TP9 SA MOD2, TP9 SFT, TP9 SFT METE, TP9 SFX, TP9 SFX MOD2, TP9 SFX METE, METE SFX, METE SFT, METE SFT PRO, METE SFX PRO

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!


FITS

TP9 SFX, TP9 SFX Mod.2, TP9 SFX METE, METE SFX, METE SFX PRO, METE SFT, METE SFT PRO

WARNING! WE DO NOT IMPLY OR ACCEPT RESPONSIBILITY OF YOUR SAFE GUN PRACTICES AND IT IS UP TO THE CUSTOMER TO SAFELY HANDLE THEIR FIREARMS WHILE USING THEIR HOLSTERS! NEVER PLACE A LOADED HANDGUN IN A HOLSTER WITHOUT FIRST TESTING IN AN UNLOADED CONDITION FOR PROPER FIT! IT IS THE CUSTOMERS RESPONSIBILITY TO PRACTICE SAFE GUN HANDLING AND TO ENSURE THAT NO PIECE OF CLOTHING OR OTHER OBJECT IS BLOCKING THE PATH TO THE HOLSTER THAT COULD CAUSE A NEGLIGENT DISCHARGE! THIS HOLSTER MECHANISM WORKS WITH RETENTION, THIS MAY CAUSE COSMETIC DAMAGE ON YOUR PISTOL FINISH! THIS HOLSTER IS DESIGNED FOR INDIVIDUALS WHO ARE PROPERLY TRAINED AND LICENSED TO LAWFULLY CARRY A FIREARM! PROPER TRAINING IN THE USE OF HOLSTERS AND FIREARMS MUST BE COMPLETED BEFORE USING THIS PRODUCT! FAILURE TO PROPERLY USE A HOLSTER OR HANDLE A LOADED FIREARM CAN RESULT IN INJURY OR DEATH! MAKE SURE THAT NO OBJECTS ON YOUR PERSON, BELT, CLOTHING OR IN THE HOLSTER IS CAPABLE OF ACTIVATING THE TRIGGER ON INSERTING OR REMOVING A FIREARM FROM THE HOLSTER!

FITS

METE MC9

The background of the page features a light gray line art illustration of a car's interior. It includes the dashboard, steering wheel, center console, and rear passenger area, all rendered in a minimalist, geometric style.

OEM

OFFICIAL ACCESSORY PROGRAM

OFFICIAL PART PROGRAM

www.canik-store.com

OPTIC SIGHT LID SCREWS (M3)



MASTER PACK (PCS)
200

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-001

FITS

TP9 SFX, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SFX Mod.2, TP9 SF METE, TP9 SF METE-S, TP9 SFT METE, TP9 SFX METE, TP9 SUB METE, TP9 SUB ELITE-TP9 ELITE SC, METE SFX, METE SFX PRO, METE SFT, METE SFT PRO, METE SF, METE SF PRO, METE SC, METE SC PRO, SFX RIVAL, SFX RIVAL-S, METE MC9

OPTIC SCREWS (M4)



MASTER PACK (PCS)
200

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-051

FITS

TP9 SFX, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SFX Mod.2, TP9 SF METE, TP9 SF METE-S, TP9 SFT METE, TP9 SFX METE, TP9 SUB METE, TP9 SUB ELITE-TP9 ELITE SC, METE SC, METE SC PRO, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFX, METE SFX PRO, METE MC9, SFX RIVAL, SFX RIVAL-S

EJECTOR ASSEMBLY



MASTER PACK (PCS)
90

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-205

FITS

TP9 SF, TP9 SF ELITE, TP9 SF ELITE-S, TP9 SFL, TP9 SFT, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SFX Mod.2, TP9 SF METE, TP9 SF METE-S, TP9 SFT METE, TP9 SFX METE, TP9 SFX, TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE-SC, TP9 SF Mod.2

LOCKING LEVER/ TAKEDOWN ASSEMBLY



MASTER PACK (PCS)
200

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-207

FITS

TP9 V2, TP9 SF, TP9 SF Mod.2, TP9 SA, TP9 SA Mod.2, TP9 SF ELITE, TP9 SF ELITE-S, TP9 SFL, TP9 SFT, TP9 SAT, TP9 DAT, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SFX Mod.2, TP9 SFX, TP9 DA, TP9 DA ELITE, TP9 SF METE, TP9 SF METE-S, TP9 SFT METE, TP9 SFX METE, TP9 SFX, TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE-SC

EXTRACTOR ASSEMBLY



MASTER PACK (PCS)
200

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-208

FITS

TP9 V2, TP9 SF, TP9 SF Mod.2, TP9 SA, TP9 SA Mod.2, TP9 SF ELITE, TP9 SF ELITE-S, TP9 SFL, TP9 SFT, TP9 SAT, TP9 DAT, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SFX Mod.2, TP9 SFX, TP9 DA, TP9 DA ELITE, TP9 SF METE, TP9 SF METE-S, TP9 SFT METE, TP9 SFX METE, TP9 SFX, TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE-SC, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFX, METE SFX PRO, SFX RIVAL

OPTIC SIGHT LID ASSEMBLY



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-209

FITS

TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SFX Mod.2, TP9 SFX, SFX RIVAL, SFX RIVAL-S

TRIGGER BAR



MASTER PACK (PCS)
200

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-210

FITS

TP9 V2, TP9 SF, TP9 SA, TP9 SA Mod.2, TP9 SF ELITE, TP9 SF ELITE-S, TP9 SFL, TP9 SFT, TP9 SAT, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SFX Mod.2, TP9 SF METE, TP9 SF METE-S, TP9 SFT METE, TP9 SFX METE, TP9 SFX, TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE-SC, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFX, METE SFX PRO, SFX RIVAL

SLIDE END CAP



MASTER PACK (PCS)
200

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-211

FITS

TP9 V2, TP9 SF, TP9 SA, TP9 SA Mod.2, TP9 SFL, TP9 SFT, TP9 SAT, TP9 SFX, TP9 DA

MAGAZINE CATCH ASSEMBLY



MASTER PACK (PCS)
200

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-213

FITS

TP9 V2, TP9 SF, TP9 SA, TP9 SA Mod.2, TP9 SF ELITE, TP9 SF ELITE-S, TP9 SFL, TP9 SFT, TP9 SAT, TP9 DAT, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SFX Mod.2, TP9 SFX, TP9 DA, TP9 DA ELITE, TP9 SF METE, TP9 SF METE-S, TP9 SFT METE, TP9 SFX METE, TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE-SC, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFX, METE SFX PRO

SLIDE STOP ASSEMBLY



MASTER PACK (PCS)
200


WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-214

FITS

TP9 V2, TP9 SF, TP9 SA, TP9 SA Mod.2, SFL, TP9 SFT, TP9 SAT, TP9 DAT, TP9 SFx, TP9 DA

LOCKING BLOCK ASSEMBLY



MASTER PACK (PCS)
90

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-215

FITS

TP9 V2, TP9 SF, TP9 SFx, TP9 SA, TP9 SA Mod.2, TP9 SFL, TP9 SFT, TP9 SAT, TP9 DAT, TP9 DA

SIGHT SET



MASTER PACK (PCS)
200

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-216

FITS

TP9 SFx, TP9 SFx Mod.2, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT

TRIGGER BAR



MASTER PACK (PCS)

90

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-364

FITS

TP9 V2 - TP9 DA - TP9 DAT

METAL SLIDE END CAP



MASTER PACK (PCS)

90

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-365

FITS

TP9 ELITE, TP9 ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, TP9SFX METE, TP9 SFT METE, TP9 SUB METE, TP9SUB ELITE, TP9 SLITE SC, METE SFX PRO, METE SF, METE SC PRO, METE SC, METE SF PRO, METE SFX, METE SFT, METE SFT PRO

SLIDE STOP ASSEMBLY



MASTER PACK (PCS)

200

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-366

FITS

TP9 ELITE, TP9 ELITE S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF Mod.2, TP9 SFX Mod. 2, TP9 SF METE, TP9 SF METE-S, TP9 SFT METE, TP9 SFX METE, TP9 SUB METE, TP9 SUB ELITE, TP9 ELITE SC

LOW PROFILE SLIDE
STOP ASSEMBLY (36MM)



MASTER PACK (PCS)
200

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK D.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-367

FITS

TP9 ELITE, TP9 ELITE S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF Mod.2, TP9 SFx Mod. 2, TP9 SF METE, TP9 SF METE-S, TP9 SFT METE, TP9 SFx METE, TP9 SUB METE, TP9 SUB ELITE, TP9 ELITE SC

LOCKING BLOCK ASSEMBLY



MASTER PACK (PCS)
90

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK D.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-368

FITS

TP9 ELITE, TP9 ELITE S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF Mod.2, TP9 SFx Mod. 2, TP9 SF METE, TP9 SF METE-S, TP9 SFT METE, TP9 SFx METE

LOCKING BLOCK ASSEMBLY



MASTER PACK (PCS)
90

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK D.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-369

FITS

TP9 SUB ELITE, TP9 SUB METE, TP9 ELITE SC

LOW PROFILE SLIDE STOP ASSEMBLY (36MM)



MASTER PACK (PCS)
200

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-426

FITS

METE SC, METE SC PRO, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFx, METE SFx PRO, SFx RIVAL

EJECTOR ASSEMBLY



MASTER PACK (PCS)
200

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-427

FITS

METE SC, METE SC PRO, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFx, METE SFx PRO, SFx RIVAL

LOCKING LEVER/ TAKEDOWN ASSEMBLY



MASTER PACK (PCS)
200

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-429

FITS

METE SC, METE SC PRO, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFx, METE SFx PRO, SFx RIVAL

OPTIC SIGHT LID ASSEMBLY



MASTER PACK (PCS)
200

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-430

FITS

METE SC, METE SC PRO, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFx, METE SFx PRO

LOCKING BLOCK ASSEMBLY



MASTER PACK (PCS)
200

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-431

FITS

METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFx, METE SFx PRO, SFx RIVAL

LOCKING BLOCK ASSEMBLY



MASTER PACK (PCS)
200

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-432

FITS

METE SC - METE SC PRO

SIGHT SET



MASTER PACK (PCS)
200

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-433

FITS

**METE SC, METE SC PRO, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFX, METE SFX PRO,
**TP9, TP9 V2, TP9 SF, TP9 SA, TP9 DA, TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S
COMBAT, TP9 SF METE, TP9 SF METE-S, TP9 SFX METE, TP9 SFT METE, TP9 SUB METE, TP9 SUB ELITE, TP9 ELITE
SC, TP9 SFX Mod.2, TP9 SA Mod.2, TP9 SF Mod.2

RECOIL SPRING & FIRING PIN SPRING



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-494

FITS

TP9 SA - TP9 SF - TP9 SFX - TP9 SFL - TP9 SFT - TP9 SAT - TP9 SA MOD 2 - TP9 SFT METE - TP9 SFX METE
METE SFX - METE SFX PRO - METE SFT - METE SFT PRO - SFX RIVAL

RECOIL SPRING & FIRING PIN SPRING



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-495

FITS

TP9 SF ELITE - TP9 SF ELITE -S - TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - METE SF - METE SF PRO

EJECTOR ASSEMBLY



MASTER PACK (PCS)
200

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-538

FITS

TP9 V2 - TP9 DA - TP9 DAT

EJECTOR ASSEMBLY



MASTER PACK (PCS)
90

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-547

FITS

TP9 SF - TP9 SA - TP9 SA MOD 2 - TP9 SF ELITE - TP9 SF ELITE-S - TP9 SFL - TP9 SFT - TP9 SAT
TP9 ELITE COMBAT - TP9 ELITE-S COMBAT - TP9 SFX MOD 2 - TP9 SF METE - TP9 SF METE-S
TP9 SFT METE - TP9 SFX METE - TP9 SFX - TP9 SUB ELITE - TP9 SUB METE - TP9 ELITE SC

CHAMBER INDICATOR ASSEMBLY



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-728

FITS

TP9 ELITE-S, TP9 SF METE-S, TP9 ELITE-S COMBAT

DECOCKER ASSEMBLY



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-729

FITS

TP9 SA Mod.2, TP DA

CHAMBER INDICATOR ASSEMBLY



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-730

FITS

TP9 SF, TP9 SFT, TP9 SF Mod.2, TP9 SF ELITE, TP9 SF ELITE-S

CHAMBER INDICATOR ASSEMBLY



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-731

FITS

TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SUB ELITE, TP9 SUB ELITE CAS, METE SFX, METE SFX PRO, TP9 ELITE SC, TP9 SF METE, METE SF PRO, METE SFT, METE SFT PRO, METE SF, TP9 SF METE-S, TP9 SUB METE, METE MC9,TP9 SFX METE,TP9 SFT METE,METE MC9 TAC,TTI COMBAT

EJECTOR ASSEMBLY



EJECTOR ASSEMBLY



LOCKING LEVER/ TAKEDOWN ASSEMBLY



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-742

FITS

SFX RIVAL-S

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-743

FITS

METE MC9, METE MC9 TAC

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-744

FITS

SFX RIVAL-S

LOCKING LEVER/
TAKEDOWN ASSEMBLY



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-745	
FITS	METE MC9,METE MC9 TAC

EXTRACTOR ASSEMBLY



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-746	
FITS	METE MC9,METE MC9 TAC

LOW PROFILE SLIDE
STOP ASSEMBLY (36MM)



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-747	
FITS	METE MC9,METE MC9 TAC

LOCKING BLOCK ASSEMBLY



LOCKING BLOCK ASSEMBLY



TRIGGER BAR



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-748

FITS

S&W RIVAL-S

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-749

FITS

METE MC9, METE MC9 TAC

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-751

FITS

METE MC9, METE MC9 TAC

TRIGGER ASSEMBLY



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-204
FITS
TP9 SF,TP9 SA,TP9 SFx,TP9 SFT,TP9 SAT,TP9 SA Mod.2,TP9 SFL

TRIGGER ASSEMBLY



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-206
FITS
TP9 SF ELITE, TP9 ELITE COMBAT,TP9 SFx Mod.2, TP9 SF METE,TP9 SFT METE,TP9 SFx METE,TP9 SUB ELITE,TP9 SUB METE,TP9 ELITE SC,TP9 SUB ELITE CAS,METE SF,METE SF PRO,METE SFT,METE SFT PRO,METE SFx,METE SFx PRO,METE SC,METE SC PRO,SFx RIVAL, RIVAL-S,TTI COMBAT

FIRING PIN BLOCK ASSEMBLY



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-212
FITS
TP9 V2,TP9 SF,TP9 SA,TP9 SA Mod.2,TP9 SF ELITE,TP9 SF ELITE-S,TP9 SFL,TP9 SFT,TP9 SAT,TP9 DAT, TP9 ELITE COMBAT,TP9 ELITE-S COMBAT,TP9 SFx Mod.2,TP9 SFx,TP9 DA,TP9 DA ELITE,TP9 SF METE,TP9 SF METE-S,TP9 SFT METE,TP9 SFx METE,TP9 SFx,TP9 SUB ELITE,TP9 SUB METE,TP9 ELITE-SC,METE SF,METE SF PRO,METE SFT,METE SFT PRO,METE SFx,METE SFx PRO,SFx RIVAL,SFx RIVAL-S

MASTER PACK (PCS)
200

THREAD PROTECTOR (METRIC)



MASTER PACK (PCS)
200

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK D.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-297

FITS

ALL M13,5x1LH METRIC THREADED BARRELS (EXCEPT TP9 ELITE COMBAT)

RECOIL SPRING



MASTER PACK (PCS)
90

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK D.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-348

FITS

TP9 SF ELITE, TP9 SF ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, METE SF, METE SF PRO

RECOIL SPRING



MASTER PACK (PCS)
90

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK D.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-370

FITS

TP9 SA, TP9 SF, TP9 SFx, TP9 SFx Mod.2, TP9 SFL, TP9 SFT, TP9 SAT, TP9 SA Mod.2, TP9 SFT METE, TP9 SFx
METE, METE SFx, METE SFx PRO, METE SFT, METE SFT PRO, SFx RIVAL

RECOIL SPRING



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-371	
FITS	TP9 V2 - TP9 DA - TP9 DAT

THREAD PROTECTOR
(INCH)



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-456	
FITS	ALL 1/2-28 RH THREADED BARRELS (EXCEPT TP9 ELITE COMBAT)

OPTIC SIGHT LID ASSEMBLY



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS.ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-755	
FITS	METE MC9,METE MC9 TAC

OPTIC SIGHT LID ASSEMBLY (TUNGSTEN)



OPTIC SIGHT LID ASSEMBLY (BRONZE)



METAL SLIDE END CAP



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-557

FITS

METE SC, METE SC PRO, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFx, METE SFx PRO

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-558

FITS

METE SC, METE SC PRO, METE SF, METE SF PRO, METE SFT, METE SFT PRO, METE SFx, METE SFx PRO

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-559

FITS

TP9 ELITE, TP9 ELITE-S, TP9 ELITE COMBAT, TP9 ELITE-S COMBAT, TP9 SF METE, TP9 SF METE-S, TP9 SFx
METE, TP9 SFT METE, TP9 SUB METE, TP9 SUB ELITE, TP9 SLITE SC, METE SFx PRO, METE SF, METE SC PRO, METE
SC, METE SF PRO, METE SFx, METE SFT, METE SFT PRO

TRIGGER ASSEMBLY



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-095

FITS

TP9 V2, TP9 DA

SLIDE STOP ASSEMBLY



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-349

FITS

TP9 V2, TP9 SF, TP9 SA, TP9 SA Mod.2, SFL, TP9 SFT, TP9 SAT, TP9 DAT, TP9 SFx, TP9 DA

THREAD PROTECTOR (METRIC)



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-537

FITS

ALL METRIC TP9 MODEL PISTOLS

METAL SLIDE END CAP



MAGAZINE LOCK AND ARROW



TTI COMBAT RECOIL SPRING



WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-750

FITS

METE MC9, METE MC9 TAC

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.

MMAC-757

FITS

METE MC9, METE MC9 TAC

WARNING! INSTALL IN ACCORDANCE WITH THE INSTALLATION INSTRUCTIONS. ONLY INSTALL ON COMPATIBLE MODELS.
CANIK O.E.M. (SPARE) PARTS MUST BE INSTALLED BY A COMPETENT QUALIFIED GUNSMITH WITH AN UNDERSTANDING OF THE FIREARM
PLATFORM THAT THE PART IS BEING INSTALLED ON.


MMAC-793

FITS

TTI COMBAT



METE^{SFX}




*Compatible Accessories

Barrel																				
MMAC CODE	MMAC-420	MMAC-446	MMAC-447	MMAC-448	MMAC-107	MMAC-539														
PAGE	43	47	48	48	35	51														
Magazine																				
MMAC CODE	MMAC-030	MMAC-148	MMAC-457	MMAC-589	MMAC-590	MMAC-591	MMAC-489	MMAC-791												
PAGE	61	64	66	68	68	68	67	76												
Magwell																				
MMAC CODE	MMAC-485	MMAC-486	MMAC-487																	
PAGE	82	81	81																	
Magazine Extension																				
MMAC CODE	MMAC-473	MMAC-474	MMAC-475																	
PAGE	86	86	86																	
Backstrap																				
MMAC CODE	MMAC-336	MMAC-337	MMAC-338	MMAC-339	MMAC-340	MMAC-347	MMAC-769	MMAC-770												
PAGE	93	93	94	94	94	97	98	98												
Recoil Spring																				
MMAC CODE	MMAC-053	MMAC-054	MMAC-491	MMAC-752	MMAC-103	MMAC-733														
PAGE	100	101	104	105	101	106														
Sight																				
MMAC CODE	MMAC-006	MMAC-007																		
PAGE	110	110																		
Firing Pin&Magazine Catch																				
MMAC CODE	MMAC-428	MMAC-492																		
PAGE	129	129																		
Trigger																				
MMAC CODE	MMAC-065	MMAC-066	MMAC-171	MMAC-350	MMAC-465															
PAGE	132	132	133	133	133															
Sfx RIVAL-S Accessory																				
MMAC CODE	MMAC-155	MMAC-638	MMAC-639	MMAC-640	MMAC-693	MMAC-718	MMAC-719	MMAC-720	MMAC-721	MMAC-722	MMAC-723	MMAC-724	MMAC-725	MMAC-636	MMAC-637					
PAGE	139	146	146	146	140	147	147	147	148	148	148	149	149	140	140					
Duty Pack & Gear																				
MMAC CODE	MMAC-290	MMAC-541	MMAC-542	MMAC-545	MMAC-546	MMAC-355	MMAC-498													
PAGE	162	156	156	157	156	163	160													
Holster																				
MMAC CODE	MMAC-377	MMAC-378	MMAC-502	MMAC-503	MMAC-568	MMAC-604	MMAC-605	MMAC-656	MMAC-657	MMAC-658	MMAC-659	MMAC-180	MMAC-303							
PAGE	172	12	172	172	176	176	176	174	174	174	174	168	168							
DEM																				
MMAC CODE	MMAC-001	MMAC-051	MMAC-206	MMAC-208	MMAC-210	MMAC-212	MMAC-370	MMAC-426	MMAC-427	MMAC-429	MMAC-430	MMAC-431	MMAC-433	MMAC-557	MMAC-558	MMAC-559	MMAC-731	MMAC-213	MMAC-494	
PAGE	178	178	192	179	180	192	193	184	184	184	185	185	186	195	195	195	198	180	186	



METE^{SF_x} PRO




*Compatible Accessories

Barrel																					
MMAC CODE	MMAC-446	MMAC-447	MMAC-448	MMAC-420																	
PAGE	47	48	48	43																	
Magazine																					
MMAC CODE	MMAC-030	MMAC-148	MMAC-457	MMAC-588	MMAC-589	MMAC-590	MMAC-591	MMAC-489	MMAC-791												
PAGE	61	64	66	67	68	68	68	67	76												
Magwell																					
MMAC CODE	MMAC-485	MMAC-486	MMAC-487																		
PAGE	82	81	81																		
Magazine Extension																					
MMAC CODE	MMAC-473	MMAC-474	MMAC-475																		
PAGE	86	86	86																		
Backstrap																					
MMAC CODE	MMAC-336	MMAC-337	MMAC-338	MMAC-339	MMAC-340	MMAC-347	MMAC-769	MMAC-770													
PAGE	93	93	94	94	94	97	98	98													
Recoil Spring																					
MMAC CODE	MMAC-053	MMAC-054	MMAC-491	MMAC-752	MMAC-733																
PAGE	100	101	104	105	106																
Sight																					
MMAC CODE	MMAC-006	MMAC-007																			
PAGE	110	110																			
Firing Pin&Magazine Catch																					
MMAC CODE	MMAC-428	MMAC-492																			
PAGE	129	129																			
Trigger																					
MMAC CODE	MMAC-065	MMAC-066	MMAC-171	MMAC-350	MMAC-465																
PAGE	132	132	133	133	133																
SFx RIVAL-S Accessory																					
MMAC CODE	MMAC-155	MMAC-638	MMAC-639	MMAC-640	MMAC-693	MMAC-718	MMAC-719	MMAC-720	MMAC-721	MMAC-722	MMAC-723	MMAC-724	MMAC-725	MMAC-636	MMAC-637						
PAGE	139	146	146	146	140	147	147	147	148	148	148	149	149	140	140						
Duty Pack & Gear																					
MMAC CODE	MMAC-290	MMAC-541	MMAC-542	MMAC-545	MMAC-546	MMAC-355	MMAC-498														
PAGE	162	156	156	157	156	163	160														
Holster																					
MMAC CODE	MMAC-377	MMAC-378	MMAC-502	MMAC-503	MMAC-568	MMAC-604	MMAC-605	MMAC-656	MMAC-657	MMAC-658	MMAC-659	MMAC-180M	MAC-303								
PAGE	172	172	172	172	176	176	176	174	174	174	174	174	174								
DEM																					
MMAC CODE	MMAC-001	MMAC-051	MMAC-206	MMAC-208	MMAC-210	MMAC-212	MMAC-370	MMAC-426	MMAC-427	MMAC-429	MMAC-430	MMAC-431	MMAC-433	MMAC-557	MMAC-558	MMAC-559	MMAC-731M	MAC-213	MMAC-494	MMAC-365	MMAC-731
PAGE	178	178	192	179	180	192	193	184	184	184	185	185	186	195	1951	95	188	180	186	182	188



METE^{SFT}




*Compatible Accessories

Barrel																			
MMAC CODE	MMAC-173	MMAC-174	MMAC-175	MMAC-419	MMAC-443	MMAC-444	MMAC-445												
PAGE	40	40	41	43	46	47	47												
Magazine																			
MMAC CODE	MMAC-030	MMAC-148	MMAC-457	MMAC-588	MMAC-589	MMAC-590	MMAC-591	MMAC-489											
PAGE	61	64	66	67	68	68	68	67											
Magwell																			
MMAC CODE	MMAC-485	MMAC-486	MMAC-487																
PAGE	82	81	81																
Magazine Extension																			
MMAC CODE	MMAC-473	MMAC-474	MMAC-475																
PAGE	86	86	86																
Backstrap																			
MMAC CODE	MMAC-336	MMAC-337	MMAC-338	MMAC-339	MMAC-340	MMAC-347	MMAC-769	MMAC-770											
PAGE	93	93	94	94	94	97	98	98											
Recoil Spring																			
MMAC CODE	MMAC-053	MMAC-054	MMAC-104	MMAC-491	MMAC-733	MMAC-752	MMAC-492												
PAGE	100	101	102	104	106	105	129												
Sight																			
MMAC CODE	MMAC-006	MMAC-007																	
PAGE	110	110																	
Firing Pin&Magazine Catch																			
MMAC CODE	MMAC-428	MMAC-492																	
PAGE	129	129																	
Trigger																			
MMAC CODE	MMAC-065	MMAC-066	MMAC-171	MMAC-350	MMAC-465														
PAGE	132	132	133	133	133														
Sfx RIVAL-S Accessory																			
MMAC CODE	MMAC-155	MMAC-638	MMAC-639	MMAC-640	MMAC-693	MMAC-718	MMAC-719	MMAC-720	MMAC-721	MMAC-722	MMAC-723	MMAC-724	MMAC-725	MMAC-636	MMAC-637				
PAGE	139	146	146	146	140	147	147	147	147	148	148	149	149	140	140				
Duty Pack & Gear																			
MMAC CODE	MMAC-290	MMAC-541	MMAC-542	MMAC-545	MMAC-546	MMAC-355	MMAC-499												
PAGE	162	156	156	157	156	163	159												
Holster																			
MMAC CODE	MMAC-377	MMAC-378	MMAC-502	MMAC-503	MMAC-568	MMAC-604	MMAC-605	MMAC-656	MMAC-657	MMAC-658	MMAC-659	MMAC-180	MMAC-303						
PAGE	172	172	172	172	176	176	176	174	174	174	174	168	168						
OEM																			
MMAC CODE	MMAC-001	MMAC-051	MMAC-208	MMAC-210	MMAC-212	MMAC-213	MMAC-370	MMAC-365	MMAC-426	MMAC-427	MMAC-429	MMAC-430	MMAC-431	MMAC-433	MMAC-494	MMAC-557	MMAC-558		
PAGE	178	178	179	180	192	180	193	182	184	184	184	185	185	186	186	195	195		



METE^{SFT} PRO




*Compatible Accessories

Barrel																					
MMAC CODE	MMAC-173	MMAC-174	MMAC-175	MMAC-419	MMAC-443	MMAC-444	MMAC-445														
PAGE	40	40	41	43	46	47	47														
Magazine																					
MMAC CODE	MMAC-030	MMAC-148	MMAC-457	MMAC-588	MMAC-589	MMAC-590	MMAC-591	MMAC-445	MMAC-791												
PAGE	61	64	66	67	68	68	68	47	76												
Magwell																					
MMAC CODE	MMAC-485	MMAC-486	MMAC-487																		
PAGE	82	81	81																		
Magazine Extension																					
MMAC CODE	MMAC-473	MMAC-474	MMAC-475																		
PAGE	86	86	86																		
Backstrap																					
MMAC CODE	MMAC-336	MMAC-337	MMAC-338	MMAC-339	MMAC-340	MMAC-347	MMAC-769	MMAC-770													
PAGE	93	93	94	94	94	97	98	98													
Recoil Spring																					
MMAC CODE	MMAC-053	MMAC-054	MMAC-104	MMAC-491	MMAC-733	MMAC-752															
PAGE	100	101	102	104	106	105															
Sight																					
MMAC CODE	MMAC-006	MMAC-007																			
PAGE	110	110																			
Firing Pin&Magazine Catch																					
MMAC CODE	MMAC-428	MMAC-492																			
PAGE	129	129																			
Trigger																					
MMAC CODE	MMAC-065	MMAC-066	MMAC-171	MMAC-350	MMAC-465																
PAGE	132	132	133	133	133																
Sfx RIVAL-S Accessory																					
MMAC CODE	MMAC-155	MMAC-638	MMAC-639	MMAC-640	MMAC-693	MMAC-718	MMAC-719	MMAC-720	MMAC-721	MMAC-722	MMAC-723	MMAC-724	MMAC-725	MMAC-636	MMAC-637						
PAGE	139	146	146	146	140	147	147	147	148	148	148	149	149	140	140						
Duty Pack & Gear																					
MMAC CODE	MMAC-290	MMAC-541	MMAC-542	MMAC-545	MMAC-546	MMAC-355	MMAC-499														
PAGE	162	156	156	157	156	163	159														
Holster																					
MMAC CODE	MMAC-377	MMAC-378	MMAC-502	MMAC-503	MMAC-568	MMAC-604	MMAC-605	MMAC-656	MMAC-657	MMAC-658	MMAC-659M	MAC-180M	MAC-303								
PAGE	172	172	172	172	176	176	176	174	174	174	174	168	168								
DEM																					
MMAC CODE	MMAC-001	MMAC-051	MMAC-206	MMAC-208	MMAC-210	MMAC-212	MMAC-213	MMAC-370	MMAC-365	MMAC-426	MMAC-427	MMAC-429	MMAC-430M	MAC-431	MMAC-433	MMAC-494	MMAC-557	MMAC-558	MMAC-559		
PAGE	178	178	192	179	180	192	180	193	182	184	184	186	185	185	186	186	195	195	195		



METE^{SF}




*Compatible Accessories

Barrel																	
MMAC CODE	MMAC-418	MMAC-440	MMAC-441	MMAC-442	MMAC-443												
PAGE	42	45	46	46	46												
Magazine																	
MMAC CODE	MMAC-015	MMAC-028	MMAC-029	MMAC-194	MMAC-195	MMAC-490	MMAC-792										
PAGE	60	60	60	64	64	67	76										
Magwell																	
MMAC CODE	MMAC-193																
PAGE	82																
Magazine Extension																	
MMAC CODE	MMAC-013	MMAC-014	MMAC-453	MMAC-454	MMAC-455												
PAGE	84	84	85	85	85												
Backstrap																	
MMAC CODE	MMAC-024	MMAC-341	MMAC-342	MMAC-343	MMAC-344	MMAC-345	MMAC-346	MMAC-352	MMAC-500								
PAGE	91	95	95	95	96	96	96	97	97								
Recoil Spring																	
MMAC CODE	MMAC-137	MMAC-138															
PAGE	102	102															
Sight																	
MMAC CODE	MMAC-006	MMAC-007															
PAGE	110	110															
Firing Pin&Magazine Catch																	
MMAC CODE	MMAC-428																
PAGE	129																
Trigger																	
MMAC CODE	MMAC-065	MMAC-066	MMAC-171	MMAC-350	MMAC-465												
PAGE	132	132	133	133	133												
Duty Pack & Gear																	
MMAC CODE	MMAC-290	MMAC-541	MMAC-542	MMAC-545	MMAC-546	MMAC-355											
PAGE	162	156	156	157	156	163											
Holster																	
MMAC CODE	MMAC-309	MMAC-142	MMAC-144	MMAC-315	MMAC-303	MMAC-180	MMAC-306	MMAC-181	MMAC-257	MMAC-318	MMAC-502	MMAC-503					
PAGE	167	167	167	167	168	168	168	168	174	174	172	172					
OEM																	
MMAC CODE	MMAC-001	MMAC-051	MMAC-208	MMAC-210	MMAC-212	MMAC-213	MMAC-365	MMAC-426	MMAC-427	MMAC-429	MMAC-430	MMAC-431	MMAC-433	MMAC-495	MMAC-731	MMAC-558	MMAC-206
PAGE	178	178	179	180	192	180	182	184	184	184	185	185	186	186	188	195	192



METE SC




*Compatible Accessories

Barrel																
MMAC CODE	MMAC-126	MMAC-127	MMAC-128	MMAC-417	MMAC-437	MMAC-438	MMAC-439									
PAGE	39	39	40	42	44	45	45									
Magazine																
MMAC CODE	MMAC-059	MMAC-060	MMAC-061	MMAC-062	MMAC-145	MMAC-146	MMAC-460	MMAC-580	MMAC-592	MMAC-601	MMAC-602	MMAC-586				
PAGE	61	61	62	62	63	63	66	74	69	73	74	71				
Recoil Spring																
MMAC CODE	MMAC-139	MMAC-201	MMAC-291M	MAC-735												
PAGE	104	103	104	107												
Sight																
MMAC CODE	MMAC-006	MMAC-007														
PAGE	110	110														
Firing Pin&Magazine Catch																
MMAC CODE	MMAC-428															
PAGE	129															
Trigger																
MMAC CODE	MMAC-065	MMAC-066	MMAC-171	MMAC-350	MMAC-465	MMAC-638	MMAC-639	MMAC-640	MMAC-718	MMAC-719	MMAC-720	MMAC-721	MMAC-722	MMAC-723	MMAC-724	MMAC-725
PAGE	132	132	133	133	133	146	146	146	147	147	147	148	148	148	149	149
Duty Pack & Gear																
MMAC CODE	MMAC-177	MMAC-541	MMAC-542	MMAC-546	MMAC-545	MMAC-290	MMAC-355									
PAGE	155	156	156	156	157	162	163									
Holster																
MMAC CODE	MMAC-321M	MAC-267														
PAGE	171	171														
OEM																
MMAC CODE	MMAC-001	MMAC-051	MMAC-365	MMAC-426	MMAC-427	MMAC-429	MMAC-430	MMAC-432	MMAC-433							
PAGE	178	178	182	184	184	184	185	195	186							



METE MC9




*Compatible Accessories

Barrel													
MMAC CODE	MMAC-644	MMAC-645	MMAC-646	MMAC-647	MMAC-648	MMAC-649	MMAC-650	MMAC-651	MMAC-652	MMAC-653	MMAC-654	MMAC-655	
PAGE	51	51	52	52	52	53	53	53	54	54	54	55	
Magazine													
MMAC CODE	MMAC-661	MMAC-662	MMAC-663	MMAC-664	MMAC-665	MMAC-666	MMAC-667	MMAC-668	MMAC-669	MMAC-670	MMAC-671	MMAC-672	
PAGE	71	74	69	69	70	70	70	71	72	75	72	75	
Recoil Spring													
MMAC CODE	MMAC-753	MMAC-776											
PAGE	105	107											
Firing Pin&Magazine Catch													
MMAC CODE	MMAC-080	MMAC-699											
PAGE	128	130											
Duty Pack & Gear													
MMAC CODE	MMAC-677												
PAGE	163												
Holster													
MMAC CODE	MMAC-675	MMAC-676	MMAC-779										
PAGE	175	175	176										
OEM													
MMAC CODE	MMAC-001	MMAC-051	MMAC-731	MMAC-743	MMAC-745	MMAC-746	MMAC-747	MMAC-749	MMAC-750	MMAC-751	MMAC-755	MMAC-757	
PAGE	178	178	188	189	190	190	190	191	197	197	194	197	



TP9 SF METE-S



*Compatible Accessories

Barrel																	
MMAC CODE	MMAC-178	MMAC-179															
PAGE	41	41															
Magazine																	
MMAC CODE	MMAC-015	MMAC-028	MMAC-029	MMAC-194	MMAC-195	MMAC-490	MMAC-792										
PAGE	60	60	60	64	64	67	76										
Magwell																	
MMAC CODE	MMAC-027	MMAC-199	MMAC-200	MMAC-380	MMAC-381	MMAC-422											
PAGE	78	79	79	80	80	81											
Magazine Extension																	
MMAC CODE	MMAC-013	MMAC-014	MMAC-453	MMAC-454	MMAC-455												
PAGE	84	84	85	85	85												
Backstrap																	
MMAC CODE	MMAC-024	MMAC-341	MMAC-342	MMAC-343	MMAC-344	MMAC-345	MMAC-346	MMAC-352									
PAGE	91	95	95	95	96	96	96	97									
Recoil Spring																	
MMAC CODE	MMAC-010	MMAC-032															
PAGE	100	100															
Sight																	
MMAC CODE	MMAC-006	MMAC-007	MMAC-089	MMAC-091	MMAC-158	MMAC-202	MMAC-299										
PAGE	110	110	112	113	113	114	114										
Firing Pin&Magazine Catch																	
MMAC CODE	MMAC-360																
PAGE	128																
Trigger																	
MMAC CODE	MMAC-065	MMAC-066	MMAC-171	MMAC-350	MMAC-465												
PAGE	132	132	133	133	133												
Upgrade Pack																	
MMAC CODE	MMAC-099	MMAC-100	MMAC-197	MMAC-196													
PAGE	151	151	151	153													
Duty Pack & Gear																	
MMAC CODE	MMAC-182																
PAGE	155																
Holster																	
MMAC CODE	MMAC-144	MMAC-315	MMAC-303	MMAC-180	MMAC-502	MMAC-503											
PAGE	167	167	168	168	172	172											
OEM																	
MMAC CODE	MMAC-001	MMAC-051	MMAC-205	MMAC-207	MMAC-208	MMAC-210	MMAC-213	MMAC-365	MMAC-366	MMAC-367	MMAC-368	MMAC-433	MMAC-547	MMAC-728	MMAC-731	MMAC-212	
PAGE	178	178	178	179	179	180	180	182	182	182	183	186	187	187	188	192	



Barrel																									
MMAC CODE	MMAC-105	MMAC-461	MMAC-462																						
PAGE	35	50	50																						
Magazine																									
MMAC CODE	MMAC-030	MMAC-148	MMAC-203	MMAC-423	MMAC-424	MMAC-457	MMAC-588	MMAC-589	MMAC-590	MMAC-591	MMAC-791														
PAGE	61	64	65	65	66	66	67	68	68	68	76														
Magwell																									
MMAC CODE	MMAC-133	MMAC-135	MMAC-026	MMAC-421	MMAC-382																				
PAGE	78	79	78	80	82																				
Magazine Extension																									
MMAC CODE	MMAC-013	MMAC-473	MMAC-474	MMAC-475																					
PAGE	84	86	86	86																					
Backstrap																									
MMAC CODE	MMAC-336	MMAC-337	MMAC-338	MMAC-339	MMAC-340	MMAC-347																			
PAGE	93	93	94	94	94	97																			
Recoil Spring																									
MMAC CODE	MMAC-054	MMAC-104																							
PAGE	101	102																							
Sight																									
MMAC CODE	MMAC-002	MMAC-006	MMAC-007	MMAC-009	MMAC-011	MMAC-012	MMAC-088	MMAC-092	MMAC-158	MMAC-202	MMAC-299	MMAC-361	MMAC-362	MMAC-363	MMAC-379	MMAC-483	MMAC-484	MMAC-548	MMAC-726	MMAC-727					
PAGE	109	110	110	117	117	118	111	115	113	114	114	114	115	115	117	116	116	116	118	118					
Optic Baseplate																									
MMAC CODE	MMAC-033	MMAC-034	MMAC-152	MMAC-153	MMAC-190	MMAC-549	MMAC-550	MMAC-551	MMAC-552	MMAC-553	MMAC-554	MMAC-555	MMAC-556												
PAGE	120	120	121	121	122	123	123	123	126	124	124	124	125												
Firing Pin&Magazine Catch																									
MMAC CODE	MMAC-052	MMAC-492	MMAC-756																						
PAGE	128	129	130																						
Trigger																									
MMAC CODE	MMAC-065	MMAC-066	MMAC-171	MMAC-350	MMAC-465																				
PAGE	132	132	133	133	133																				
SFX RIVAL-S Accessory																									
MMAC CODE	MMAC-638	MMAC-639	MMAC-640	MMAC-718	MMAC-719	MMAC-720	MMAC-721	MMAC-722	MMAC-723	MMAC-724	MMAC-725	MMAC-693	MMAC-636	MMAC-637	MMAC-155										
PAGE	146	146	146	147	147	147	148	148	148	149	149	140	140	140	139										
Duty Pack & Gear																									
MMAC CODE	MMAC-198																								
PAGE	158																								
Holster																									
MMAC CODE	MMAC-081	MMAC-238	MMAC-086	MMAC-248	MMAC-129	MMAC-243	MMAC-286	MMAC-191	MMAC-192	MMAC-351	MMAC-235	MMAC-268	MMAC-240	MMAC-241	MMAC-244	MMAC-245	MMAC-377	MMAC-378	MMAC-540	MMAC-567	MMAC-593	MMAC-085	MMAC-239	MMAC-242	MM




Barrel																									
MMAC CODE	MMAC-173	MMAC-174	MMAC-175																						
PAGE	40	40	41																						
Magazine																									
MMAC CODE	MMAC-030	MMAC-148	MMAC-203	MMAC-423	MMAC-424	MMAC-457	MMAC-588	MMAC-589	MMAC-590	MMAC-591	MMAC-791														
PAGE	61	64	65	65	66	66	67	68	68	68	76														
Magwell																									
MMAC CODE	MMAC-133	MMAC-135																							
PAGE	78	79																							
Magazine Extension																									
MMAC CODE	MMAC-013	MMAC-474	MMAC-475																						
PAGE	84	86	86																						
Backstrap																									
MMAC CODE	MMAC-336	MMAC-337	MMAC-338	MMAC-339	MMAC-340	MMAC-347																			
PAGE	93	93	94	94	94	97																			
Recoil Spring																									
MMAC CODE	MMAC-104																								
PAGE	102																								
Sight																									
MMAC CODE	MMAC-004	MMAC-006	MMAC-007	MMAC-158	MMAC-202	MMAC-299																			
PAGE	109	110	110	113	35	114																			
Optic Baseplate																									
MMAC CODE	MMAC-151	MMAC-169	MMAC-357	MMAC-358																					
PAGE	120	121	122	122																					
Firing Pin&Magazine Catch																									
MMAC CODE	MMAC-149																								
PAGE	129																								
Trigger																									
MMAC CODE	MMAC-065	MMAC-066	MMAC-171																						
PAGE	132	132	133																						
SFX RIVAL-S Accessory																									
MMAC CODE	MMAC-155	MMAC-693	MMAC-636	MMAC-637																					
PAGE	139	140	140	140																					
Upgrade Pack																									
MMAC CODE	MMAC-466	MMAC-467																							
PAGE	152	152																							
Duty Pack & Gear																									
MMAC CODE	MMAC-035	MMAC-541	MMAC-542	MMAC-545	MMAC-546	MMAC-156	MMAC-157	MMAC-198	MMAC-019	MMAC-290	MMAC-355	MMAC-296	MMAC-425												
PAGE	155	156	156	157	156	157	157	158	162	162	163	164	164												
Holster																									
MMAC CODE	MMAC-081	MMAC-238	MMAC-086	MMAC-248	MMAC-129	MMAC-243	MMAC-286	MMAC-191	MMAC-192	MMAC-351	MMAC-235	MMAC-268	MMAC-240	MMAC-241	MMAC-244	MMAC-245	MMAC-377	MMAC-378	MMAC-540	MMAC-567	MMAC-593	MMAC-085	MMAC-239	MMAC-242	MMAC-568
PAGE	166	166	166	166	166	166	169	169	169	169	169	170	170	170	170	170	172	172	172	172	173	173	175	175	176
DEM																									
MMAC CODE	MMAC-205	MMAC-207	MMAC-208	MMAC-366	MMAC-367	MMAC-368	MMAC-433	MMAC-730																	
PAGE	178	179	179	182	183	183	186	188																	

[illegible]



Barrel																														
MMAC CODE	MMAC-108	MMAC-109	MMAC-110	MMAC-418	MMAC-440	MMAC-441	MMAC-442																							
PAGE	36	36	36	42	45	46	46																							
Magazine																														
MMAC CODE	MMAC-015	MMAC-028	MMAC-029	MMAC-194	MMAC-424	MMAC-195	MMAC-598	MMAC-599	MMAC-600	MMAC-490	MMAC-195	MMAC-792																		
PAGE	60	60	60	64	66	64	72	73	73	67	64	76																		
Magwell																														
MMAC CODE	MMAC-027	MMAC-193	MMAC-382	MMAC-422																										
PAGE	78	82	82	83																										
Magazine Extension																														
MMAC CODE	MMAC-013	MMAC-014	MMAC-453	MMAC-454	MMAC-455																									
PAGE	84	84	85	85	85																									
Backstrap																														
MMAC CODE	MMAC-024	MMAC-341	MMAC-342	MMAC-343	MMAC-345	MMAC-346	MMAC-352	MMAC-500																						
PAGE	91	95	95	95	96	96	97	97																						
Recoil Spring																														
MMAC CODE	MMAC-102	MMAC-137	MMAC-138																											
PAGE	101	102	102																											
Sight																														
MMAC CODE	MMAC-004	MMAC-005	MMAC-006	MMAC-007	MMAC-025	MMAC-087	MMAC-089	MMAC-090	MMAC-091	MMAC-158	MMAC-202	MMAC-299																		
PAGE	109	110	110	110	120	112	112	113	113	113	114	114																		
Optic Baseplate																														
MMAC CODE	MMAC-151	MMAC-169	MMAC-357	MMAC-358																										
PAGE	120	121	122	122																										
Firing Pin&Magazine catch																														
MMAC CODE	MMAC-052	MMAC-492	MMAC-756																											
PAGE	128	129	130																											
Trigger																														
MMAC CODE	MMAC-065	MMAC-066	MMAC-350	MMAC-465																										
PAGE	132	132	133	133																										
SFX RIVAL-S Accessory																														
MMAC CODE	MMAC-638	MMAC-639	MMAC-640	MMAC-718	MMAC-719	MMAC-720	MMAC-721	MMAC-722	MMAC-723	MMAC-724	MMAC-725	MMAC-780	MMAC-781																	
PAGE	146	146	146	147	147	147	148	148	148	149	149	12	12																	
Upgrade Pack																														
MMAC CODE	MMAC-099	MMAC-100	MMAC-196	MMAC-197	MMAC-466	MMAC-467																								
PAGE	151	151	153	151	152	152																								
Duty Pack & Gear																														
MMAC CODE	MMAC-035	MMAC-182	MMAC-541	MMAC-542	MMAC-545	MMAC-156	MMAC-157	MMAC-198	MMAC-019	MMAC-290	MMAC-355	MMAC-296	MMAC-425																	
PAGE	155	155	156	156	157	157	157	158	162	162	163	164	164																	
Holster																														
MMAC CODE	MMAC-081	MMAC-238	MMAC-086	MMAC-248	MMAC-129	MMAC-243	MMAC-144	MMAC-315	MMAC-303	MMAC-180	MMAC-286	MMAC-191	MMAC-192	MMAC-351	MMAC-235	MMAC-268	MMAC-240	MMAC-241	MMAC-244	MMAC-245	MMAC-375	MMAC-502	MMAC-503	MMAC-540	MMAC-567	MMAC-593	MMAC-085	MMAC-239	MMAC-242	
PAGE	166	166	166	166	166	166	167	167	168	168	169	169	169	169	169	170	170	170	170	170	171	172	172	172	172	173	173	175	175	
DEM																														
MMAC CODE	MMAC-205	MMAC-206	MMAC-207	MMAC-208	MMAC-210	MMAC-212	MMAC-213	MMAC-348	MMAC-495	MMAC-730	MMAC-433	MMAC-547																		
PAGE	178	192	179	179	180	192	180	193	186	188	186	187																		



Barrel																											
MMAC CODE	MMAC-108	MMAC-109	MMAC-110	MMAC-418	MMAC-440	MMAC-441	MMAC-442																				
PAGE	36	36	36	42	45	46	46																				
Magazine																											
MMAC CODE	MMAC-015	MMAC-028	MMAC-029	MMAC-194	MMAC-424	MMAC-195	MMAC-598	MMAC-599	MMAC-600	MMAC-490	MMAC-195	MMAC-792															
PAGE	60	60	60	64	66	64	72	73	73	67	64	76															
Magwell																											
MMAC CODE	MMAC-027	MMAC-193	MMAC-382	MMAC-422																							
PAGE	78	82	82	81																							
Magazine Extension																											
MMAC CODE	MMAC-013	MMAC-014	MMAC-453	MMAC-454	MMAC-455																						
PAGE	84	84	84	85	855																						
Backstrap																											
MMAC CODE	MMAC-024	MMAC-341	MMAC-342	MMAC-343	MMAC-345	MMAC-346	MMAC-352	MMAC-500																			
PAGE	91	95	95	95	96	96	97	97																			
Recoil Spring																											
MMAC CODE	MMAC-102	MMAC-137	MMAC-138																								
PAGE	101	102	102																								
Sight																											
MMAC CODE	MMAC-004	MMAC-005	MMAC-006	MMAC-007	MMAC-025	MMAC-087	MMAC-089	MMAC-090	MMAC-091	MMAC-158	MMAC-202	MMAC-299															
PAGE	109	110	110	110	111	112	112	113	113	113	114	114															
Optic Baseplate																											
MMAC CODE	MMAC-151	MMAC-169	MMAC-357	MMAC-358																							
PAGE	120	121	122	122																							
Firing PinMagazine Catch																											
MMAC CODE	MMAC-052	MMAC-492	MMAC-756																								
PAGE	128	129	130																								
Trigger																											
MMAC CODE	MMAC-065	MMAC-066	MMAC-350	MMAC-465																							
PAGE	132	132	133	133																							
SFX RIVAL-S Accessory																											
MMAC CODE	MMAC-638	MMAC-639	MMAC-640	MMAC-718	MMAC-719	MMAC-720	MMAC-721	MMAC-722	MMAC-723	MMAC-724	MMAC-725	MMAC-780	MMAC-781														
PAGE	146	146	146	147	147	147	148	148	148	149	149	12	12														
Upgrade Pack																											
MMAC CODE	MMAC-099	MMAC-100	MMAC-196	MMAC-197	MMAC-466	MMAC-467																					
PAGE	151	151	153	151	153	153																					
Duty Pack & Gear																											
MMAC CODE	MMAC-035	MMAC-182	MMAC-541	MMAC-542	MMAC-545	MMAC-156	MMAC-157	MMAC-198	MMAC-019	MMAC-290	MMAC-355	MMAC-296	MMAC-425														
PAGE	155	153	156	156	157	157	157	158	162	162	163	164	164														
Holster																											
MMAC CODE	MMAC-081	MMAC-238	MMAC-086	MMAC-248	MMAC-129	MMAC-243	MMAC-144	MMAC-315	MMAC-303	MMAC-180	MMAC-286	MMAC-191	MMAC-192	MMAC-351	MMAC-235	MMAC-268	MMAC-240	MMAC-241	MMAC-244	MMAC-245	MMAC-375	MMAC-737	MMAC-502	MMAC-503	MMAC-540	MMAC-567	MMAC-593
PAGE	166	166	166	166	166	166	167	167	168	168	169	169	169	169	169	170	170	170	170	170	171	171	172	172	172	172	173
DEM																											
MMAC CODE	MMAC-205	MMAC-206	MMAC-207	MMAC-208	MMAC-210	MMAC-212	MMAC-213	MMAC-348	MMAC-495	MMAC-730	MMAC-433	MMAC-547															
PAGE	178	192	179	179	180	192	180	193	186	188	186	187															



SFX RIVAL



*Compatible Accessories

Barrel																	
MMAC CODE	MMAC-416	MMAC-434	MMAC-435	MMAC-436													
PAGE	42	43	44	44													
Magazine																	
MMAC CODE	MMAC-030	MMAC-148	MMAC-423	MMAC-457	MMAC-588	MMAC-590	MMAC-591	MMAC-489	MMAC-791								
PAGE	61	64	65	66	67	68	68	67	76								
Magwell																	
MMAC CODE	MMAC-485	MMAC-486	MMAC-487														
PAGE	82	81	81														
Magazine Extension																	
MMAC CODE	MMAC-473	MMAC-474	MMAC-475														
PAGE	86	86	86														
Recoil Spring																	
MMAC CODE	MMAC-053	MMAC-054	MMAC-104	MMAC-491	MMAC-752	MMAC-733											
PAGE	100	102	102	104	105	106											
Sight																	
MMAC CODE	MMAC-007	MMAC-362	MMAC-726	MMAC-727													
PAGE	110	115	118	118													
Optic Baseplate																	
MMAC CODE	MMAC-550	MMAC-551	MMAC-552	MMAC-553	MMAC-554	MMAC-555	MMAC-556	MMAC-611									
PAGE	123	123	126	124	124	124	125	125									
Firing Pin&Magazine Catch																	
MMAC CODE	MMAC-052	MMAC-149	MMAC-492	MMAC-756													
PAGE	128	129	129	130													
Trigger																	
MMAC CODE	MMAC-065	MMAC-066	MMAC-171	MMAC-350	MMAC-465												
PAGE	132	132	133	133	133												
SFX RIVAL-S Accessory																	
MMAC CODE	MMAC-057	MMAC-058	MMAC-155	MMAC-638	MMAC-639	MMAC-640	MMAC-693	MMAC-718	MMAC-719	MMAC-720	MMAC-721	MMAC-722	MMAC-723	MMAC-724	MMAC-725	MMAC-636	MMAC-637
PAGE	139	139	139	146	146	146	140	147	147	147	148	148	148	149	149	140	140
Duty Pack & Gear																	
MMAC CODE	MMAC-691	MMAC-501	MMAC-290	MMAC-545	MMAC-355												
PAGE	164	160	162	157	163												
Holster																	
MMAC CODE	MMAC-502	MMAC-503	MMAC-656	MMAC-657	MMAC-658	MMAC-659											
PAGE	172	172	174	174	174	174											
OEM																	
MMAC CODE	MMAC-001	MMAC-051	MMAC-206	MMAC-208	MMAC-209	MMAC-210	MMAC-212	MMAC-370	MMAC-426	MMAC-427	MMAC-429	MMAC-431	MMAC-494				
PAGE	178	178	192	179	179	180	192	193	184	184	184	185	186				

[illegible]

PLATE 10.1. JESSEMY MOUNTAIN



ORIGINAL NAME