

PARD



NIGHT VISION & THERMAL IMAGING PRODUCTS




LEOPARD



KEY FEATURES

- ⊗ WIDE VIEW FOR EFFORTLESS SCANNING
- ⊗ EXTREME COMPACT DESIGN
- ⊗ LAST UP TO 6 HOURS WITH LITHIUM ION 18650 EXCHANGABLE BATTERY
- ⊗ 6 IMAGE MODES (WT-HOT, BK-HOT, EDGE, RD-HOT, IN-HOT, SKY)



 Oled
(1024x168) LE2

 High Res Amoled
(1920x1080) LE4&6

 Micro HDMI
Video Output

 Up to 1800m
Detection Range

 128GB of Storage
Removeable SD Card

 18650 Li-ion battery

 Integrated 1000m
Laser Range Finder

 Lightweight

 IP67
Waterproof

 WiFi

SKU	MODEL	RANGE	FOV (W)	MAG.	SENSOR	RRP
LE2-11	Leopard 256 11mm	500m	15.9°	2.0x	256*192, @12μm, ≤25mK NETD, 50Hz	\$869
LE2-16	Leopard 256 16mm	800m	11.0°	2.9x		\$1,089

SKU	MODEL	RANGE	FOV (W)	MAG.	SENSOR	RRP
LE4-25	Leopard 480 25mm	1200m	13.1°	2.0x	480*360 @12μm, ≤20mK NETD, 50Hz	\$2,199
LE4-25/LRF	Leopard 480 25mm with LRF					\$2,399
LE4-35	Leopard 480 35mm	1800m	9.4°	2.8x		\$2,299
LE4-35/LRF	Leopard 480 35mm with LRF					\$2,499
LE6-35	Leopard 640 35mm		2600m	12.5°	2.2x	640*512 @12μm, ≤20mK NETD, 50Hz
LE6-35/LRF	Leopard 640 35mm with LRF	\$2,899				
LE6-50	Leopard 640 50mm	8°		3.2x	\$3,149	
LE6-50/LRF	Leopard 640 50mm with LRF				\$3,299	



PANTERA Q

KEY FEATURES

- ⊕ NETD≤18MK, ULTRA-SENSITIVE
- ⊕ ENHANCED CLARITY (1600x1200 OLED HI-RES DISPLAY)
- ⊕ DETECTION DISTANCES: 2600M
- ⊕ INTEGRATED 1000M LRF & BALLISTIC CALCULATOR
- ⊕ ALUMINUM ALLOY LIGHTWEIGHT & DURABLE



- 6 Image Modes
- 100mm Long Eye-Relief
- 6000J Recoil Resistance
- WiFi
- IP67 Waterproof
- 7 Reticle Styles and 4 Colors
- Standby Mode
- Recoil-Activated Recording
- Removeable & Rechargeable 21700 Li-ion battery

128GB of Storage
Removeable SD Card

Picture
In Picture

Integrated 1000m
Laser Range Finder

SKU	MODEL	RANGE	FOV (°)	MAG.	SENSOR	RRP
PA4Q-35	Pantera Q 480 (35mm)	1800m	9.4°	2.6x	480*360 @ 12*12µm, ≤18mK (0.018°C) NETD	\$3,099
PA4Q-35/LRF	Pantera Q 480 (35mm with LRF)					\$3,399
PA4Q-50	Pantera Q 480 (50mm)	2600m	6.6°	3.7x		\$3,699
PA4Q-50/LRF	Pantera Q 480 (50mm with LRF)					\$3,999
PA6Q-50	Pantera Q 640 (50mm)		8.8°	3x	640*512 @ 12*12µm, ≤18mK (0.018°C) NETD	\$4,299
PA6Q-50/LRF	Pantera Q 640 (50mm with LRF)					\$4,599

PANTERA

KEY FEATURES

- ⊕ IPS ULTRA-CLEAR DISPLAY (800x800)
- ⊕ INTEGRATED LRF AND BALLISTIC CALCULATOR
- ⊕ 6 RETICLE STYLES, 4 COLOR MODES & 6 IMAGE MODES
- ⊕ ENHANCED THERMAL SENSOR (NETD ≤20MK)




- Hot Track
- Recoil-Activated Recording
- Removeable & Rechargeable 18650 Li-ion battery
- Loop Recording
- 6000J Recoil Resistance
- WiFi
- Integrated 1000m Laser Range Finder
- IP67 Waterproof
- Picture In Picture
- 100mm Long Eye-Relief
- Recording Capture Every shot perfectly
- 128GB of Storage Removeable SD Card

SKU	MODEL	RANGE	FOV (W)	MAG.	SENSOR	RRP
PA4-35	Pantera 480 35mm	1800m	7.1°	2.3x	480*360 @12μm, ≤20mK NETD, 50Hz	\$2,799
PA4-35/LRF	Pantera 480 35mm with LRF					\$3,099
PA4-50	Pantera 480 50mm	2600m	5.0°	3.3x		\$3,299
PA4-50/LRF	Pantera 480 50mm with LRF					\$3,599
PA6-50	Pantera 640 50mm		7.0°	2.5x	640*512 @12μm, ≤20mK NETD, 50Hz	\$3,699
PA6-50/LRF	Pantera 640 50mm with LRF					\$3,999
PA6Z-2550/LRF	Pantera 640 Zoom 50mm with LRF	1200m & 2600m	14.0°/7.0°	1.1x/2.2x	640*512 @12μm, ≤15mK NETD, 50Hz	\$6,499
PA6Z-75/LRF	Pantera 640 75mm with LRF	2900m	4.7°	3.8x		\$5,299

PANTERA MINI

KEY FEATURES


- ⊕ COMPACT ("LPVO" STYLE)
- ⊕ LIGHTWEIGHT (490G WITH BATTERY)
- ⊕ 1024×768 OLED DISPLAY WITH MULTIPLE COLOR PAlettes
- ⊕ 25MM MULTI-COATED LENS WITH 3.6X OPTICAL ZOOM
- ⊕ 256x192 PX SENSOR



SKU	MODEL	RANGE	FOV (W)	MAG.	SENSOR	RRP
PA2Q-25	Pantera Q 256 (25mm)	1200m	7.0°	3.6x	256*192 @ 12*12μm, ≤25mK (0.025°C) NETD	\$1,199



ALTERNATE HIGH AND LOW BUTTONS, EASY TO TOUCH AND OPERATE



SIDE FOCUS KNOB

THERMAL CLIP ON

PREDATOR

KEY FEATURES

- ⊕ INTEGRATED LASER RANGE FINDER
- ⊕ COMPACT BODY AND COMPACT DESIGN
- ⊕ PRESERVING HUNTER'S DAY SCOPE ZERO
- ⊕ TOGGLE BUTTON EASY TO OPERATE
- ⊕ INCLUDES QUICK-DETACH DAY-SCOPE ADAPTER



SKU	MODEL	RANGE	FOV (W)	MAG.	SENSOR	RRP
PR6-45/LRF	Predator 640 45mm with LRF	2100m	11.0°	1x	640*512 @12μm, ≤20mK NETD, 50Hz	\$4,099



1000M INTEGRATED LASER RANGE FINDER



CAPTURE EVERY SHOT PERFECTLY

NIGHT STALKER 4K EX



KEY FEATURES

- ⊗ SENSOR-BOOSTED 4K ULTRA HD RESOLUTION
- ⊗ DETACHABLE LRF&IR MODULE AND BALLISTIC CALCULATOR
- ⊗ CRISP 2560×2560 OLED DISPLAY WITH MULTI-COLOR RETICLES
- ⊗ 14-HOUR DUAL BATTERY SYSTEM WITH USB-C POWERING
- ⊗ PRECISION 5.5× OPTICAL ZOOM WITH PIP MODE
- ⊗ SIDE FOCUS KNOB



SMOOTH
TRACKING
WITH 60HZ



Integrated 1000m
Laser Range Finder



IP67
Waterproof



6000J
Recoil Resistance



Recoil-activated recording



60mm Long
Eye-Relief



WiFi



6 Reticle Styles
and 4 Colors

SKU	MODEL	IR LIGHT RANGE	FOV (W)	MAG.	SENSOR	RRP
NS4E-70/LRF	PARD Night Stalker 4K EX (70mm with LRF)	350m	5.8°	5.5x	3840*2160 @ 2.9μm, Lux 0.001, 60/30 Hz	\$2,049
NS4E-100/LRF	PARD Night Stalker 4K EX (100mm with LRF)		4.1°	8.0x		\$2,249
NS4E-70	PARD Night Stalker 4K EX (70mm)	N/A	5.8°	5.5x		\$1,699
NS4E-100	PARD Night Stalker 4K EX (100mm)		4.1°	8.0x		\$1,899



NIGHT STALKER 4K PRO



KEY FEATURES

- ⊗ SENSOR BOOSTED 4K CLARITY
- ⊗ SIDE FOCUS AND CLASSIC CONTROL KNOB
- ⊗ ROUND DISPLAY (800x800 PX)
- ⊗ DETACHABLE LRF&IR MODULE AND
- ⊗ BALLISTIC CALCULATOR

6000J Recoil Resistance

IP67 Rated

Recoil-activated recording

Removeable & Rechargeable 18650 Li-ion battery

Integrated 1000m Laser Range Finder

100mm Long Eye-Relief

WiFi

SKU	MODEL	IR LIGHT RANGE	FOV (W)	MAG.	SENSOR	RRP
NS4P-70/LRF	PARD Night Stalker 4K Pro (70mm with LRF)	350m	3.3°	5.6x	3840*2160 @ 2μm, Lux 0.001, 30Hz	\$1,549
NS4P-100/LRF	PARD Night Stalker 4K Pro (100mm with LRF)		2.3°	8.0x		\$1,749
NS4P-70	PARD Night Stalker 4K Pro (70mm)	N/A	3.3°	5.6x		\$1,199
NS4P-100	PARD Night Stalker 4K Pro (100mm)		2.3°	8.0x		\$1,399

NIGHT STALKER 4K

KEY FEATURES

- ⊗ SENSOR-BOOSTED 4K CLARITY
- ⊗ INTEGRATED LRF AND BALLISTIC CALCULATOR
- ⊗ ULTRA CLEAR IPS LCD DISPLAY(800x800PX)
- ⊗ ONE SHOT ZERO
- ⊗ 100MM LONG EYE-RELIEF
- ⊗ INTEGRATED AND DIRECTIONAL
- ⊗ IR ILLUMINATOR

Integrated 1000m Laser Range Finder

6000J Recoil Resistance

IP67 Waterproof

128GB of Storage Removeable SD Card



WiFi


Recoil-activated recording

6 Reticle Styles and 4 Colors

SKU	MODEL	IR LIGHT RANGE	FOV (W)	MAG.	SENSOR	RRP
NS4-50/850/LRF	Night Stalker 4K 50mm 850nm with LRF	350m	4.6°	4x	CMOS 3840*2160 @2μm, 0.001lux, 30Hz	\$1,299
NS4-50/940/LRF	Night Stalker 4K 50mm 940nm with LRF			5.6x		
NS4-70/850/LRF	Night Stalker 4K 70mm 850nm with LRF		3.3°	5.6x		
NS4-70/940/LRF	Night Stalker 4K 70mm 940nm with LRF			5.6x		



ERGONOMIC AND
COMFORTABLE
ROUND DISPLAY



ED LENSES
CLEARER AND
DURABLE



NIGHT STALKER MINI

KEY FEATURES

- ⊕ COMPACT ("LPVO" STYLE)
- ⊕ LIGHTWEIGHT (450G WITH BATTERY)
- ⊕ ERGONOMIC ROUND DISPLAY
- ⊕ ONE-SHOT ZEROING
- ⊕ SIDE FOCUS KNOB



- 6 Reticle Styles
- Standby Mode
- 100mm Long Eye-Relief
- Picture In Picture
- 6000J Recoil Resistance
- IP67 Waterproof
- WiFi
- Removeable & Rechargeable 18650 Li-ion battery

SKU	MODEL	IR LIGHT RANGE	FOV (W)	MAG.	SENSOR	RRP
NSM-35	Night Stalker Mini	N/A	5.7°	3x	2560*1440 @ 2.9μm, 0.001 lux, 60/30(Color/Mono) Hz	\$599
NSM+TL3	Night Stalker Mini with TL3-850	350m				\$699

NIGHT VISION CLIP ON

NV007-SP2 4K

KEY FEATURES

- ⊕ 4K UHD CMOS SENSOR
- ⊕ QUICK ATTACH/DETACH MECHANISM
- ⊕ DETACHABLE IR LIGHT (SOLD SEPARATELY)
- ⊕ RECOIL-ACTIVATED RECORDING

- Integrated Laser Range Finder
- WiFi
- Direction Adjustable IR light
- 6000J Recoil Resistance
- SD Card Firmware Upgrade
- Photos and Videos Recording
- Base Magnification and Digital Zoom
- IP67 Waterproof
- Removeable & Rechargeable 18650 Li-ion battery



SKU	MODEL	IR LIGHT RANGE	FOV (W)	MAG.	SENSOR	RRP
NV007SP24-20 (4k)	NV007SP2 4K	N/A	14.9°	2.2x	3840*2160 @2μm, 0.001 lux, 30 Hz	\$799
NV007SP24-20/LRF	NV007SP2 4K with LRF					\$949
IR1-850	Pard Infrared Light 850nm	350m	-	-	-	\$99



LANDSAT

KEY FEATURES

- ⊕ DAY/NIGHT VISION & THERMAL VISION
- ⊕ COMPACT DESIGN, EFFORTLESS HUNTING
- ⊕ INNOVATING RAPID BATTERY REPLACEMENT MECHANISM
- ⊕ MORE SENSITIVE AND RELIABLE WITH DUAL HIGH-SENSITIVE SENSOR



Integrated 1000m Laser Range Finder



6 Reticle Styles and 4 Colors



IP67 Waterproof



WiFi



Rechargeable 21700 Li-ion battery



Dual Image Recording



Up to 2100m Detection Range



128GB of Storage Removeable SD Card



Integrated and Directional IR illuminator



TRANSFORM THE LANDSCAPE OF HUNTING



INTEGRATED MULTI-SPECTRAL VIEWING MODES

SKU	MODEL	RANGE	FOV (W)	MAG.	SENSOR	RRP
LA4C-35/70/LRF	Landsat 480 Compact Q 35/70mm with LRF	Thermal: 1800m	Thermal: 9.4° DNV: 3.8°	Thermal: 2.8x DNV: 6.9x	Thermal: 480*360 @12µm, ≤18mK NETD, 50Hz Optical: 2688*1520 @2.9µm, 0.001 lux 60Hz Colour / 30Hz B&W	\$3,699
LA6C-45/70/LRF	Landsat 640 Compact Q 45/70mm with LRF	Thermal: 2100m	Thermal: 9.8° DNV: 3.8°	Thermal: 2.7x DNV: 6.9x	Thermal: 640*512 @12µm, ≤18mK NETD, 50Hz Optical: 2688*1520 @2.9µm, 0.001 lux 60Hz Colour / 30Hz B&W	\$5,199

LANDSAT MINI

KEY FEATURES

- ⊕ DAY/NIGHT VISION & THERMAL VISION
- ⊕ LIGHTWEIGHT (520G)
- ⊕ SUPER COMPACT DESIGN (170*77*85MM)
- ⊕ INNOVATING RAPID BATTERY REPLACEMENT MECHANISM



Integrated 1000m Laser Range Finder



5 Reticle Styles and 4 Colors



IP67 Waterproof



WiFi



Rechargeable & Removeable 18650Li-ion battery



Dual Image Recording



Integrated and Directional IR illuminator



32GB Built-in eMMC

SKU	MODEL	RANGE	FOV (W)	MAG.	SENSOR	RRP
LA2M-19/30/850/LRF	Landsat 256 Mini 19/30mm 850nm with LRF	Thermal: 900m DNV: IR 350m	Thermal: 9.2° DNV: 8°	Thermal: 3.2x DNV: 3.7x	Thermal: 256*192 @12µm, ≤25mK NETD, 50Hz Optical: 1920*1080 @ 2.9µm, 0.001lux 60Hz Colour / 30Hz Mono	\$1,899
LA2M-19/30/940/LRF	Landsat 256 Mini 19/30mm 950nm with LRF					

*NO BALLISTIC CALCULATOR INCLUDED



COMPACT



MINI